

## This document was generated on 01/07/2022 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

| Part Number:<br>Status:<br>Overview:          | 1201088227<br>Active<br>Brad Industrial Ethernet Solutions | 5  | EU ELV<br>Not Relevant                                |                                   |
|---|--|--|---|-----------------------------------|
| Description: Ultra-Lock (M12) to Standa       |  | 45 Double-Ended Cordset, 4 Poles, Male (90°) to<br>ed PUR Cable, 15.0m (49.21') Length, 6.70mm (.264") | EU RoHS<br>Not Reviewed<br>REACH SVHC<br>Not Reviewed | <u>China RoHS</u>                 |
| Documents:<br>Drawing (PDF)                   |  | RoHS Certificate of Compliance (PDF)   | <u>Halogen-Free</u><br><u>Status</u><br>Not Reviewed  |                                   |
| Agency Certification                          |  |  | For more information                                  | n, please visit <u>Contact US</u> |
| UL<br>General                                 | E2   | 200650   | China ROHS<br>ELV                                     | Not Reviewed<br>Not Relevant      |
| Product Family<br>Series                      |  | dustrial Cordsets<br>20109   | RoHS Phthalates                                       | Not Reviewed                      |
| Connector End A                               |  | tra-Lock (M12)   |   |                                   |
| Connector End B                               |  | J-45 (standard)  | Search Parts in t                                     | his Series                        |
| IP Rating                                     |  | 67 (Ultra-Lock® only)  | <u>120109</u> Series                                  |                                   |
| Material - Contact<br>Overview                |  | opper Alloy<br>ad Industrial Ethernet Solutions  | ,   |                                   |
| Performance Category                          | 56   |  |   |                                   |
| Product Name                                  |  | dustrial Ethernet, Ultra-Lock (M12)  |   |                                   |
| Protocol                                      |  | herNet   |   |                                   |
| Туре  |  | puble Ended  |   |                                   |
| UPC   | 88   | 37191604558  |   |                                   |
| Physical                                      |  |  |   |                                   |
| Cable Diameter                                | 6.   | 70mm (.264")   |   |                                   |
| Cable Length                                  |  | 5.0m (49.21')  |   |                                   |
| Color - Cable Jacket                          |  | reen   |   |                                   |
| Coupling Style                                |  | ush to Lock  |   |                                   |
| Gender<br>Keyway                              |  | ale-Male<br>·coded   |   |                                   |
| LED Indicator                                 | N  |  |   |                                   |
| Material - Cable Jacket                       |  | JR   |   |                                   |
| Material - Connector Bo                       |  | JR, Thermoplastic  |   |                                   |
| Material - Coupling Nut                       | Ni   | ckel-plated Brass  |   |                                   |
| Material - Plating Matin                      |  | bld  |   |                                   |
| Orientation                                   | 90   | )° to Straight   |   |                                   |
| Poles   | 4  | 0° to 160°C  |   |                                   |
| Temperature Range - 0<br>Wire Size AWG        | 22 Pperating -2  | 0° to +60°C  |   |                                   |
| Wire/Cable Type                               |  | nielded PUR  |   |                                   |
| Electrical                                    |  |  |   |                                   |
| Current - Maximum per<br>Voltage - Maximum    | Contact 1.<br>30   | 5A<br>)V   |   |                                   |
| Material Info<br>Engineering Number           |  | N6A06111M150   |   |                                   |
| <b>Reference - Drawing I</b><br>Sales Drawing |  | 201088224-000, SD-120108-070-001   |   |                                   |

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Ethernet Cables / Networking Cables category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

 73-6670-7
 73-6680-15
 73-7797-25
 MCJB2-10P6Q7-120
 84909-0204
 1200700174
 1200860368
 E16A06002M030
 E200102-009-S1

 AX105346-EW
 MT14-187L
 17-103530
 ERWPAB3002M005
 190-038045-01
 NK5EPC18RDY
 NK5EPC18VLY
 NK5EPC18YLY

 NK5EPC1GRY
 NK5EPC4Y
 NK5EPC6YLY
 NK5EPC8BLY
 NK5EPC9YLY
 1969343-6
 C501100010
 C501106002
 C501106007

 C501106015
 C501106025
 C601102010
 C601104010
 C601106007
 C601106015
 2142758-2
 2168427-2
 CAT1106007
 21949-1
 2J1866A

 RJF SFTP 5E 0500
 AX100351
 MN14CEC/ST
 C501106004
 C501106010
 C551108007
 C601104004
 C601106004

 CA21106004
 CA21106010
 CA21106015
 CA21109007
 C601104004
 C601106004