| | | | | | | | ITEM DESCRIPTION 1 SCREW 2 COVER ASS 3 INSERT AS: 4 GASKET | SEMBLY | | |
|---|--|--------------------|--------|--|---|---|---|---|------------------|--------------------------------|
| | | | | | | | | | | |
| | ς. Φ | 42REF | | | | | C18209 | 9N21*; TTTT | × - | |
| | S S S S S S S S S S S S S S | | Z7 REF | POLES 2= 2 THRE/ 09= P | NTERNAL THREAD FORM / | M0= M20×1.5, 12= 1/2" GAS | , 13= 1/2* NPTF | | | |
| | 23-25 REF | | | MATEF G = P N= PA GROUN 0= UN SCREW 1= NBF | RAL AND HOUSING COLOU A6 GRAY, H= PA6 HEAT F 6 BLACK, W= PA66 BLACH D POSITION MOUNTED, 2= H12, 3= H3, AND GASKET R PROFILE GASKET & SCRE R FLAT GASKET & SCRE | R PROTECTION, < VO, T= TRANSPARENT 6= H6 & 9= H9 EW | | | | |
| | 29.5REF | | | 3= WH 4= WH 5= NB 9= NO 0= NO A= NB B= NB C= WH | ITE SILICONE PROFILE GA: ITE SILICONE FLAT GASKE R PROFILE GASKET, NO S GASKET, NO SCREW GASKET, NO SCREW R PROFILE GASKET & SCREW ITE SILICONE PROFILE GAS GASKET & STANDARD SI | SKET & SCREW ET & SCREW CREW REW +2mm / +2mm SKET & SCREW +2mm | 14= SINGLE B. 19= PIN NO.3 23= ASSEMBL 10= SPECIAL 4S= SPECIAL 5A= SINGLE B 9V= NO SCRE AF= CENTRE | NON CONNECTED/REI LED SCREWS & GASK GROMMET BAGGED 500 IN A BO W OR GASKET SCREW MOUNTED | <ΕT | |
| | NOTES 1. PLEASE SEE SHEET 2 FOR CURRENT FOR SPECIEIC PART NUMBERS PLEAS | | | I= BUL P= INT R= INT | K PACK FULLY MOUNTED, EGRATED NBR GASKET & EGRATED NBR GASKET & QUALITY GENERAL TO SYMBOLS (UNLESS SP | NO GASKET IP67 SCREW ASSEMBLED IP67 SCREW NOT ASSEMB DLERANCES ECIFIED) | OH= INOX SCF P7= IP67 COM SA= UL LISTE | JINMOUNTED ALL COM REW 1PLIANT ED PART SCALE DESIGN UNITS 1.5:1 METRIC | | |
| 3 | FOR SPECIFIC PART NUMBERS PLEA'S THE INTELLIGENT PART NUMBERS IN 2. EARTH POSITION SHOWN. H12. 3. FOR PACKAGING SEE PACKAGING SPE 4. PRODUCT SPEC: SEE PS-121201-001 LAST INSPECTION NUMBER 2 | THE TABLE ATTACHED | | ADDED P/N Z EC NO: IPG2016-0551 Z EC NO: IPG2016-0551 CHYCAD:BPRES 2015/10/10 CHYCAD:SHER 2015/11/12 APPR:STGRIFIN 2015/11/125 eV/ DESCRIPTION | ▼=0 4 PLACES ± 3 PLACES ± 2 PLACES ± 0.1 1 PLACE ± 0.2 ANGUL DRAFT WHERE MUST F WITHIN DIM | | DATE 2011/05/06 BY DATE 2011/05/24 | C18 INTERN DEX MOLEX I UMENT NO. SD-12102 S INFORMATION THAT | T IS PROPRIETARY | TED SHEET 1 OF TO MOL |

| | | | | | | PART No. | mPm PART | No. n | DESCRIPTION | | | | | | |
|------------------------|------------------------|--|-------------------------|------------------|-------------------|--|----------------------|---------|---|------------------|---------------|------------|--|-------------|-----------------------|
| PART No. | mPm PART No. | | | | | 1210230800 | C18209G2 | | TYPE A 2P PG9 GRAY, NBR | FLAT GASKET. & S | SCREW +2mm | | | | |
| 210230229 | | TYPE A 2P PG9 GRAY, NB | | | | 1210230803 | C182M0N | | TYPE A 2P M20x1.5 BLACK, I | NBR PROFILE GASK | ET & SCREW | +2mm | | | |
| 210230231 | C18209G22 | TYPE A 2P PG9 GRAY, NB | | | | 1210230804 | C18309N | | TYPE A 3P PG9 BLACK, WHI | | | | | | |
| 210230233 | C18209G31 | TYPE A 2P PG9 GRAY, NB | K PRUHILE GASKET & SO | .KEW | | 1210230807 | C18309N2 | | TYPE A 3P PG9 BLACK, INTE | | | | | | |
| - 210230238 | C18209N21 | - TYPE A 2P PG9 BLACK, N | R PROFILE GASKET . | CREW | | 1210230825 | C182M6N | | TYPE A 2P M16x1.5 BLACK, I | | | | SSEMBLED | | |
| 210230236 | | TYPE A 2P PG9 BLACK, N | | | | 1210230833 | C18211G2 | | TYPE A 2P PG11 GRAY, NBR | | | <u>m</u> | | | |
| 210230242 | C18209N23 | TYPE A 2P PG9 BLACK, W | | | | 1210230841 | C182M0G2 | | TYPE A 2P M20x1.5 GRAY, N | | | | | | |
| 210230244 | | TYPE A 2P PG9 BLACK, W | | | | 1210240268 | C18311N2 | | <u>TYPE A 3P PG11 BLACK, NO</u> TYPE A 2P PG11 BLACK, NBF | | | | | | |
| 210230246 | C18209N25 | TYPE A 2P PG9 BLACK, N | | | | 1210240370 1210240940 | C18211N2 C18209N2 | | TYPE A 2P PG1 BLACK, NBP | | | am | | | |
| 210230249 | C18209N2A | TYPE A 2P PG9 BLACK, N | BR PROFILE GASKET & S | SCREW +2mm | | 1210240133 | C18209N2 | | TYPE A 2P PG9 BLACK, NBR | | | | EW | | |
| 210230251 | C18209N31 | TYPE A 2P PG9 BLACK, N | R PROFILE GASKET & S | CREW | | 1210240155 | C18209N2 | | TYPE A 2P PG9 BLACK, NBR | | | | | | |
| 210230252 | C18209N61 | TYPE A 2P PG9 BLACK, N | | | | 1210240378 | C18311N2 | | TYPE A 3P PG11 BLACK, NBP | | | | | | |
| 210230253 | C18209N62 | TYPE A 2P PG9 BLACK, N | | | | 1210240139 | C18209N2 | | TYPE A 2P PG9 BLACK, NBR | | | | | | |
| 210230254 | C18209T21 | TYPE A 2P PG9 TRANSPA | | | | 1210240156 | C18209N2 | 2214 T | TYPE A 2P PG9 BLACK, NBR | FLAT GASKET & | SCREW IN NEU | JTRAL BAG | i | | |
| 210230271 | C18211G21 | TYPE A 2P PG11 GRAY, NE | | | | 1210240224 | C18309N2 | 2114 T | TYPE A 3P PG9 BLACK, NBR | PROFILE GASKET | & SCREW IN N | NEUTRAL B | JAG | | |
| 210230278 | C18211N21 | TYPE A 2P PG11 BLACK, N | | | | 1210240755 | C18309N2 | | TYPE A 3P PG9 BLACK, INTE | | | | | W/O PIN No. | . 3 |
| 210230282 210230283 | C18211N23 C18211N24 | TYPE A 2P PG11 BLACK, W TYPE A 2P PG11 BLACK, W | | | | 1210240227 | C18309N2 | | TYPE A 3P PG9 BLACK, NBR | | | | | | |
| 210230283 | C18211N61 | TYPE A 2P PG11 BLACK, W | | | | 1210240185 | C18211G2 | | TYPE A 2P PG11 GRAY, NBR | | | | | | |
| 210230286 | C18211T21 | TYPE A 2P PG11 TRANSPA | | | | 1210240271 | C18311N6 | | TYPE A 3P PG11 BLACK, NBP | | | | | | |
| 210230291 | C18211W21 | TYPE A 2P PG11 BLACK V | | | | 1210240265 1210230350 | C18311N2 C18309N2 | | <u>TYPE A 3P PG11 BLACK, NBF</u> TYPE A 3P PG9 BLACK, NO | | | NULE BAUU | EU, DUU IN A | BUX | |
| 210230305 | C18212N21 | TYPE A 2P 1/2' GAS BLA | | | | 1210230350 | C18209N2 | | TYPE A 2P PG9 BLACK, NO | | | | | | |
| 210230315 | C18213G21 | TYPE A 2P 1/2 NPTF GR | AY, NBR PROFILE GASKE | T & SCREW | | 1210230232 | C18209G2 | | TYPE A 2P PG9 GRAY, NBR | | | INTED | | | |
| 210230319 | C18213N21 | TYPE A 2P 1/2' NPTF BL | | | | 1210230243 | C18209N2 | | TYPE A 2P PG9 BLACK, NBR | | | | - | - | |
| 210230328 | C18239G21 | TYPE A 2P PG9 W/STRAIN | | | | 1210230274 | C18211G2 | | TYPE A 2P PG11 GRAY, NBR | | | | | | |
| 210230331 | C18241N21 | TYPE A 2P PG11 W/STRAIN | | | EW | 1210230281 | C18211N22 | | TYPE A 2P PG11 BLACK, NBF | | | | - | - | |
| 210230336 | C18309G21 | TYPE A 3P PG9 GRAY, NB | | | | 1210230648 | C18309N | B1AF T | TYPE A 3P PG9 BLACK, NBR | PROFILE GASKET | WITH SCREW I | MOUNTED | | | |
| 210230337 | C18309G22 | TYPE A 3P PG9 GRAY, NB | | | | 1210230678 | C183MON | | TYPE A 3P M20x1.5 BLACK, I | NBR PROFILE GASK | KET WITH SCRE | EW MOUNTE | ED | | |
| 210230341 | C18309N21 | TYPE A 3P PG9 BLACK, N | | | | 1210230696 | C183M6N | | TYPE A 3P M16x1.5 BLACK, N | | | | | | |
| 210230345 210230346 | C18309N23 C18309N24 | TYPE A 3P PG9 BLACK, W TYPE A 3P PG9 BLACK, W | | | | 1210230751 | C183M6N3 | | TYPE A 3P M16x1.5 BLACK, N | | | | .D | | |
| 210230340 | C18309N2G | TYPE A 3P PG9 BLACK, W | | | | 1210230801 | C183M6N2 | | TYPE A 3P M16x1.5 BLACK, N | | | | | | |
| 210230354 | C18309N61 | TYPE A 3P PG9 BLACK, N | | | | 1210230767 | C18311N3 | | TYPE A 3P PG11 BLACK, NBF | | | | | | |
| 210230356 | C18309N64 | TYPE A 3P PG9 BLACK, W | | | | 1210230728 1210230240 | C18209N2 C18209N2 | | <u>TYPE A 2P PG9 BLACK, NBR</u> TYPE A 2P PG9 BLACK, NBR | | | | | | |
| 210230358 | C18309T21 | TYPE A 3P PG9 TRANSPA | | | | 1210230240 | C18209N | | TYPE A 2P PG9 BLACK, NBR | | | | <u>NI</u> | | |
| 210230364 | C18309W21 | TYPE A 3P PG9 BLACK VC | | | | 1210230272 | C1821102 | | TYPE A 2P PG11 BLACK, NBF | | | | NT | | |
| 210230367 | C18309W23 | TYPE A 3P PG9 BLACK VC | , WHITE SILICONE PROFIL | E GASKET & SCREW | | 1210230420 | C18339N2 | | TYPE A 3P PG9 W/STRAIN R | | | | | | |
| 210230372 | C18311G21 | TYPE A 3P PG11 GRAY, NE | | | | 1210230725 | C18309N2 | | TYPE A 3P PG9 BLACK, NBR | | | | | | |
| 210230373 | C18311G22 | TYPE A 3P PG11 GRAY, NB | | | | 1210230731 | C18312N2 | 1P7 T | TYPE A 3P 1/2" GAS BLACK | NBR PROFILE GAS | SKET & SCREW | N IP67 COM | IPLIANT | | |
| 210230374 | C18311G61 | TYPE A 3P PG11 GRAY, NE | | | | 1210230732 | C18209G2 | 21P7 T | TYPE A 2P PG9 GRAY, NBR | PROFILE GASKET & | & SCREW IP67 | COMPLIAN | Г | | |
| 210230377 | C18311N21 | TYPE A 3P PG11 BLACK, N | | | | 1210230843 | C183M6N | | TYPE A 3P M16x1.5 BLACK, N | | | | _IANT | | |
| 210230378 210230379 | C18311N22 C18311N31 | TYPE A 3P PG11 BLACK, N TYPE A 3P PG11 BLACK, N | | | | 1210230849 | C18309N2 | | TYPE A 3P PG9 BLACK, BUL | | | | | | |
| 210230372 | C18311N61 | TYPE A 3P PG11 BLACK, N | | | | 1210230739 | C18311W2 | | TYPE A 3P PG11 BLACK VO, | | | | <u>) </u> | | |
| 210230384 | C18311T21 | TYPE A 3P PG11 TRANSPA | | | | 1210230851 | C182M6W2 | | TYPE A 2P M16x1.5 BLACK V | | | | | | |
| 210230388 | C18311W21 | TYPE A 3P PG11 BLACK V | | | | 1210230853 1210230854 | C18311N2 C18309W | | <u>TYPE A 3P PG11 BLACK, NBF</u> TYPE A 3P PG9 BLACK VO, I | | | | | | |
| 210230400 | C18312N21 | TYPE A 3P 1/2" GAS BLAC | | | | 1210230855 | C18309W | | TYPE A 3P M20x1.5 BLACK V0, I | | | | | | E DAUGED |
| 210230401 | C18312N22 | TYPE A 3P 1/2" GAS BLAC | | | | 1210230657 | C18309W | | TYPE A 3P PG9 BLACK VO, I | | | | | | |
| 210230410 | C18313G21 | TYPE A 3P 1/2" NPTF GRA | | | | 1210230809 | C18211W2 | | TYPE A 2P PG11 BLACK VO, | | | | | | |
| 210230414 | C18313N21 | TYPE A 3P 1/2" NPTF BLA | | | | 1210230861 | C18211W2 | | TYPE A 2P PG11 BLACK VO, | | | | | , | |
| 210230415 | C18313N22 | TYPE A 3P 1/2" NPTF BLA | | | | 1210230344 | C18309N2 | | TYPE A 3P PG9 BLACK PA6, | | | | | | · |
| 210230421 | C18339N23 | TYPE A 3P PG9 W/STRAIN | | | | 1210230862 | C18313T2 | | TYPE A 3P 1/2" NPTF TRAN | | | | | | <u> </u> |
| 210230422 | C18339N2C | TYPE A 3P PG9 W/STRAIN | | | (EI, & SCREW +2mm | 1210230870 | C18309G2 | | TYPE A 3P PG9 GRAY, NBR | | | | | | |
| 210230645 | | TYPE A 3P M16x1.5 BLACK | | | | 1210230674 | C18209W | 21SA T | TYPE A 2P PG9 BLACK, NBR | PROFILE GASKET | & SCREW, UL | LISTED | | | |
| 210230656 210230660 | C183M6G21 C183M0N21 | TYPE A 3P M16x1.5 GRAY, | | | | | | | | | | | | | |
| 210230660 | C183MUN21 C182M0N21 | TYPE A 3P M20x1.5 BLACK TYPE A 2P M20x1.5 BLACK | | | | 625 | | GENE | RAL TOLERANCES | DIMENSION ST | TYLE I | SCALE | DESIGN UNIT | rs _ | |
| 210230662 | C182M6N21 | TYPE A 2P MI6x1.5 BLACK | | | | 551 551 2015/10/09 2015/11/25 2015/11/25 | QUALITY SYMBOLS | | ESS SPECIFIED) | MM ONL | | 2:1 | METRIC | : 10C | J THIRD AI PROJECT |
| 210230704 | C182M6N22 | TYPE A 2P MI6x1.5 BLACK | | | | 15/- | | | | DRAWN BY | | TLE | | | |
| 210230718 | C182M6G21 | TYPE A 2P M16x1.5 GRAY, | | | | 2012 2012 CONE | s V =0 | 4 PLACE | ES ± ± | JOCONNOR 21 | 011/05/04 | | C18 | 8 SERIE | <u>:S</u> |
| 210230741 | C183M0N2G | TYPE A 3P M20x1.5 BLACK | | | | | | | ES ± ± 0 | | DATE | | INTERI | NAL TH | IREAD |
| 210230745 | C18209N91 | TYPE A 2P PG9 BLACK, N | 3R PROFILE GASKET & S | CREW | | 1585 E | ₹ \\$7 =0 | | ES ± 0.1 ± | | 011/05/06 | | | | |
| 210230763 | C18311W2G | TYPE A 3P PG11 BLACK V | J, NO GASKET, & STAND | ARD SCREW | | ESNA | Š V | | E ± 0.2 ± / | | DATE 6 | | | | PORATED |
| 210230768 | C18213T22 | TYPE A 2P 1/2" NPTF TRA | | | | JS - 2 2 2 2 1 | | | ANGULAR ± 0 | | 011/05/24 | \bigcirc | | | |
| 210230780 | C18312N23 | TYPE A 3P 1/2" GAS BLAC | | | | | | | 1 | MATERIAL NO. | | CUMENT NO. | | | SH |
| 210230793 | C18309N2A | TYPE A 3P PG9 BLACK, N | 3R PROFILE GASKET & S | SCREW +2mm | | SEE SHEET C EC NO: IPG2016-C DRWN:JBYRNES CHYKD:DSHEA APPR:STGRIFFIN | | URAFT | WHERE APPLICABLE | <u>SEE CH</u> | ART | | SD-12102 | | 2 |
| | | | | | | NUDUA | - | WIT | | SIZE THIS DRAW | ING CONTAIN | IS INFORM | IATION THA | T IS PROPF | RETARY TO I |
| | | | | | | N | Ľ | | | | ted and sho | OULD NOT | BE USED | WITHOUT W | NRITTEN PERI |

| | | | | | | | ITEM DESCRIPTION 1 SCREW 2 COVER ASS 3 INSERT AS: 4 GASKET | SEMBLY | | |
|---|--|--------------------|--------|---|---|---|---|---|------------------|--------------------------------|
| | | | | | | | | | | |
| | ς. Φ | 42REF | | | | | C18209 | 9N21*; TTTT | × - | |
| | S S S S S S S S S S S S S S | | Z7 REF | POLES 2= 2 THRE/ 09= P | NTERNAL THREAD FORM / | M0= M20×1.5, 12= 1/2" GAS | , 13= 1/2* NPTF | | | |
| | 23-25 REF | | | MATEF G = P N= PA GROUN 0= UN SCREW 1= NBF | RAL AND HOUSING COLOU A6 GRAY, H= PA6 HEAT F 6 BLACK, W= PA66 BLACH D POSITION MOUNTED, 2= H12, 3= H3, AND GASKET R PROFILE GASKET & SCRE R FLAT GASKET & SCRE | R PROTECTION, < VO, T= TRANSPARENT 6= H6 & 9= H9 EW | | | | |
| | 29.5REF | | | 3= WH 4= WH 5= NB 9= NO 0= NO A= NB B= NB C= WH | ITE SILICONE PROFILE GA: ITE SILICONE FLAT GASKE R PROFILE GASKET, NO S GASKET, NO SCREW GASKET, NO SCREW R PROFILE GASKET & SCREW ITE SILICONE PROFILE GAS GASKET & STANDARD SI | SKET & SCREW ET & SCREW CREW REW +2mm / +2mm SKET & SCREW +2mm | 14= SINGLE B. 19= PIN NO.3 23= ASSEMBL 10= SPECIAL 4S= SPECIAL 5A= SINGLE B 9V= NO SCRE AF= CENTRE | NON CONNECTED/REI LED SCREWS & GASK GROMMET BAGGED 500 IN A BO W OR GASKET SCREW MOUNTED | <ΕT | |
| | NOTES 1. PLEASE SEE SHEET 2 FOR CURRENT FOR SPECIEIC PART NUMBERS PLEAS | | | I= BUL P= INT R= INT | K PACK FULLY MOUNTED, EGRATED NBR GASKET & EGRATED NBR GASKET & QUALITY GENERAL TO SYMBOLS (UNLESS SP | NO GASKET IP67 SCREW ASSEMBLED IP67 SCREW NOT ASSEMB DLERANCES ECIFIED) | OH= INOX SCF P7= IP67 COM SA= UL LISTE | JINMOUNTED ALL COM REW 1PLIANT ED PART SCALE DESIGN UNITS 1.5:1 METRIC | | |
| 3 | FOR SPECIFIC PART NUMBERS PLEA'S THE INTELLIGENT PART NUMBERS IN 2. EARTH POSITION SHOWN. H12. 3. FOR PACKAGING SEE PACKAGING SPE 4. PRODUCT SPEC: SEE PS-121201-001 LAST INSPECTION NUMBER 2 | THE TABLE ATTACHED | | ADDED P/N Z EC NO: IPG2016-0551 Z EC NO: IPG2016-0551 CHYCAD:BHRE 2015/10/10 CHYCAD:SHER 2015/11/12 APPR:STGRIFIN 2015/11/125 eV/ DESCRIPTION | ▼=0 4 PLACES ± 3 PLACES ± 2 PLACES ± 0.1 1 PLACE ± 0.2 ANGUL DRAFT WHERE MUST F WITHIN DIM | | DATE 2011/05/06 BY DATE 2011/05/24 | C18 INTERN DEX MOLEX I UMENT NO. SD-12102 S INFORMATION THAT | T IS PROPRIETARY | TED SHEET 1 OF TO MOL |

| | | | | | | PART No. | mPm PART | No. n | DESCRIPTION | | | | | | |
|------------------------|------------------------|--|-------------------------|------------------|-------------------|--|----------------------|---------|---|------------------|---------------|------------|--|-------------|-----------------------|
| PART No. | mPm PART No. | | | | | 1210230800 | C18209G2 | | TYPE A 2P PG9 GRAY, NBR | FLAT GASKET. & S | SCREW +2mm | | | | |
| 210230229 | | TYPE A 2P PG9 GRAY, NB | | | | 1210230803 | C182M0N | | TYPE A 2P M20x1.5 BLACK, I | NBR PROFILE GASK | ET & SCREW | +2mm | | | |
| 210230231 | C18209G22 | TYPE A 2P PG9 GRAY, NB | | | | 1210230804 | C18309N | | TYPE A 3P PG9 BLACK, WHI | | | | | | |
| 210230233 | C18209G31 | TYPE A 2P PG9 GRAY, NB | K PRUHILE GASKET & SO | .KEW | | 1210230807 | C18309N2 | | TYPE A 3P PG9 BLACK, INTE | | | | | | |
| - 210230238 | C18209N21 | - TYPE A 2P PG9 BLACK, N | R PROFILE GASKET . | CREW | | 1210230825 | C182M6N | | TYPE A 2P M16x1.5 BLACK, I | | | | SSEMBLED | | |
| 210230236 | | TYPE A 2P PG9 BLACK, N | | | | 1210230833 | C18211G2 | | TYPE A 2P PG11 GRAY, NBR | | | <u>m</u> | | | |
| 210230242 | C18209N23 | TYPE A 2P PG9 BLACK, W | | | | 1210230841 | C182M0G2 | | TYPE A 2P M20x1.5 GRAY, N | | | | | | |
| 210230244 | | TYPE A 2P PG9 BLACK, W | | | | 1210240268 | C18311N2 | | <u>TYPE A 3P PG11 BLACK, NO</u> TYPE A 2P PG11 BLACK, NBF | | | | | | |
| 210230246 | C18209N25 | TYPE A 2P PG9 BLACK, N | | | | 1210240370 1210240940 | C18211N2 C18209N2 | | TYPE A 2P PG1 BLACK, NBP | | | am | | | |
| 210230249 | C18209N2A | TYPE A 2P PG9 BLACK, N | BR PROFILE GASKET & S | SCREW +2mm | | 1210240133 | C18209N2 | | TYPE A 2P PG9 BLACK, NBR | | | | EW | | |
| 210230251 | C18209N31 | TYPE A 2P PG9 BLACK, N | R PROFILE GASKET & S | CREW | | 1210240155 | C18209N2 | | TYPE A 2P PG9 BLACK, NBR | | | | | | |
| 210230252 | C18209N61 | TYPE A 2P PG9 BLACK, N | | | | 1210240378 | C18311N2 | | TYPE A 3P PG11 BLACK, NBP | | | | | | |
| 210230253 | C18209N62 | TYPE A 2P PG9 BLACK, N | | | | 1210240139 | C18209N2 | | TYPE A 2P PG9 BLACK, NBR | | | | | | |
| 210230254 | C18209T21 | TYPE A 2P PG9 TRANSPA | | | | 1210240156 | C18209N2 | 2214 T | TYPE A 2P PG9 BLACK, NBR | FLAT GASKET & | SCREW IN NEU | JTRAL BAG | i | | |
| 210230271 | C18211G21 | TYPE A 2P PG11 GRAY, NE | | | | 1210240224 | C18309N2 | 2114 T | TYPE A 3P PG9 BLACK, NBR | PROFILE GASKET | & SCREW IN N | NEUTRAL B | JAG | | |
| 210230278 | C18211N21 | TYPE A 2P PG11 BLACK, N | | | | 1210240755 | C18309N2 | | TYPE A 3P PG9 BLACK, INTE | | | | | W/O PIN No. | . 3 |
| 210230282 210230283 | C18211N23 C18211N24 | TYPE A 2P PG11 BLACK, W TYPE A 2P PG11 BLACK, W | | | | 1210240227 | C18309N2 | | TYPE A 3P PG9 BLACK, NBR | | | | | | |
| 210230283 | C18211N61 | TYPE A 2P PG11 BLACK, W | | | | 1210240185 | C18211G2 | | TYPE A 2P PG11 GRAY, NBR | | | | | | |
| 210230286 | C18211T21 | TYPE A 2P PG11 TRANSPA | | | | 1210240271 | C18311N6 | | TYPE A 3P PG11 BLACK, NBP | | | | | | |
| 210230291 | C18211W21 | TYPE A 2P PG11 BLACK V | | | | 1210240265 1210230350 | C18311N2 C18309N2 | | <u>TYPE A 3P PG11 BLACK, NBF</u> TYPE A 3P PG9 BLACK, NO | | | NULE BAUU | EU, DUU IN A | BUX | |
| 210230305 | C18212N21 | TYPE A 2P 1/2 GAS BLA | | | | 1210230350 | C18209N2 | | TYPE A 2P PG9 BLACK, NO | | | | | | |
| 210230315 | C18213G21 | TYPE A 2P 1/2 NPTF GR | AY, NBR PROFILE GASKE | T & SCREW | | 1210230232 | C18209G2 | | TYPE A 2P PG9 GRAY, NBR | | | INTED | | | |
| 210230319 | C18213N21 | TYPE A 2P 1/2' NPTF BL | | | | 1210230243 | C18209N2 | | TYPE A 2P PG9 BLACK, NBR | | | | - | - | |
| 210230328 | C18239G21 | TYPE A 2P PG9 W/STRAIN | | | | 1210230274 | C18211G2 | | TYPE A 2P PG11 GRAY, NBR | | | | | | |
| 210230331 | C18241N21 | TYPE A 2P PG11 W/STRAIN | | | EW | 1210230281 | C18211N22 | | TYPE A 2P PG11 BLACK, NBF | | | | - | - | |
| 210230336 | C18309G21 | TYPE A 3P PG9 GRAY, NB | | | | 1210230648 | C18309N | B1AF T | TYPE A 3P PG9 BLACK, NBR | PROFILE GASKET | WITH SCREW I | MOUNTED | | | |
| 210230337 | C18309G22 | TYPE A 3P PG9 GRAY, NB | | | | 1210230678 | C183MON | | TYPE A 3P M20x1.5 BLACK, I | NBR PROFILE GASK | KET WITH SCRE | EW MOUNTE | ED | | |
| 210230341 | C18309N21 | TYPE A 3P PG9 BLACK, N | | | | 1210230696 | C183M6N | | TYPE A 3P M16x1.5 BLACK, N | | | | | | |
| 210230345 210230346 | C18309N23 C18309N24 | TYPE A 3P PG9 BLACK, W TYPE A 3P PG9 BLACK, W | | | | 1210230751 | C183M6N3 | | TYPE A 3P M16x1.5 BLACK, N | | | | .D | | |
| 210230340 | C18309N2G | TYPE A 3P PG9 BLACK, W | | | | 1210230801 | C183M6N2 | | TYPE A 3P M16x1.5 BLACK, N | | | | | | |
| 210230354 | C18309N61 | TYPE A 3P PG9 BLACK, N | | | | 1210230767 | C18311N3 | | TYPE A 3P PG11 BLACK, NBF | | | | | | |
| 210230356 | C18309N64 | TYPE A 3P PG9 BLACK, W | | | | 1210230728 1210230240 | C18209N2 C18209N2 | | <u>TYPE A 2P PG9 BLACK, NBR</u> TYPE A 2P PG9 BLACK, NBR | | | | | | |
| 210230358 | C18309T21 | TYPE A 3P PG9 TRANSPA | | | | 1210230240 | C18209N | | TYPE A 2P PG9 BLACK, NBR | | | | <u>NI</u> | | |
| 210230364 | C18309W21 | TYPE A 3P PG9 BLACK VC | | | | 1210230272 | C1821102 | | TYPE A 2P PG11 BLACK, NBF | | | | NT | | |
| 210230367 | C18309W23 | TYPE A 3P PG9 BLACK VC | , WHITE SILICONE PROFIL | E GASKET & SCREW | | 1210230420 | C18339N2 | | TYPE A 3P PG9 W/STRAIN R | | | | | | |
| 210230372 | C18311G21 | TYPE A 3P PG11 GRAY, NE | | | | 1210230725 | C18309N2 | | TYPE A 3P PG9 BLACK, NBR | | | | | | |
| 210230373 | C18311G22 | TYPE A 3P PG11 GRAY, NB | | | | 1210230731 | C18312N2 | 1P7 T | TYPE A 3P 1/2" GAS BLACK | NBR PROFILE GAS | SKET & SCREW | N IP67 COM | IPLIANT | | |
| 210230374 | C18311G61 | TYPE A 3P PG11 GRAY, NE | | | | 1210230732 | C18209G2 | 21P7 T | TYPE A 2P PG9 GRAY, NBR | PROFILE GASKET & | & SCREW IP67 | COMPLIAN | Г | | |
| 210230377 | C18311N21 | TYPE A 3P PG11 BLACK, N | | | | 1210230843 | C183M6N | | TYPE A 3P M16x1.5 BLACK, N | | | | _IANT | | |
| 210230378 210230379 | C18311N22 C18311N31 | TYPE A 3P PG11 BLACK, N TYPE A 3P PG11 BLACK, N | | | | 1210230849 | C18309N2 | | TYPE A 3P PG9 BLACK, BUL | | | | | | |
| 210230372 | C18311N61 | TYPE A 3P PG11 BLACK, N | | | | 1210230739 | C18311W2 | | TYPE A 3P PG11 BLACK VO, | | | | <u>) </u> | | |
| 210230384 | C18311T21 | TYPE A 3P PG11 TRANSPA | | | | 1210230851 | C182M6W2 | | TYPE A 2P M16x1.5 BLACK V | | | | | | |
| 210230388 | C18311W21 | TYPE A 3P PG11 BLACK V | | | | 1210230853 1210230854 | C18311N2 C18309W | | <u>TYPE A 3P PG11 BLACK, NBF</u> TYPE A 3P PG9 BLACK VO, I | | | | | | |
| 210230400 | C18312N21 | TYPE A 3P 1/2" GAS BLAC | | | | 1210230855 | C18309W | | TYPE A 3P M20x1.5 BLACK V0, I | | | | | | E DAUGED |
| 210230401 | C18312N22 | TYPE A 3P 1/2" GAS BLAC | | | | 1210230657 | C18309W | | TYPE A 3P PG9 BLACK VO, I | | | | | | |
| 210230410 | C18313G21 | TYPE A 3P 1/2" NPTF GRA | | | | 1210230809 | C18211W2 | | TYPE A 2P PG11 BLACK VO, | | | | | | |
| 210230414 | C18313N21 | TYPE A 3P 1/2" NPTF BLA | | | | 1210230861 | C18211W2 | | TYPE A 2P PG11 BLACK VO, | | | | | , | |
| 210230415 | C18313N22 | TYPE A 3P 1/2" NPTF BLA | | | | 1210230344 | C18309N2 | | TYPE A 3P PG9 BLACK PA6, | | | | | | · |
| 210230421 | C18339N23 | TYPE A 3P PG9 W/STRAIN | | | | 1210230862 | C18313T2 | | TYPE A 3P 1/2" NPTF TRAN | | | | | | <u> </u> |
| 210230422 | C18339N2C | TYPE A 3P PG9 W/STRAIN | | | (EI, & SCREW +2mm | 1210230870 | C18309G2 | | TYPE A 3P PG9 GRAY, NBR | | | | | | |
| 210230645 | | TYPE A 3P M16x1.5 BLACK | | | | 1210230674 | C18209W | 21SA T | TYPE A 2P PG9 BLACK, NBR | PROFILE GASKET | & SCREW, UL | LISTED | | | |
| 210230656 210230660 | C183M6G21 C183M0N21 | TYPE A 3P M16x1.5 GRAY, | | | | | | | | | | | | | |
| 210230660 | C183MUN21 C182M0N21 | TYPE A 3P M20x1.5 BLACK TYPE A 2P M20x1.5 BLACK | | | | 625 | | GENE | RAL TOLERANCES | DIMENSION ST | TYLE I | SCALE | DESIGN UNIT | rs _ | |
| 210230662 | C182M6N21 | TYPE A 2P MI6x1.5 BLACK | | | | 51 51 2015/10/09 2015/10/12 2015/11/25 | QUALITY SYMBOLS | | ESS SPECIFIED) | MM ONL | | 2:1 | METRIC | : 10C | J THIRD AI PROJECT |
| 210230704 | C182M6N22 | TYPE A 2P MI6x1.5 BLACK | | | | 15/- | | | | DRAWN BY | | TLE | | | |
| 210230718 | C182M6G21 | TYPE A 2P M16x1.5 GRAY, | | | | 2012 2012 CONE | s V =0 | 4 PLACE | ES ± ± | JOCONNOR 21 | 011/05/04 | | C18 | 8 SERIE | <u>:S</u> |
| 210230741 | C183M0N2G | TYPE A 3P M20x1.5 BLACK | | | | | | | ES ± | | DATE | | INTERI | NAL TH | IREAD |
| 210230745 | C18209N91 | TYPE A 2P PG9 BLACK, N | 3R PROFILE GASKET & S | CREW | | 1585 E | ₹ \\$7 =0 | | ES ± 0.1 ± | | 011/05/06 | | | | |
| 210230763 | C18311W2G | TYPE A 3P PG11 BLACK V | J, NO GASKET, & STAND | ARD SCREW | | ESNA | Š V | | E ± 0.2 ± / | | DATE 6 | | | | PORATED |
| 210230768 | C18213T22 | TYPE A 2P 1/2" NPTF TRA | | | | JS = 25 20 | | | ANGULAR ± 0 | | 011/05/24 | \bigcirc | | | |
| 210230780 | C18312N23 | TYPE A 3P 1/2" GAS BLAC | | | | | | | 1 | MATERIAL NO. | | CUMENT NO. | | | SH |
| 210230793 | C18309N2A | TYPE A 3P PG9 BLACK, N | 3R PROFILE GASKET & S | SCREW +2mm | | SEE SHEET C EC NO: IPG2016-C DRWN:JBYRNES CHYKD:DSHEA APPR:STGRIFFIN | | URAFT | WHERE APPLICABLE | <u>SEE CH</u> | ART | | SD-12102 | | 2 |
| | | | | | | NUDUA | - | WIT | | SIZE THIS DRAW | ING CONTAIN | IS INFORM | IATION THA | T IS PROPF | RETARY TO I |
| | | | | | | N | Ľ | | | | ted and sho | OULD NOT | BE USED | WITHOUT W | NRITTEN PERI |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Circular DIN Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

60KD4M CTVP00RW-19-32S(506) M83723/76W22326 M83723/78R22327 D38999/26FE99SN L/C 7547401103P 75-474014-07L 88-559975-75P 8R3006A18M0033 PT02E1283P GTC00G-24-7S PT05A-14-5SX PT05A1832SW PT05E2255PW PT05SE1832SWLC PT05SE1832SYLC GTC030-20-27PW-LC GTC030A-20-33S PT06SE1811SXLC 1211290078 1211810025 1210120122 ACC06AF-20-23P(003) 1210503216 1211290084 1211500027 ACS06AF-16-10P(003) D38999/40FB35AN D38999/40FB35BB D38999/40WB35BN D38999/40WD35PN D38999/40WJ29SN-L/C D38999/40WJ4BN D38999/42FB35BN D38999/42WB35AB D38999/42WB35PB-L/C D38999/40WD35PN D38999/42WJ24PN-L/C D38999/44WB35AN D38999/44WD35BN D38999/44WH21AN D38999/44WH35AN D38999/44WJ29BA D38999/44WJ35PN D38999/44WJ61BA D38999/46FB35AC D38999/46FB35BN D38999/46FB35SA-L/C D38999/46FB99BA D38999/46FB99BN