

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [1600140001](#)  
**Status:** **Active**  
**Overview:** [stAK50h Connection System](#)  
**Description:** [stAK50h Hybrid Receptacle, 28 Circuits, Key 1, Dark Gray, Bag](#)

**Documents:**

<a href="#">3D Model</a>	<a href="#">Application Specification AS-160014-001-001 (PDF)</a>
<a href="#">3D Model (PDF)</a>	<a href="#">Packaging Specification PK-31302-266-001 (PDF)</a>
<a href="#">Drawing (PDF)</a>	<a href="#">Test Summary 1600140000-TS-000 (PDF)</a>
<a href="#">Product Specification 1600140001-000 (PDF)</a>	<a href="#">Datasheet (PDF)</a>
<a href="#">Product Specification PS-160014-9001 (PDF)</a>	<a href="#">RoHS Certificate of Compliance (PDF)</a>
<a href="#">Application Specification 1600140001-AS-CH-000 (PDF)</a>	

**Application tooling part link**

Application Tooling Part Link [200222-0100](#)

**General**

Product Family	Crimp Housings
Series	<a href="#">160014</a>
Application	Automotive, Power, Signal, Wire-to-Board
Overview	<a href="#">stAK50h Connection System</a>
Product Name	stAK50h
UPC	887191566177

**Physical**

Circuits (maximum)	28
Color - Resin	Gray (Dark)
Gender	Receptacle
Glow-Wire Capable	No
Keying to Mating Part	Yes
Lock to Mating Part	Yes
Material - Resin	SPS
Net Weight	4.846/g
Number of Rows	5
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	2.00mm, 4.00mm
Pitch - Termination Interface	2.00mm, 4.00mm
Polarized to Mating Part	Yes
Ports	1
Stackable	No
Temperature Range - Operating	-40° to +85°C

**Material Info**

**Reference - Drawing Numbers**

Application Specification	1600140001-AS-CH-000, AS-160014-001-001
Packaging Specification	PK-31302-266-001
Product Specification	1600140001-000, PS-160014-9001
Sales Drawing	SD-160014-0001-000, SD-160014-002-001
Test Summary	1600140000-TS-000



*Series image - Reference only*

**EU ELV**

**Compliant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per -  
ECHA\_01\_2020 (16  
January 2020

**Halogen-Free**

**Status**

**Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

Green Image

Compliant

Not Contained

**Search Parts in this Series**

[160014 Series](#)

**Mates With**

[stAK50h Infotainment Hybrid Header 160013 \(Key 1\)](#)

**Use With**

TAK50 0.50mm Terminal [200096](#) or TE NanoMQS 0.50mm Terminal <br>Delphi OCS 1.20mm Terminal or JST MSA 1.20mm Terminal

**Application Tooling | FAQ**

*Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.*

**Global**

**Description**

**Product #**

Extraction Tool for stAK50h Connector System	<a href="#">2002220100</a>
--	----------------------------

This document was generated on 04/08/2020

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Automotive Connectors](#) category:*

*Click to view products by [Molex](#) manufacturer:*

Other Similar products are found below :

[003-018-000](#) [00595100](#) [01.001.5453.0](#) [01.001.5653.0](#) [01.001.6553.0](#) [0100703](#) [01605396](#) [01839906-L](#) [01864022-L](#) [01969007](#) [02\(4-23\)T-JWPF-VKLE-S](#) [025-9000-000](#) [025-9000-001](#) [02962447-CT](#) [02962448](#) [02962508](#) [02962508-CT](#) [02962508-L](#) [02962510](#) [02962510-B](#) [02962543](#) [02962572](#) [02962572-CT](#) [02962572-L](#) [02962683](#) [02962793](#) [02962793-B](#) [02962953](#) [02962953-L](#) [02962958-CT](#) [02962965](#) [02962967](#) [02962969](#) [02962976-L](#) [02962985](#) [02965019-B](#) [02965141-L](#) [02965142](#) [02965142-CT](#) [02965142-MR](#) [02965143-CT](#) [02965164](#) [02965164-B](#) [02965199](#) [02965199-CT](#) [02965199-L](#) [02965400](#) [02965400-L](#) [02965401](#) [02965439](#)