

NOTES:

1. MATERIAL:


CAGE: NICKEL SILVER
 CONNECTOR HOUSING: GLASS FILLED THERMOPLASTIC, UL: 94V-0, COLOR: BLACK
 TERMINALS: HIGH PERFORMANCE COPPER ALLOY
 FRONT SHIELD WALL: COPPER ALLOY
 INSULATOR SHEET: POLYCARBONATE AND PET WITH PSA, 0.18 THICK, UL-94VTM-0

2. FINISH


TERMINALS: CONTACT AREA: 0.76 μm MIN. HARD GOLD OVER
 3.8 μm MIN. NICKEL.
 COMPLIANT TAIL: 0.7-1.5 μm MATTE TIN OVER:
 0.7-1.5 μm NICKEL

FRONT SHIELD WALL: 0.7-1.5 μm NICKEL OVERALL



3. 2X4 CONFIGURATION SHOWN FOR REFERENCE, SEE CHART FOR AVAILABLE OPTIONS
 4. REFER TO PS-170071-0001 FOR ALL ELECTRICAL, MECHANICAL AND ENVIRONMENTAL SPECIFICATIONS.
 5. REFER TO AS-170071-0001 FOR CONNECTOR MOUNTING AND REWORK INFORMATION.
 6. REFER TO AS-170071-0002 FOR PCB ROUTING RECOMMENDATIONS.
 7. ALL SURFACES CLASS C PER MOLEX COSMETIC SPECIFICATION ES-171233-0001.



DETAIL A
SCALE 10:1



DETAIL B
SCALE 10:1





PORT SIZE	PART NUMBER WITH INSULATION SHEET	PART NUMBER WITHOUT INSULATION SHEET	DIM X	DIM Y
2X1	1725011001	1725011002	14.75	15.10
2x4	1725014001	1725014002	57.50	57.85
2x6	1725016001	1725016002	86.00	86.35
2x8	1725018001	1725018002	114.50	114.85
2x10	1725011101	1725011102	143.00	143.35
2x12	1725011201	1725011202	171.50	171.85

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		
	DIMENSION UNITS	SCALE	CURRENT REV DESC: SEE REVISION HISTORY
▽ = 0	mm	1:1	EC NO: 608228 DRWN: CWANG67 2018/11/23 CHK'D: RNELSON 2018/12/04 APPR: RNELSON 2018/12/04
▽ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		
▽ = 0	ANGULAR TOL ± 0.5°		INITIAL REVISION: DRWN: JKACHLIC 2014/02/05 APPR: JKACHLIC 2014/02/10
▽ = 0	4 PLACES	±	
▽ = 0	3 PLACES	±	DOCUMENT NUMBER SD-172501-0001 DOC TYPE PSD DOC PART 001 REVISION D1
▽ = 0	2 PLACES	± 0.13	
▽ = 0	1 PLACE	± 0.25	MATERIAL NUMBER SEE CHART CUSTOMER GENERAL MARKET SHEET NUMBER 1 OF 5
▽ = 0	0 PLACES	±	
▽ = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING C-SIZE
▽ = 0			SERIES 172501




ZSFP+ STACKED ASSEMBLY
W/METAL EMI GASKET AND ENHANCED AIRFLOW

PRODUCT CUSTOMER DRAWING



INSULATOR SHEET
(OPTIONAL)
SEE CHART SHT 1



AIR VENTS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
SYMBOLS		DIMENSION UNITS		SCALE		CURRENT REV DESC: SEE REVISION HISTORY			
▽ = 0	mm	1:1		EC NO: 608228 DRWN: CWANG67 2018/11/23 CHK'D: RNELSON 2018/12/04 APPR: RNELSON 2018/12/04 INITIAL REVISION: DRWN: JKACHLIC 2014/02/05 APPR: JKACHLIC 2014/02/10					
▽ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)								
▽ = 0	ANGULAR TOL ± 0.5°								
▽ = 0	4 PLACES ±								
▽ = 0	3 PLACES ±			PRODUCT CUSTOMER DRAWING DOCUMENT NUMBER: SD-172501-0001 DOC TYPE: PSD DOC PART: 001 REVISION: D1					
▽ = 0	2 PLACES ± 0.13								
▽ = 0	1 PLACE ± 0.25			MATERIAL NUMBER: SEE CHART CUSTOMER: GENERAL MARKET SHEET NUMBER: 2 OF 5					
▽ = 0	0 PLACES ±								
▽ = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		
▽ = 0			C-SIZE		172501				




molex

ZSFP+ STACKED ASSEMBLY
W/METAL EMI GASKET AND ENHANCED AIRFLOW

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER: SD-172501-0001
DOC TYPE: PSD
DOC PART: 001
REVISION: D1

MATERIAL NUMBER: SEE CHART
CUSTOMER: GENERAL MARKET
SHEET NUMBER: 2 OF 5



DETAIL 1
SCALE 5:1

DETAIL 2
SCALE 6:1


NOTES:

1. THE ENTIRE AREA UNDER THE CONNECTOR IS A KEEP OUT ZONE FOR COMPONENTS AND TRACES, TOP LAYER ONLY, EXCEPT FOR CHASSIS GROUND.
2. CROSS-HATCHED AREAS INDICATE PLACES WHERE THE PLASTIC HOUSING AND METAL CAGE MAY CONTACT PCB SURFACE. THESE AREAS ARE KEEP OUT ZONES. CORSS-HATCHED AREA UNDER THE CONNECTOR ARE TRACE AND VIA KEEP OUT AREAS FOR ALL LAYERS.


PORT SIZE	DIM "W"	HOLE CHART		
		CONNECTOR (Ø0.37)	SHIELD (Ø0.56)	LOCATION (Ø1.60)
2X1	14.25	40	24	2
2X4	57.00	160	69	8
2X6	85.50	240	99	12
2X8	114.00	320	129	16
2X10	142.50	400	159	20
2X12	171.00	480	189	24

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
	DIMENSION UNITS	SCALE	CURRENT REV DESC: SEE REVISION HISTORY	
▽ = 0	mm	1:1	EC NO: 608228	
▽ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DRWN: CWANG67	2018/11/23
▽ = 0	ANGULAR TOL ± 0.5°		CHK'D: RNELSON	2018/12/04
▽ = 0	4 PLACES ±		APPR: RNELSON	2018/12/04
▽ = 0	3 PLACES ±		INITIAL REVISION:	
▽ = 0	2 PLACES ± 0.13		DRWN: JKACHLIC	2014/02/05
▽ = 0	1 PLACE ± 0.25		APPR: JKACHLIC	2014/02/10
▽ = 0	0 PLACES ±		THIRD ANGLE PROJECTION	
▽ = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING	SERIES
			C-SIZE	172501

molex			
PRODUCT CUSTOMER DRAWING			
DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
SD-172501-0001	PSD	001	D1
MATERIAL NUMBER	CUSTOMER	SHEET NUMBER	
	GENERAL MARKET	3 OF 5	




BEZEL CUT-OUT DETAIL
BEZEL THICKNESS 0.8-2.6



SECTION Z-Z

1.75 SEE NOTE



BEZEL CUT-OUT FOR
CONNECTOR STACKING

PORT SIZE	DIM "E"
2X1	15.50
2X4	58.25
2X6	86.75
2X8	115.25
2X10	143.75
2X12	172.25

NOTE:

FOR SIDE BY SIDE STACKING OF CONNECTORS. A BASIC DIMENSION OF 3.0mm BETWEEN CONNECTOR MOUNTING PATTERNS IS THE RECOMMENDED MINIMUM SPACING.











THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
SYMBOLS		DIMENSION UNITS		SCALE		CURRENT REV DESC: SEE REVISION HISTORY			
▽ = 0		mm		1:1		EC NO: 608228 DRWN: CWANG67 2018/11/23 CHK'D: RNELSON 2018/12/04 APPR: RNELSON 2018/12/04			
▽ = 0		GENERAL TOLERANCES (UNLESS SPECIFIED)							
▽ = 0		ANGULAR TOL ± 0.5°				INITIAL REVISION: DRWN: JKACHLIC 2014/02/05 APPR: JKACHLIC 2014/02/10			
▽ = 0		4 PLACES ±							
▽ = 0		3 PLACES ±				DOCUMENT NUMBER SD-172501-0001 DOC TYPE PSD DOC PART 001 REVISION D1			
▽ = 0		2 PLACES ± 0.13							
▽ = 0		1 PLACE ± 0.25				MATERIAL NUMBER SEE CHART		CUSTOMER GENERAL MARKET	
▽ = 0		0 PLACES ±				SERIES C-SIZE 172501		SHEET NUMBER 4 OF 5	
▽ = 0		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING			




molex

ZSFP+ STACKED ASSEMBLY
W/METAL EMI GASKET AND ENHANCED AIRFLOW

PRODUCT CUSTOMER DRAWING

REVISION HISTORY		
DATE	REV.	DESCRIPTION
2018/11/23	D1	1.ADD REVISION HISTORY. 2.UPDATE NOTES IN SHEET3 FOR KEEP-OUT ZONE DESCRIPTION

SYMBOLS  = 0  = 0  = 0  = 0  = 0  = 0  = 0  = 0	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	DIMENSION UNITS mm	SCALE 1:1	CURRENT REV DESC: SEE REVISION HISTORY	 ZSFP+ STACKED ASSEMBLY W/METAL EMI GASKET AND ENHANCED AIRFLOW							
	GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± 0.5°	EC NO: 608228 DRWN: CWANG67 2018/11/23 CHK'D: RNELSON 2018/12/04 APPR: RNELSON 2018/12/04	4 PLACES ± 3 PLACES ± 2 PLACES ± 0.13 1 PLACE ± 0.25 0 PLACES ±	INITIAL REVISION: DRWN: JKACHLIC 2014/02/05 APPR: JKACHLIC 2014/02/10					DOCUMENT NUMBER SD-172501-0001	DOC TYPE PSD	DOC PART 001	REVISION D1
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION 	DRAWING C-SIZE	SERIES 172501					MATERIAL NUMBER CUSTOMER GENERAL MARKET	SHEET NUMBER 5 OF 5		



NOTES:

1. MATERIAL:

CAGE: NICKEL SILVER
 CONNECTOR HOUSING: GLASS FILLED THERMOPLASTIC, UL: 94V-0, COLOR: BLACK
 TERMINALS: HIGH PERFORMANCE COPPER ALLOY
 FRONT SHIELD WALL: COPPER ALLOY
 INSULATOR SHEET: POLYCARBONATE AND PET WITH PSA, 0.18 THICK, UL-94VTM-0

2. FINISH

TERMINALS: CONTACT AREA: 0.76 μm MIN. HARD GOLD OVER
 3.8 μm MIN. NICKEL.
 COMPLIANT TAIL: 0.7-1.5 μm MATTE TIN OVER:
 0.7-1.5 μm NICKEL

FRONT SHIELD WALL: 0.7-1.5 μm NICKEL OVERALL

3. 2X4 CONFIGURATION SHOWN FOR REFERENCE, SEE CHART FOR AVAILABLE OPTIONS

4. REFER TO PS-170071-0001 FOR ALL ELECTRICAL, MECHANICAL AND ENVIRONMENTAL SPECIFICATIONS.

5. REFER TO AS-170071-0001 FOR CONNECTOR MOUNTING AND REWORK INFORMATION.

6. REFER TO AS-170071-0002 FOR PCB ROUTING RECOMMENDATIONS.

7. ALL SURFACES CLASS C PER MOLEX COSMETIC SPECIFICATION ES-171233-0001.

PORT SIZE	PART NUMBER	DIM X	DIM Y
2X4	1725014002	57.50	57.85
2X6	1725016002	86.00	86.35
2X8	1725018002	114.50	114.85
2X12	1725011202	171.50	171.85

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
SYMBOLS		DIMENSION UNITS		SCALE		CURRENT REV DESC:			
▽ = 0		mm		1:1		EC NO: 600198			
▽ = 0		GENERAL TOLERANCES (UNLESS SPECIFIED)				DRWN: JWALLACE01 2018/05/15			
▽ = 0		ANGULAR TOL ± 0.5°				CHK'D: SMILLER 2018/06/05			
▽ = 0		4 PLACES ±				APPR: HYU02 2018/06/05			
▽ = 0		3 PLACES ±				INITIAL REVISION:			
▽ = 0		2 PLACES ± 0.13				DRWN: BBARKER 2016/01/12			
▽ = 0		1 PLACE ± 0.25				APPR: SMILLER 2017/02/08			
▽ = 0		0 PLACES ±				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			
▽ = 0		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
▽ = 0		C-SIZE		172501		SEE TABLE		CUSTOMER	
▽ = 0		GENERAL MARKET		1 OF 4		SD-172501-0002		PSD 001 A	




molex

ZSFP+ STACKED ASSEMBLY
 W/METAL EMI GASKET AND ENHANCED AIRFLOW



PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER: SD-172501-0002
 DOC TYPE: PSD
 DOC PART: 001
 REVISION: A


MATERIAL NUMBER: SEE TABLE
 CUSTOMER: GENERAL MARKET
 SHEET NUMBER: 1 OF 4



SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	CURRENT REV DESC:	molex
▽ = 0	DIMENSION UNITS: mm	SCALE: 1:1	
▽ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		
▽ = 0	ANGULAR TOL ± 0.5°	EC NO: 600198	PRODUCT CUSTOMER DRAWING
▽ = 0	4 PLACES ±	DRWN: JWALLACE01 2018/05/15	
▽ = 0	3 PLACES ±	CHK'D: SMILLER 2018/06/05	DOCUMENT NUMBER: SD-172501-0002
▽ = 0	2 PLACES ± 0.13	APPR: HYOU02 2018/06/05	
▽ = 0	1 PLACE ± 0.25	INITIAL REVISION:	DOC TYPE: PSD
▽ = 0	0 PLACES ±	DRWN: BBARKER 2016/01/12	
▽ = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	APPR: SMILLER 2017/02/08	DOC PART: 001
▽ = 0	THIRD ANGLE PROJECTION	DRAWING: C-SIZE	REVISION: A
▽ = 0	SHEET NUMBER: 2 OF 4	SERIES: 172501	MATERIAL NUMBER: SEE TBL, SHT 1
▽ = 0	CUSTOMER: GENERAL MARKET		



DETAIL 1
SCALE 5:1



DETAIL 2
SCALE 6:1

NOTES:

- CROSS HATCHED AREAS UNDER THE CONNECTOR ARE TRACE AND VIA KEEP-OUT AREAS.
- REMAINING AREA UNDER THE CONNECTOR HAS A NOMINAL CLEARANCE OF 0.5 AND IS CONSIDERED A COMPONENT KEEP-OUT AREA.

PORT SIZE	DIM "W"	HOLE CHART		
		CONNECTOR (Ø0.37)	SHIELD (Ø0.56)	LOCATION (Ø1.60)
2X4	57.00	160	69	8
2X6	85.50	240	99	12
2X8	114.00	320	129	16
2X12	171.00	480	189	24


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
SYMBOLS		DIMENSION UNITS		SCALE		CURRENT REV DESC:			
▽ = 0		mm		1:1		EC NO: 600198			
▽ = 0		GENERAL TOLERANCES (UNLESS SPECIFIED)				DRWN: JWALLACE01 2018/05/15			
▽ = 0		ANGULAR TOL ± 0.5°				CHK'D: SMILLER 2018/06/05			
▽ = 0		4 PLACES ±				APPR: HYOU02 2018/06/05			
▽ = 0		3 PLACES ±				INITIAL REVISION:			
▽ = 0		2 PLACES ± 0.13				DRWN: BBARKER 2016/01/12			
▽ = 0		1 PLACE ± 0.25				APPR: SMILLER 2017/02/08			
▽ = 0		0 PLACES ±				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			
▽ = 0		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
▽ = 0		C-SIZE		172501		SEE TBL, SHT 1		CUSTOMER	
▽ = 0		PSD		001		GENERAL MARKET		SHEET NUMBER	
▽ = 0		3 OF 4							




ZSFP+ STACKED ASSEMBLY
W/METAL EMI GASKET AND ENHANCED AIRFLOW

PRODUCT CUSTOMER DRAWING


DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
SD-172501-0002	PSD	001	A



BEZEL CUT-OUT DETAIL
BEZEL THICKNESS 0.8 TO 2.6



SECTION Z-Z



BEZEL CUTOUT CENTER SPACING DETAIL

PORT SIZE	DIM "E"	DIM "S"
2X4	58.25	60.00 MINIMUM
2X6	86.75	88.50 MINIMUM
2X8	115.25	117.00 MINIMUM
2X12	172.25	174.00 MINIMUM

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
SYMBOLS		DIMENSION UNITS		SCALE		CURRENT REV DESC:					
▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0		mm		1:1		EC NO: 600198 DRWN: JWALLACE01 2018/05/15 CHK'D: SMILLER 2018/06/05 APPR: HYOU02 2018/06/05 INITIAL REVISION: DRWN: BBARKER 2016/01/12 APPR: SMILLER 2017/02/08					
GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± 0.5° 4 PLACES ± 3 PLACES ± 2 PLACES ± 0.13 1 PLACE ± 0.25 0 PLACES ±						DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				PRODUCT CUSTOMER DRAWING	
▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0 ▽ = 0		THIRD ANGLE PROJECTION 		DRAWING C-SIZE		SERIES 172501		DOCUMENT NUMBER SD-172501-0002		DOC TYPE DOC PART REVISION PSD 001 A	
MATERIAL NUMBER SEE TBL, SHT 1		CUSTOMER GENERAL MARKET		SHEET NUMBER 4 OF 4		DIMENSION UNITS mm		SCALE 1:1		CURRENT REV DESC: EC NO: 600198 DRWN: JWALLACE01 2018/05/15 CHK'D: SMILLER 2018/06/05 APPR: HYOU02 2018/06/05 INITIAL REVISION: DRWN: BBARKER 2016/01/12 APPR: SMILLER 2017/02/08	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [I/O Connectors](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[571763P](#) [58098-0628](#) [72.250.1628.2](#) [72.250.2428.2](#) [74720-0505](#) [76.350.0729.0](#) [76871-1403](#) [FCN-244F080-G/1](#) [FCN-260A9920](#) [PCR-E36PM](#) [PCS-XE26MA+](#) [G38A71314B](#) [1571250010](#) [157-22500-3](#) [MS3471L14-19P L/C](#) [192991-0703](#) [172501-4002](#) [172501-6002](#) [FCN-260C008-A/L0](#) [FCN-260C024-AL0](#) [FCN-261Z008](#) [2000314-1](#) [200331-1](#) [PCR-E36FC+](#) [PCS-E28FS+](#) [PCS-XE26SLFD+](#) [PCS-XE26SLFDT+](#) [G730VID08BDC24](#) [U90B2054081210](#) [38113800006](#) [DP3AR020WQ1R200](#) [Z4.102.0680.0](#) [500-1040](#) [500-1052](#) [500-1054](#) [ZP-4008-66L](#) [0709821002](#) [DX40-20P\(55\)](#) [5554841-1](#) [MS3474W18-8P-LC*](#) [U90B3054061110](#) [U65-E04-4020](#) [ZPF000000000097891](#) [747360449](#) [10099439-003C-TRLF](#) [10137239-0021LF](#) [E9320-001-01](#) [10137239-0011LF](#) [70289-001LF](#) [70.060.1028.0](#)