


**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [1725123612](#)  
**Status:** **Active**  
**Overview:** EXTreme Ten60Power High-Current Connector  
**Description:** EXTreme Ten60Power Panel-to-Board Receptacle Housing, 12 Signal Circuits, 6 Power Circuits

**Documents:**

<a href="#">Drawing (PDF)</a>	<a href="#">Application Specification 1724520000-AS-000 (PDF)</a>
<a href="#">3D Model</a>	<a href="#">Packaging Specification PK-172512-0001-001 (PDF)</a>
<a href="#">3D Model (PDF)</a>	<a href="#">Datasheet (PDF)</a>
<a href="#">Product Specification PS-173693-001-001 (PDF)</a>	<a href="#">RoHS Certificate of Compliance (PDF)</a>



**Agency Certification**

CSA LR19980

**General**

Product Family	Crimp Housings
Series	<a href="#">172512</a>
Application	Panel-to-Board, Power, Signal
Overview	<a href="#">EXTreme Ten60Power High-Current Connector</a>
Product Name	EXTreme Ten60Power
UPC	889056027663

**Physical**

Circuits (maximum)	18
Color - Resin	Black
Flammability	94V-0
Gender	Receptacle
Glow-Wire Capable	No
Keying to Mating Part	None
Lock to Mating Part	No
Material - Resin	PBT
Net Weight	18.410/g
Number of Rows	1, 3
Packaging Type	Tray
Panel Mount	Yes
Pitch - Mating Interface	2.00mm, 5.50mm, 7.50mm
Polarized to Mating Part	Yes
Stackable	No
Temperature Range - Operating	-40° to +105°C

**Electrical**

Current - Maximum per Contact 2.5A, 60.0A

**Solder Process Data**

Lead-freeProcess Capability N/A

**Material Info**

**Reference - Drawing Numbers**

Application Specification	1724520000-AS-000
Packaging Specification	PK-172512-0001-001
Product Specification	PS-173693-001-001
Sales Drawing	SD-172512-001-001

**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Contained Per -  
D(2021)4569-DC (8 July 2021)  
Pyrene  
Fluoranthene  
Tris(4-nonylphenyl, branched and linear) phosphi  
Boric acid  
diisohexyl phthalate  
Terphenyl, hydrogenated  
1,3-Propanesultone  
Dibutyltin-dichloride  
Benzo(ghi)perylene  
Phenanthrene  
Dicyclohexyl-phthalate  
Silicic acid (H<sub>2</sub>Si<sub>2</sub>O<sub>5</sub>), barium salt (1:1), lead-  
Sulfurous Acid, Lead Salt, Dibasic  
Cadmium Hydroxide  
Cyanamide, lead(2+) salt (1:1)  
Lead titanium zirconium oxide  
Dioxobis(stearato)trilead  
Tetralead-trioxide-sulphate  
Trilead-dioxide-phosphonate  
Pentalead-tetraoxide-sulphate  
Lead-dinitrate  
pyrochlore, antimony lead yellow  
Diboron-trioxide

**China RoHS**

Diarsenic-trioxide

**Halogen-Free**

**Status**

**Not Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

Green Image

ELV

Not Relevant

RoHS Phthalates

Not Contained

**Search Parts in this Series**

[172512](#) Series

**Mates With**

EXTreme Ten60Power PCB Header [172458](#)

**Use With**

TPA Retainer [46708](#) , Signal Housing [46709](#)  
, Power Terminal [44262](#) , Signal Terminal  
[70058](#)

This document was generated on 10/04/2021

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Power to the Board](#) category:*

*Click to view products by [Molex](#) manufacturer:*

Other Similar products are found below :

[6450171-4](#) [6450552-7](#) [6600323-8](#) [6643429-1](#) [6646040-2](#) [6651939-1](#) [6766604-1](#) [120959-1](#) [1393557-2](#) [1393532-2](#) [1393532-3](#) [1393532-4](#)  
[1393557-1](#) [1600812-5](#) [1-6450861-2](#) [1744132-7](#) [1761122-1](#) [1766250-1](#) [1892109-1](#) [2-6450860-5](#) [2-6450870-0](#) [1-6450161-4](#) [1-6450850-6](#) [1-6450869-6](#) [1645526-2](#) [1-6600130-0](#) [2005243-2](#) [377-0020-11130](#) [TE34-12-16P-F0](#) [5-6450830-6](#) [5646956-4](#) [377-0080-11131A](#) [4-6450830-9](#)  
[4-6600333-3](#) [10125416-4050LF](#) [6600320-3](#) [3-6450860-5](#) [1888123-2](#) [6450166-1](#) [6643978-1](#) [6766605-1](#) [701-15-02109](#) [N11444](#) [6651938-1](#)  
[6450810-7](#) [46437-1112](#) [1-1589677-8](#) [5646956-5](#) [6450813-2](#) [6450129-4](#)