

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [1727181111](#)  
**Status:** **Active**  
**Overview:** [Mini-Fit Family Power Connectors](#)  
**Description:** Mini-Fit TPA2/Sigma Female Crimp Terminal, Phosphor Bronze, Pre-Plated Tin (Sn), 16 AWG, 1.98-2.55mm Insulation Diameter, Reel

**Documents:**

|  |  |
|--|--|
| <a href="#">Drawing (PDF)</a>                                      | <a href="#">Test Summary 1727180001-TS-000 (PDF)</a> |
| <a href="#">Product Specification 2131370000-PS-000 (PDF)</a>      | <a href="#">Test Summary 1727180002-TS-000 (PDF)</a> |
| <a href="#">Product Specification PS-172718-0000-001 (PDF)</a>     | <a href="#">Test Summary 2131370001-TS-000 (PDF)</a> |
| <a href="#">Application Specification AS-172718-0000-001 (PDF)</a> | <a href="#">Test Summary 2131370002-TS-000 (PDF)</a> |
| <a href="#">Packaging Specification PK-172718-0000-000 (PDF)</a>   | <a href="#">RoHS Certificate of Compliance (PDF)</a> |
| <a href="#">Packaging Specification PK-172718-0001-000 (PDF)</a>   |  |

**General**

|                                  |   |
|----------------------------------|---|
| Product Family                   | Crimp Terminals   |
| Series                           | <a href="#">172718</a>  |
| Application                      | Power, Wire-to-Board, Wire-to-Wire  |
| Comments                         | See product specification for current derating information.<br><br> See Mini-Fit TPA2 housing series for 3D models. |
| Crimp Quality Equipment Overview | Yes   |
| Packaging Alternative            | <a href="#">Mini-Fit Family Power Connectors</a>  |
| Product Name                     | <a href="#">1727181112</a> (Bag)  |
| UPC                              | Mini-Fit Sigma, Mini-Fit TPA2<br>889056179300   |

**Physical**

|                                |                      |
|--------------------------------|----------------------|
| Durability (mating cycles max) | 30                   |
| Gender                         | Female               |
| Material - Metal               | Phosphor Bronze      |
| Material - Plating Mating      | Tin                  |
| Material - Plating Termination | Tin                  |
| Net Weight                     | 0.210/g              |
| Packaging Type                 | Reel                 |
| Plating min - Mating           | 2.500µm              |
| Plating min - Termination      | 2.500µm              |
| Termination Interface: Style   | Crimp or Compression |
| Wire Insulation Diameter       | 1.98-2.55mm          |
| Wire Size AWG                  | 16                   |
| Wire Size mm²                  | N/A                  |

**Electrical**

|                               |            |
|-------------------------------|------------|
| Current - Maximum per Contact | 11.0A      |
| Voltage - Maximum             | 600V AC/DC |


**Solder Process Data**

|                             |     |
|-----------------------------|-----|
| Lead-freeProcess Capability | N/A |
|-----------------------------|-----|

**Material Info**

**Reference - Drawing Numbers**

|                               |  |
|-------------------------------|--|
| Application Specification     | AS-172718-0000-001                     |
| Application Tooling Documents | ATS-639036700-001                      |
| Packaging Specification       | PK-172718-0000-000, PK-172718-0001-000 |
| Product Specification         | 2131370000-PS-000, PS-172718-0000-001  |
| Sales Drawing                 | SD-172718-0000-000                     |



Series image - Reference only

**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per -  
D(2020)9139-DC (19  
Jan 2021)

**Halogen-Free**

**Status**

**Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

Green Image

Not Relevant

Not Contained

**Search Parts in this Series**

[172718](#) Series

**Use With**

Mini-Fit TPA2/Sigma Receptacle Housings  
[172708](#) , [200453](#)

**Application Tooling | FAQ**

*Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.*

**Global**

**Description**

**Product #**

|   |                            |
|---|----------------------------|
| Hand Crimp Tool for   | <a href="#">2002181700</a> |
| Mini-Fit TPA2 Male and Female Crimp Terminals, 16 AWG, Large and Small Insulation Grips |                            |
| Extraction Tool for   | <a href="#">638246210</a>  |
| Mini-Fit TPA2 Crimp Terminal, 16-24 AWG   |                            |

This document was generated on 08/18/2021

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Headers & Wire Housings](#) category:*

*Click to view products by [Molex](#) manufacturer:*

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)  
[609-3404](#) [61062-3](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-010LF](#)  
[65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5020](#) [707-5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#) [FCN-360C032-B](#) [FCN-367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#) [801-43-006-10-002000](#)