

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [1731070059](#)  
**Status:** **Active**  
**Overview:** [FCT D-Sub Connectors](#)  
**Description:** FCT Mixed Layout D-Sub Connector, Male, Straight, Solder Cup, Gold Plating, Tin-plated Shell with Dimples, 7 Circuits, 5 Signal Contacts Loaded

**Documents:**

[Drawing \(PDF\)](#) [Brochure \(PDF\)](#)  
[Datasheet \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

**General**


Product Family	D-Sub Products
Series	<a href="#">173107</a>
IP Rating	IP20
Overview	<a href="#">FCT D-Sub Connectors</a>
Product Category	D-Sub Connector
Product Name	FCT Products
Taxonomy	D-Sub Connectors
Type	Mixed Layout
UPC	889056316989

**Physical**

Circuits (Loaded)	5
Circuits (maximum)	7
Color - Resin	Green
Durability (mating cycles max)	500
Gender	Male
Material - Contact	Copper Alloy
Material - Resin	PBT
Material - Shell	Steel
Net Weight	6.000/g
Number of Rows	2
Orientation	Straight
PC Tail Length	7.40mm
PCB Locator	No
PCB Retention	None
Packaging Type	Carton
Panel Mount	Rear
Panel Mount Method	Flange
Pitch - Mating Interface	2.84mm
Pitch - Termination Interface	2.84mm
Plating - Contact	Gold over Nickel
Plating - Shell	Tin
Plating min - Mating	0.800µm
Polarized to Mating Part	Yes
Polarized to PCB	No
Ports	1
Shielded	Yes
Temperature Range - Operating	-55° to +130°C
Termination Style	Solder
Waterproof / Dustproof	No
Waterproof / Dustproof Type	IP20
Wire Size AWG	20

**Electrical**

Current - Maximum per Contact	7.5A
-------------------------------	------



*Series image - Reference only*

**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant with Exemption 6(c)**

**REACH SVHC**

Contained Per -  
D(2022)4187-DC (10  
June 2022)

Lead

**Halogen-Free**

**Status**

**Not Reviewed**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

50 Image

Not Relevant

Not Contained

**Search Parts in this Series**

[173107 Series](#)

**Mates With**

FCT Mixed Layout D-Sub, Size 2, 7W2, Socket

**Use With**

FCT Coaxial, High Power, High Voltage, or Pneumatic Contacts

**Material Info**

Engineering Number

FM7W2P-K120

**Reference - Drawing Numbers**

Sales Drawing

1731070059-000

This document was generated on 01/02/2023

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [D-Sub Mixed Contact Connectors](#) category:*

*Click to view products by [Molex](#) manufacturer:*

Other Similar products are found below :

[790-025SF-5P5NMN](#) [790-025SJ-7P7NML](#) [121551-0569](#) [DAM-7W2PC](#) [280-058P4-13W6MTNG](#) [LCC17A3W3PEAN1](#)  
[3005W5PXX99A30X](#) [3007W2PCR48E20X](#) [3008W8SXX42A10X](#) [3013W3SCM99A10X](#) [3017W2SCT56N40X](#) [3036W4PCM41A10X](#)  
[3036W4SCM99A10X](#) [3047W1PCM99A10X](#) [212522-7](#) [3003W3PXX58N40X](#) [3007W2PAR71E20X](#) [3008W8SXX56N40X](#)  
[3013W3PCM99A10X](#) [302W2CPXX56N40X](#) [3036W4SCM41A30X](#) [321WA4PCM99A10X](#) [321WA4SCT56N40X](#) [L717TWA7W2PP2SY3R](#)  
[DAM7V2PNK87](#) [DBM-17W2S-1A8N-A190-A197-1](#) [DBM21W1P](#) [09691009009](#) [09693909015](#) [5F5SSC28S41A30X](#) [790-061SH-](#)  
[36W2NMNA](#) [790-025SH-36W2NMT](#) [790-023PH-36W2MBY](#) [790-021SH-10P4EM](#) [DAME-3WK3S-A197](#) [DAM3WK3PA101](#)  
[DAA11W1SA197F0](#) [790-016PE-7P3MY](#) [790-024PK-9P9ML](#) [790-063PH-36W2MNA](#) [DBMP-9C4S-J-A197](#) [DAM53512-1818](#) [DAM3WK3S](#)  
[L77SDAH15SOL2RM5S12](#) [DDMN24H7PNK87](#) [DBM-9W4P-K127](#) [15-005553](#) [303W3CSXX56N40X](#) [1731070470](#) [DCMMY17W5SC](#)