

This document was generated on 07/27/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

[
Part Number:	<u>1731071281</u>		
	Active		
4			
Description:	Nickel Phosphorus Plating, T	nnector, Male, Straight, PCB Through Hole, Gold over in-plated Shell with Dimples, 5 Circuits, 4 Signal Contacts	
I	Loaded		
Description			
Documents:		Rouse Contificate of Compliance (RDE)	
Datasheet (PDF)		RoHS Certificate of Compliance (PDF)	
Brochure (PDF)			Series image - Reference only
General			
Product Family		D-Sub Products	EU ELV
Series		<u>173107</u>	Not Relevant
IP Rating		IP20	NOT Relevant
Overview		FCT D-Sub Connectors	EU RoHS China RoHS
Product Category		D-Sub Connector	Not Reviewed
Product Name		FCT Products	REACH SVHC
			Not Reviewed
Туре		Mixed Layout 191130143665	Halogen-Free
UPC		191130143005	Status
Physical			Not Reviewed
Circuits (Loaded)		4	For more information, please visit <u>Contact US</u>
Circuits (maximum)		5	For more information, please visit <u>Contact 05</u>
Color - Resin		Green	China ROHS Not Reviewed
Durability (mating cycles	s max)	500	ELV Not Relevant
Gender	s max)	Male	RoHS Phthalates Not Reviewed
Material - Contact		Copper Alloy	
Material - Resin		PBT	
Material - Shell		Steel	
			Search Parts in this Series
Net Weight Number of Rows		9.000/g	<u>173107</u> Series
		2 Stanisht	
Orientation		Straight 10.30mm	Mates With
PC Tail Length			FCT Mixed Layout D-Sub, Size 1, 5W1,
PCB Locator		Yes	Socket
PCB Retention		Yes	
PCB Thickness - Recom	imenaea	1.60mm	Use With
Packaging Type		Carton	FCT Coaxial, High Power, High Voltage, or
Panel Mount		Rear	
Panel Mount Method		Flange	Pneumatic Contacts
Pitch - Mating Interface		2.84mm	
Pitch - Termination Inter	тасе	2.84mm	
Plating - Contact		Gold over Nickel Phosphorus	
Plating - Shell		Tin	
Polarized to Mating Part	I	Yes	
Polarized to PCB		Yes	
Ports		1	
Shielded		Yes	
Temperature Range - O	perating	-55° to +130°C	
Termination Style		Through Hole	
Waterproof / Dustproof		No	
Waterproof / Dustproof	Гуре	IP20	
Electrical	0		
Current - Maximum per	Contact	7.5A	
Motorial Info			

This document was generated on 07/27/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for D-Sub Mixed Contact Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

790-025SF-5P5NMN790-025SJ-7P7NMLDAM-7W2PCL717TWB5W5P3RL717TWB5W5PRM84L717TWP3W3P3003W3PXX56N40X3005W5PXX99E40X3005W5SXX99A30X3005W5SXX99E40X3013W6SCM99A10X3036W4PCM41A10X3036W4SCM99A10XFCE17-E2W2SS-2N0212522-7PII-468-13003W3PXX43A10X3003W3SXX56N40X3005W5PXX88N40X3007W2PAR71E20X3008W8SXX57A30X3009W4PCT57P20X3011W1SXK99A10X3017W2SAR69C40X321WA4PXK99A60X3F3SSC22S41A30XL717TWA7W2PP2SY3RDBM-17W2S-1A8N-A190-A197-1421WA4PCR50E20X09691009009096911000225000969300917609692009147096939090156017W2PCM41B30X790-061SH-36W2NMNA790-044SE-7P3MNPB790-043PE-11P2MPA790-043PB-2P2MPB790-029SB-2P2MEPA790-028PK-9P9MPA790-028PH-54P2MGA790-028PH-36P2MNA790-028PB-2P2MPA790-028PB-2P2MPA027SH-5W5MTEP790-026PH-54P2ZNUG790-026PH-54P2MP790-026PH-36P2ZNUG790-026PH-36P2MG790-026PD-3P3MP