

This document was generated on 12/17/2020 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	1731090341				
Status:	Active		358	1	
Overview:	FCT D-Sub Connector	c		5	
		<u>s</u> D-Sub Connector, Female, Right-Angle, Surface Mount,			
Description.		nt, 500 Mating Cycles, Diecast Bracket, 15 Circuits		A AND	
Documents:			Cores Cores		
Brochure (PDF)		RoHS Certificate of Compliance (PDF)			
General					
Product Family		D-Sub Products	Series imag	e - Reference only	
Series		<u>173109</u>			
IP Rating		IP20	EU ELV		
Overview		FCT D-Sub Connectors	Not Relevant		
Product Category		D-Sub Connector			
Product Name		FCT Products	EU RoHS	China RoHS	
Туре		Standard Density	Compliant		
UPC		191128118262	REACH SVHC		
UFC		191120110202	Not Reviewed		
Physical			Halogen-Free		
Circuits (Loaded)		15	Status		
Circuits (maximum)		15	Not Reviewed		
Color - Resin		Natural		n nlagon visit Contact II	
Durability (mating cycles max)		500	For more informatio	n, please visit <u>Contact U</u>	
	cies max)		China ROHS	Green Image	
Gender		Female	ELV	Not Relevant	
Material - Contact		Copper Alloy			
Material - Resin		PBT	RoHS Phthalates	Not Contained	
Material - Shell		Steel			
Net Weight		14.200/g			
Number of Rows		2	Search Parts in t	this Series	
Orientation		Right-Angle	173109 Series		
PC Tail Length		3.70mm			
PCB Locator		Yes			
PCB Retention		Yes	Mates With		
PCB Thickness - Recommended		1.60mm		FCT Standard-Density D-Sub, Size 2, 15	
Packaging Type		Embossed Tape on Reel	Position, Plug		
Panel Mount		Rear			
Panel Mount Method		Thread-In			
Pitch - Mating Interface		2.84mm			
Pitch - Termination Interface		3.40mm			
Plating - Contact		Gold over Palladium Nickel			
0		Nickel			
Plating - Shell Palarized to Mating Part					
Polarized to Mating Part Polarized to PCB		Yes			
		Yes			
Ports					
Shielded		Yes			
Surface Mount Compatible (SMC)		Yes			
Temperature Range	- Operating	-55° to +150°C			
Termination Style		Surface Mount			
Waterproof / Dustpro		No			
Waterproof / Dustpro	oof Type	IP20			
Electrical	ar Cantact	5.00			
Current - Maximum p		5.0A			

Material Info

Engineering Number

FSLT15S101G1-3752

This document was generated on 12/17/2020 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for D-Sub Standard Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

56F706-005-LI 56F711-015 LV242999-142T12 015-0341-000 015-0372-005 015-0372-008 015-8755-001 020419-0104 012-0467-000 012-9507-034 012-9507-114 020745-0008 609-25P CT2-14S-2PCA34 CT2-18-11PCAU CT6-10SL-3SC CT6-10SL-4SC CT6-14S-2SC CT6E14SA7SC CT6N10SL-4SSA34 M83513/01-FC M83723/76W24619 L/C M85049/48-3-2F 6STD09PCM99B70X 6STD09SCM99B30X 6STD09SCT99S40X 6STD15PCT99S40X 6STD15SCT99S40X 6STF09PCM05B70X 7-135760-9 MC11E-10-6SN 747552-3 MD1-21PS MDM-15SCBRM7-F222 MDM96517-699 MDM96521-744 MDVB1-21SL1 MIK0-1-7SH003 MIKQ6-7SH076 MIKQ7-7PH077 MIKQ7-7PH11 MIKQ7-7PH32 MJSV-28SL61 MKJ4A1F14-55S 8-135760-3 8STD09PCM99B30X PG-KV/PV-16-GROM-SEALING GDA15P GDAY15PB 980-0000-170