

This document was generated on 07/28/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	1731090732			
Status:	Active			
Overview:			Hellel	ellellellellelle
Description:	<u>FCT D-Sub Connectors</u> FCT Standard-Density D-Sub Connector, Male, Right-Angle, PCB Through Hole, Gold over Nickel Phosphorus Plating, 500 Mating Cycles, 50 Circuits			
Documents:				
		RoHS Certificate of Compliance (PDF)	ίuu	
<u>Datasheet (PDF)</u> Brochure (PDF)		ROHS Certificate of Compliance (PDF)		
General			Series imag	e - Reference only
Product Family		D-Sub Products		
Series		<u>173109</u>	EU ELV	
IP Rating		IP20	Not Relevant	
Overview		FCT D-Sub Connectors		
Product Category		D-Sub Connector	EU RoHS	China RoHS
Product Name		FCT Products	Compliant with	
Туре		Standard Density	Exemption 6(c)	
UPC		191128905152	REACH SVHC	
010		191120903132	Not Reviewed	
Physical			Halogen-Free	
Circuits (Loaded)		50	Status	
Circuits (maximum)		50	Not Reviewed	
Color - Resin		White		n places visit Contest US
Durability (mating cycl		500	For more informatio	n, please visit <u>Contact US</u>
	es max)		China ROHS	50 Image
Gender		Male	ELV	Not Relevant
Material - Contact		Copper Alloy	RoHS Phthalates	Not Contained
Material - Resin		PBT	RONS Fillialales	Not Contained
Material - Shell		Steel		
Net Weight		21.100/g		
Number of Rows		3	Search Parts in t	his Series
Orientation		Right-Angle	173109 Series	
PC Tail Length		12.50mm		
PCB Locator		No		
PCB Retention		None	Mates With	
PCB Thickness - Recommended		1.60mm		nsity D-Sub, Size 5, 50
Packaging Type		Carton	Position, Socket	
Panel Mount		Rear		
Panel Mount Method		Flange		
Pitch - Mating Interfac	e	2.84mm		
Pitch - Termination Interface		2.54mm		
Plating - Contact		Gold over Nickel Phosphorus		
Plating - Shell		Tin		
Polarized to Mating Pa	art	Yes		
Polarized to PCB		Yes		
Ports		1 00		
Shielded		l Voc		
	Operating			
Temperature Range -	Operating	-55° to +125°C		
Termination Style	t.	Through Hole		
Waterproof / Dustproo		No		
Waterproof / Dustproo	t lype	IP20		
Electrical				
Current - Maximum pe	er Contact	7.5A		
Material Info				

This document was generated on 07/28/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for D-Sub Standard Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

 56F711-015
 LV242999-142T12
 015-0341-000
 015-0372-005
 015-0372-008
 015-8755-001
 020419-0104
 012-0467-000
 012-9507-034
 012

 9507-114
 020745-0008
 609-25P
 CT2-14S-2PCA34
 CT2-18-11PCAU
 CT6-10SL-3SC
 CT6-10SL-4SC
 CT6-14S-2SC
 CT6E14SA7SC

 M83513/01-FC
 M83723/76W24619
 L/C
 M85049/48-3-2F
 6STD09PCM99B70X
 6STD09SCM99B30X
 6STD09SCT99S40X

 6STD15PCT99S40X
 6STD15SCM99B30X
 6STD15SCT99S40X
 6STF09PCM05B70X
 7-135760-9
 MC11E-10-6SN
 747552-3
 MD1-21PS

 MDM-15SCBRM7-F222
 MDM96517-699
 MDM96521-744
 MDVB1-21SL1
 MIK0-1-7SH003
 MIKQ6-7SH076
 MIKQ7-7PH077
 MIKQ7

 7PH11
 MIKQ7-7PH32
 MJSV-28SL61
 MKJ4A1F14-55S
 8-135760-3
 8STD09PCM99B30X
 PG-KV/PV-16-GROM-SEALING
 GDA15P

 GDAY15PB
 980-0000-170
 980-0000-171
 980-0000-171
 980-0000-171