

This document was generated on 07/26/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	<u>1731100142</u>			
Status:	Active			
Overview:		FCT D-Sub Connectors FCT Standard-Density Waterproof D-Sub Connector, Female, Straight, Solder Cup,		
Description:				
	Gold Plating, Front P	anel Mount, Plastic Watertight Frame, 25 Circuits		
Documents:			T	
Datasheet (PDF)		RoHS Certificate of Compliance (PDF)	and the second s	2.1
Brochure (PDF)				
			- Ocaries incom	- Deferrence entre
General			Series imag	e - Reference only
Product Family		D-Sub Products		
Series		<u>173110</u>	EU ELV	
IP Rating		IP67	Not Relevant	
Overview		FCT D-Sub Connectors		
Product Category		D-Sub Connector	EU RoHS	China RoHS
Product Name		FCT Products	Compliant with	
Туре		Standard Density	Exemption 6(c)	
UPC		191128287319	REACH SVHC	
		101120201010	Contained Per -	
Physical			D(2020)4578-DC (2	25
Circuits (Loaded)		25	June 2020)	
Circuits (maximum)		25	lead	
Color - Resin		Red		
			Halogen-Free	
Durability (mating cycl	les max)	500	<u>Status</u>	
Gender		Female	Not Reviewed	
Material - Contact		Copper Alloy	For more informatio	n, please visit <u>Contact US</u>
Material - Resin		PBT		-
Material - Shell		Brass	China ROHS	50 Image
Net Weight		38.000/g	ELV	Not Relevant
Number of Rows		2	RoHS Phthalates	Not Contained
Orientation		_ Straight		
PCB Locator		No		
PCB Retention		None		
			Search Parts in this Series	
Packaging Type		Carton	<u>173110</u> Series	
Panel Mount		Front		
Panel Mount Method		Thread-In	Mates With	
Pitch - Mating Interface		2.84mm		ensity D-Sub, Size 3, 25
Pitch - Termination Interface		2.84mm	Position, Plug	analty D-300, 3128 3, 23
Plating - Contact		Gold over Nickel	Position, Plug	
Plating - Shell		Tin		
Polarized to Mating Pa	art	Yes	Use With	
Ports		1	FCT D-Sub Dust	Caps
Shielded		Yes		
Temperature Range -	Operating	-25° to +70°C		
Termination Style	operating			
		Solder Cup		
Waterproof / Dustproo		Yes		
Waterproof / Dustproo	ттуре	IP67		
Wire Size AWG		20		
Electrical				
Current - Maximum pe	er Contact	7.5A		
Material Info				
Engineering Number		FWDF25S		

This document was generated on 07/26/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for D-Sub Standard Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

 56F711-015
 LV242999-142T12
 015-0341-000
 015-0372-005
 015-0372-008
 015-8755-001
 020419-0104
 012-0467-000
 012-9507-034
 012

 9507-114
 020745-0008
 609-25P
 CT2-14S-2PCA34
 CT2-18-11PCAU
 CT6-10SL-3SC
 CT6-10SL-4SC
 CT6-14S-2SC
 CT6E14SA7SC

 M83513/01-FC
 M83723/76W24619
 L/C
 M85049/48-3-2F
 6STD09PCM99B70X
 6STD09SCM99B30X
 6STD09SCT99S40X

 6STD15PCT99S40X
 6STD15SCM99B30X
 6STD15SCT99S40X
 6STF09PCM05B70X
 7-135760-9
 MC11E-10-6SN
 747552-3
 MD1-21PS

 MDM-15SCBRM7-F222
 MDM96517-699
 MDM96521-744
 MDVB1-21SL1
 MIK0-1-7SH003
 MIKQ6-7SH076
 MIKQ7-7PH077
 MIKQ7

 7PH11
 MIKQ7-7PH32
 MJSV-28SL61
 MKJ4A1F14-55S
 8-135760-3
 8STD09PCM99B30X
 PG-KV/PV-16-GROM-SEALING
 GDA15P

 GDAY15PB
 980-0000-170
 980-0000-171
 980-0000-171
 980-0000-171