

This document was generated on 09/13/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

			· · · · · · · · · · · · · · · · · · ·
Part Number:	0190570054		\frown
Status:	Active		
Overview:	Solderless Terminals		(())
Overview: Description:		rminal for 14-16 AWG Wire, Nylon, Stud Size 6	
Description:	AVIKIIMP KING TONGUE TE	Initial for 14-16 AWG WIRE, Nylon, Stud Size 6	
Decumenter			
Documents:		Product Specification BS 10002 011 001 (BDF)	
<u>3D Model</u>		Product Specification PS-19902-011-001 (PDF)	
Drawing (PDF)		Product Specification PS-19902-013-001 (PDF)	
<u>3D Model (PDF)</u>		RoHS Certificate of Compliance (PDF)	·
A man and Cantification	_		Series image - Reference only
Agency Certification	1	LR18689	
UL		E32244	
UL		E32244	EU ELV Not Relevant
General			Not Relevant
Product Family		Ring and Spade Terminals	EU RoHS China RoHS
Series		<u>19057</u>	Compliant
Crimp Quality Equipm	nent	Yes	REACH SVHC
Overview		Solderless Terminals	Not Contained Per -
Product Name		Avikrimp	D(2021)4569-DC (8
Туре		Ring	July 2021)
UPC		800753058279	Halogen-Free
			Status
Physical			Low-Halogen
Barrel Type		Closed	For more information, please visit Contact US
Color - Resin		Blue	<u></u>
Flammability		94V-2	China ROHS Green Image
Insulation		Nylon (PA)	ELV Not Relevant
Material - Metal		Copper	RoHS Phthalates Not Contained
Material - Plating Mat	ing	Tin	
Net Weight		1.098/g	
Packaging Type		Carton	Search Parts in this Series
Stud Size		6 (M3.5)	19057 Series
Temperature Range -		105°C	
Termination Interface		Crimp or Compression	Application Tablian FAC
Wire Insulation Diame	eter	4.32mm max.	Application Tooling <u>FAQ</u>
Wire Size AWG		14, 16	Tooling specifications and manuals are
Wire Size mm ²		1.00-2.50	found by selecting the products below.
Electrical			Crimp Height Specifications are then
Voltage - Maximum		600V	contained in the Application Tooling
		000 V	Specification document.
Solder Process Data			Global Broduct #
Lead-freeProcess Ca	pability	N/A	Description Product #
			PremiumGrade <u>640010100</u>
Material Info		_	Hand Crimp Tool
Engineering Number		B-523-06	for Avikrimp and
Deference Drewing	Numboro		Insulkrimp Terminals
Reference - Drawing		DE 10002 011 001 DE 10002 012 001	and Splices,
Product Specification		PS-19902-011-001, PS-19902-013-001	10-22 AWG and
Sales Drawing		190570042-000, BCD50101-001	6.0-0.5mm ² (Rings,
			Spades, Hooks,
			Block Spades and
			Flanged Spades)
			Crimp Head for the <u>640050100</u>
			ΔT-200 Pneumatic

AT-200 Pneumatic

Hand Tool

ServiceGrade Hand <u>640160036</u> Crimp Tool for Field Repair only, for production use our PremiumGrade Tool

This document was generated on 09/13/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Terminals category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

Molex