


**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0192210460](#)  
**Status:** **Active**  
**Overview:** [Battery Cable Lugs](#)  
**Description:** Compression Style Ring Tongue Terminal for 4 AWG Wire, Stud Size 5/16" (M8), Tin Plated, Wide Pad

**Documents:**

|  |  |
|--|--|
| <a href="#">3D Model</a>                                     | <a href="#">Product Specification PS-19902-011-001 (PDF)</a> |
| <a href="#">3D Model (PDF)</a>                               | <a href="#">Product Specification PS-19902-013-001 (PDF)</a> |
| <a href="#">Drawing (PDF)</a>                                | <a href="#">Product Specification PS-19902-017-001 (PDF)</a> |
| <a href="#">Product Specification PS-19901-017-001 (PDF)</a> | <a href="#">RoHS Certificate of Compliance (PDF)</a>         |



**Agency Certification**

|     |         |
|-----|---------|
| CSA | LR18689 |
| UL  | E32244  |

**General**

|                         |                                    |
|-------------------------|------------------------------------|
| Product Family          | Ring and Spade Terminals           |
| Series                  | <a href="#">19221</a>              |
| Comments                | Heavy Duty                         |
| Crimp Quality Equipment | Yes                                |
| Overview                | <a href="#">Battery Cable Lugs</a> |
| Product Name            | Battery Cable Lug                  |
| Type                    | Ring                               |
| UPC                     | 800753065659                       |

**Physical**

|                              |                      |
|------------------------------|----------------------|
| Barrel Type                  | Closed               |
| Insulation                   | None                 |
| Material - Plating Mating    | Tin                  |
| Net Weight                   | 8.763/g              |
| Packaging Type               | Bag                  |
| Plating min - Mating         | 4.064µm              |
| Plating min - Termination    | 4.064µm              |
| Stud Size                    | 5/16" (M8)           |
| Termination Interface: Style | Crimp or Compression |
| Wire Insulation Diameter     | N/A                  |
| Wire Size AWG                | 4                    |

**Material Info**

|                    |                |
|--------------------|----------------|
| Engineering Number | BCL-4516-WP-PL |
|--------------------|----------------|

**Reference - Drawing Numbers**

|                       |  |
|-----------------------|--|
| Product Specification | PS-19901-017-001, PS-19902-011-001, PS-19902-013-001, PS-19902-017-001 |
| Sales Drawing         | SD-19221-010-001   |

**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per - D(2020)9139-DC (19 Jan 2021)

**Halogen-Free**

**Status**

**Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

Green Image

Not Relevant

Not Contained

**Search Parts in this Series**

[19221 Series](#)

**Application Tooling | FAQ**

*Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.*

**Global**

| Description   | Product #                 |
|---|---------------------------|
| Hand Crimp Tool for Eyelet Style Copper Lug Terminals 8-4/0 AWG | <a href="#">192840034</a> |
| Manual Putt Pump Hydraulic System, Die set required             | <a href="#">192860117</a> |
| Die Set (large) for the HHLS Hydraulic Crimper                  | <a href="#">192900007</a> |
| Die Set (large) for the HHLS Hydraulic Crimper                  | <a href="#">192900750</a> |

|   |                  |
|---|------------------|
| Manual tool for Crimping non-insulated 8AWG thru 4/0 Terminals  | <u>192940008</u> |
| Square "DIN" style dies for 4 AWG   | <u>640037870</u> |
| Square "Din" Style Die Set for BCL and VersaKrimp Un-insulated Ring Tongue Terminals and Splices, 4 AWG | <u>640038670</u> |

This document was generated on 08/27/2021

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Terminals](#) category:*

*Click to view products by [Molex](#) manufacturer:*

Other Similar products are found below :

[00-054007-01074-6](#) [00-054007-70206-1](#) [00-054007-70210-8](#) [00-054007-70217-7](#) [00-054007-70226-9](#) [00-054007-70228-3](#) [00-054007-70248-1](#) [00-054007-70256-6](#) [00-054007-70301-3](#) [00-054007-70316-7](#) [0-0320562-0](#) [00-054007-49560-4](#) [00-054007-70209-2](#) [00-054007-70225-2](#) [00-054007-70227-6](#) [00-054007-70231-3](#) [00-054007-70241-2](#) [00-054007-70242-9](#) [00-054007-70244-3](#) [00-054007-70246-7](#) [00-054007-70263-4](#) [00-054007-70288-7](#) [00-054007-70290-0](#) [00-054007-70300-6](#) [00-054007-70304-4](#) [01-2065-1-0216](#) [01-2900-1-04412](#) [00581P0075](#) [600TS-10](#) [60205-1](#) [604200-1](#) [605601-1](#) [60598-1-CUT-TAPE](#) [61314-6-C](#) [61810-3](#) [61-S](#) [62149-1](#) [626-0194](#) [62-NBM-A](#) [62-SN](#) [62-SP](#) [640179-1](#) [M55155/059I03](#) [M55155/079C01](#) [M55155/099H02](#) [M55155/109H01](#) [M55155/109H02](#) [M55155/12XH05](#) [M55155/16XH02](#) [M55155/29-5S](#)