

This document was generated on 11/02/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	<u>0192880049</u>		
Status:	Active		
Overview:	Application Tooling		
Description:		Tape Crimp Module and ATP-101 & 301 Press	
-			
Documents: RoHS Certificate of Compliance (PDF)			
General			
Product Family		Application Tooling	
Series		207126	Series image - Reference only
Comments		The Crimp Tape Module 640162000 is a base unit	
		that will work like an applicator in a Molex TM-3000	EU ELV
		<u>638017200</u> , <u>638017300</u> industry standard crimp press	Not Reviewed
		or the Molex TM-4000 <u>638017600</u> industry standard	EU RoHS China RoHS
		crimp press. The Crimp Tape Module will accept all ATP-301 and ATP-201 style crimp dies. This Crimp	Not Reviewed
		Tape Module will allow customers to process most of	REACH SVHC
		Molex's Mylar Tape product from 2 AWG uninsulated	Not Reviewed
		and 4 AWG insulated products and up. The Crimp Tape	Halogen-Free
		Module will NOT work in any other industry standard	Status
		crimp press or wire process machine. These ATP-301	Not Reviewed
		style die sets can be used in the older style suitcase	For more information, please visit Contact U
		presses.	China ROHS Not Reviewed
Function		Crimp	ELV Not Reviewed
Geographic Area		Global	RoHS Phthalates Not Reviewed
Level of Automation More Detailed Tech Information		Semi-Automatic	
	ch Information	applicationtooling@molex.com	
Overview Product Name		Application Tooling N/A	Search Parts in this Series
Tool Type		Crimp Module	207126 Series
UPC		800753109148	
Warranty Disclaimer		CAUTION: Molex tooling crimp specifications are	Use With
		valid only when used with Molex terminals and tooling	Molex Crimp Tape Module <u>640162000</u>
		manufactured by Molex and sold by Molex or authorized	used with Molex TM-3000: <u>638017200</u> ,
		distributors ("Molex Tooling"). When using tooling	<u>638017300</u> , Molex TM-4000: <u>638017600</u>
		other than Molex Tooling with Molex specific connector	, Molex ATP-301 Press: <u>192280030</u> and
		systems listed in our ATS documents, the Molex tooling	Molex ATP-101 style presses.
		qualification does not apply and the responsibility for	
		full qualification of the connector system is that of the customer. Molex accepts no liability for connector	Application Tooling FAQ
		performance or tooling support where tooling other	Description Product #
		than Molex Tooling is used or where Molex Tooling is	InsulKrimp Quick <u>190030003</u>
		modified.	Disconnect,
			Female, for 18-22
Material Info Engineering Number Reference - Drawing Numbers			(0.80-0.35mm ²),
		ATP-AA-575-CC	Mylar Tape, Tab 6.35 x 0.81mm, Salmon
			InsulKrimp Quick <u>190030010</u>
Application Tooling	-	ATS-192880049-001, ATS-TOOLING-ID-ATP-001,	Disconnect,
	-	TM-192280498-001, TM-192280498SP-001,	Female, for 18-22
		TM-640160065-001, TM-640160065CN-001,	(0.80-0.35mm ²),
		TM-640160065DE-001, TM-640160065FR-001,	Mylar Tape, Tab 6.35
		TM-640160065IT-001, TM-640160065JP-001,	x 0.81mm
		TM-640160065KR-001, TM-640160065MY-001,	InsulKrimp Quick <u>190030013</u>
		TM-640160065PL-001, TM-640160065RU-001, TM-640160065SK-001, TM-640160065SP-001	Disconnect,

TM-640160065SK-001, TM-640160065SP-001,

Female, for 18-22

TM-640160065TH-001, TM-640160065TW-001, TM-640160065VN-001

(0.80-0.35mm²), Mylar Tape, Tab 4.75 x 0.51mm, Salmon InsulKrimp Quick 190030016 Disconnect, Female, for 18-22 (0.80-0.35mm²), Mylar Tape, Tab 4.75 x 0.51mm InsulKrimp Quick 190030020 Disconnect, Female, for 18-22 (0.80-0.35mm²), Mylar Tape, Tab 4.75 x 0.81mm, Pink InsulKrimp Quick 190030023 Disconnect, Female, for 18-22 (0.80-0.35mm²), Mylar Tape, Tab 4.75 x 0.81mm InsulKrimp Quick 190030026 Disconnect, Female, for 18-22 (0.80-0.35mm²), Mylar Tape, Tab 2.79 x 0.51mm, Salmon InsulKrimp Quick 190030032 Disconnect, Female, for 18-22 (0.80-0.35mm²), Mylar Tape, Tab 2.79 x 0.81mm, Pink InsulKrimp Quick 190030074 Disconnect, Female, for 18-22 (0.80-0.35mm²), Mylar Tape, Tab 5.21 x 0.51mm, Salmon InsulKrimp Quick 190030075 Disconnect, Female, for 18-22 (0.80-0.35mm²), Mylar Tape, Tab 5.21 x 0.81mm, Pink Quixon Quick <u>192760003</u> Disconnect, InsulKrimp Style, Female, Fully Insulated Red, 18-22 AWG, Mylar Tap

This document was generated on 11/02/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Punches & Dies category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

 58510-1
 63454-1601
 63457-0056
 63457-3401
 730-5/8
 730BB-1-3/8
 PV-670508-001
 1328
 1338
 13782656
 13782673
 13782686
 AR-19

 AR-24
 1528-TL
 1583609-1
 1720
 1762951-1
 2063500-2
 19031-0168
 AR-20
 AR-23
 CD5-8
 313336-3
 11-19-3122
 539663-1
 63446-2241

 TL-18
 0634451912
 1762674-1
 63454-0123
 68240-1
 68247-1
 734252
 313183-1
 PA2029
 119174-001
 23846-1
 11-40-5342
 68010-2

 690370015
 730BB-1-1/8
 730BB-1-1/16
 19032-0048
 63465-0023
 11-40-4438
 63457-0041
 19032-0202
 11-11-0054
 11-11-0052