

This document was generated on 01/25/2022

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: <u>0192880233</u>

Status: Active

Overview: Application Tooling

**Description:** ATP Crimp Dies for the Tape Crimp Module and ATP-101 & 301 Press

**Documents:** 

RoHS Certificate of Compliance (PDF)

General

**Product Family** 

Series

Comments

Function Geographic Area Level of Automation

More Detailed Tech Information

Overview Product Name Tool Type UPC

Warranty Disclaimer

**Material Info** 

**Engineering Number** 

**Reference - Drawing Numbers**Application Tooling Documents

Application Tooling

207126

The Crimp Tape Module <u>640162000</u> is a base unit that will work like an applicator in a Molex TM-3000 <u>638017200</u>, <u>638017300</u> industry standard crimp press or the Molex TM-4000 <u>638017600</u> industry standard crimp press. The Crimp Tape Module will accept all ATP-301 and ATP-201 style crimp dies. This Crimp Tape Module will allow customers to process most of Molex's Mylar Tape product from 2 AWG uninsulated and 4 AWG insulated products and up. The Crimp Tape Module will NOT work in any other industry standard crimp press or wire process machine. These ATP-301 style die sets can be used in the older style suitcase

presses. Crimp Global

Semi-Automatic

applicationtooling@molex.com

**Application Tooling** 


ETC

Crimp Module 800753110908

CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

ATP-M-675-CC

192880233-001, ATS-TOOLING-ID-ATP-001, TM-192280498-001, TM-192280498SP-001, TM-640160065-001, TM-640160065CN-001, TM-640160065DE-001, TM-640160065FR-001, TM-640160065IT-001, TM-640160065MY-001, TM-640160065KR-001, TM-640160065RU-001, TM-640160065SP-001, TM-640160065SP-001, TM-640160065SP-001,



**China RoHS** 

**EU ELV** 

**Not Reviewed** 

EU RoHS Not Reviewed

REACH SVHC Not Reviewed Halogen-Free

Status

**Not Reviewed** 

For more information, please visit Contact US

China ROHS Not Reviewed ELV Not Reviewed RoHS Phthalates Not Reviewed

**Search Parts in this Series** 

207126 Series

**Use With** 

Molex Crimp Tape Module  $\underline{640162000}$  used with Molex TM-3000:  $\underline{638017200}$ ,  $\underline{638017300}$ , Molex TM-4000:  $\underline{638017600}$ , Molex ATP-301 Press:  $\underline{192280030}$  and Molex ATP-101 style presses.

Application Tooling | FAQ |
Description | Product # |
InsulKrimp Quick | 190030067

Disconnect, Female, for 24-26 (0.20-0.12mm²), Mylar Tape, Tab 4.75 x 0.51mm, Yellow

InsulKrimp Quick 190030070

Disconnect, Female, for 24-26 (0.20-0.12mm²), Mylar Tape, Tab 4.75 x 0.81mm, Dark

Yellow

InsulKrimp Quick 190030073

Disconnect,

Female, for 24-26 (0.20-0.12mm²), Mylar Tape, Tab 6.35 x 0.81mm, Yellow

This document was generated on 01/25/2022

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Punches & Dies category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

58510-1 63454-1601 63457-0056 63457-3401 730-5/8 730BB-1-3/8 734410 PV-670508-001 1328 1338 13782656 13782673 AR-19 AR-24 1528-TL 1583609-1 1720 1762951-1 2063500-2 19031-0168 AR-20 AR-23 CD5-8 313336-3 11-19-3122 539663-1 63446-2241 TL-18 0634451912 1762674-1 63454-0123 68240-1 68247-1 734252 313183-1 PA2029 119174-001 23846-1 11-40-5342 68010-2 690370015 730BB-1-1/8 730BB-1-1/16 19032-0048 63465-0023 11-40-4438 63457-0041 19032-0202 11-11-0054 11-11-0052