

This document was generated on 01/25/2022

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0194280013

Status: Active

Overview: MX150L Industrial Sealed Connector System

Description: 5.84mm Pitch MX150L Vertical PCB Header, Dual Row, Low Profile, 8 Circuits

Documents:

3D Model Packaging Specification PK-19428-002-001 (PDF)

<u>Drawing (PDF)</u> <u>Brochure (PDF)</u>

3D Model (PDF) RoHS Certificate of Compliance (PDF)

Product Specification PS-19427-001-001 (PDF)

Agency Certification

UL E152602

General

Product Family PCB Headers

Series <u>19428</u>

Application Power, Wire-to-Board Comments IP67 rated; conforms to

IP67 rated; conforms to UL 1977. NOT suitable for automotive applications with requirements such as USCAR-2, USCAR-25, GMW3191, AK Testing, J2030,

Volvo Technology Requirements, and Toyota Connector

Spec (TCS)

Overview <u>MX150L Industrial Sealed Connector System</u>

Product Name MX150L UPC 822348742820

Physical

Breakaway No Circuits (Loaded) 8 Circuits (maximum) 8 Durability (mating cycles max) 25 Flammability 94V-0 Glow-Wire Capable No Lock to Mating Part Yes Material - Plating Mating Tin Material - Plating Termination Tin Net Weight 20.800/g Number of Rows 2 Orientation Vertical Yes

PC Tail Length 3.30mm **PCB** Locator **PCB** Retention Yes PCB Thickness - Recommended 1.60mm Packaging Type Trav Pitch - Mating Interface 5.84mm Polarized to Mating Part Yes Polarized to PCB Yes Shrouded **Fully** Stackable No

Surface Mount Compatible (SMC)

Temperature Range - Operating

-40° to +125°C

Termination Interface: Style

Through Hole

Electrical

Current - Maximum per Contact 18.0A Voltage - Maximum 600V



EU ELV Not Relevant

EU RoHS China RoHS

Compliant REACH SVHC Not Contained Per -D(2021)4569-DC (8 July 2021)

Halogen-Free Status

Low-Halogen

For more information, please visit Contact US

China ROHS Green Image
ELV Not Relevant
RoHS Phthalates Not Contained

Search Parts in this Series

19428 Series

Mates With

19418 Receptacle Assemblies

Material Info

Reference - Drawing Numbers

Packaging Specification PK-19428-002-001
Product Specification PS-19427-001-001
Sales Drawing SD-19428-005-001

This document was generated on 01/25/2022

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Automotive Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

003-018-000 60993906-B M902-2131 M902-2161 M902-2344 72.330.1035.1 73.353.4028.0 F166900 F358300-B F407400 776880-1 827153-1 8N1515-32-24P 9-1326729-8 925474-1 928905-1 964562-4 968782-1 98891-1012 12004475-L 12020308 12041318-B 12052466 12064869 12015909 1-21030-1 12041254 12041318 12047946-B 12110546-B 12131792 12084688 12092346 HD34-18-14PT HD46-24-23SN-059 HDB36-24-16PN-059 HDP26-24-9SE-L015 12185280 12185550 12336-12 12191172-B 12S 13545280 13577943 13681974 13737722-B 13830674 13832576 13849772 13542772