

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [2000960261](#)  
**Status:** **Active**  
**Overview:** [stAK50h Connection System](#)  
**Description:** TAK50 Receptacle Terminal, Unsealed, S-Grip, B-Wind, Right Reel Payoff  
**Replacement Part Number :** <http://www.molex.com/molex/search/partSearch?pQuery=&sType=p&query=20009632612000963261>

**Documents:**

<a href="#">Drawing (PDF)</a>	<a href="#">Packaging Specification 313025040-000 (PDF)</a>
<a href="#">Product Specification 2000960000-000 (PDF)</a>	<a href="#">Test Summary 2000960002-000 (PDF)</a>
<a href="#">Application Specification 2000960001-000 (PDF)</a>	<a href="#">RoHS Certificate of Compliance (PDF)</a>
<a href="#">Application Specification 2000960001-AS-CH-000 (PDF)</a>	

**General**

Product Family	Crimp Terminals
Series	<a href="#">200096</a>
Application	Automotive, Signal, Wire-to-Board
Comments	Stainless Steel Hood/Sleeve   Right Reel Payoff   For automatic and semi-automatic crimping, use Left Reel Payoff terminals. See Sales Drawing for Left Reel Payoff Part Numbers.
Crimp Quality Equipment Overview	Yes
Product Name	<a href="#">stAK50h Connection System</a>
Replacement Part Number	TAK50
UPC	<a href="#">2000963261</a> 191128074742

**Physical**

Durability (mating cycles max)	10
Gender	Female
Grip Code	S
Material - Metal	Copper Alloy, Stainless Steel
Material - Plating Mating	Tin
Net Weight	0.055/g
Packaging Type	Reel
Termination Interface: Style	Crimp or Compression
Wire Insulation Diameter	0.95-1.05mm
Wire Size AWG	N/A
Wire Size mm <sup>2</sup>	0.13


**Electrical**

Current - Maximum per Contact	3.0A
Voltage - Maximum	14V DC

**Material Info**

**Reference - Drawing Numbers**

Application Specification	2000960001-000, 2000960001-AS-CH-000
Packaging Specification	313025040-000
Product Specification	2000960000-000
Sales Drawing	2000960001-000
Test Summary	2000960002-000



*Series image - Reference only*

**EU ELV**

**Compliant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per - D(2021)4569-DC (8 July 2021)

**Halogen-Free**

**Status**

**Not Relevant**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

Not Relevant

Compliant

Not Contained

**Search Parts in this Series**

[200096 Series](#)

**Use With**

[stAK50h Hybrid Receptacle 160014](#)

**Application Tooling | FAQ**

*Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.*

**Global**

Description	Product #
Extraction Tool for stAK50h Connector System	<a href="#">2002220100</a>
Hand Crimp Tool for TAK50 Receptacle Crimp Terminals, Small Grip, 0.13mm <sup>2</sup> Wire	<a href="#">2133092000</a>

This document was generated on 08/27/2021

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Automotive Connectors](#) category:*

*Click to view products by [Molex](#) manufacturer:*

Other Similar products are found below :

[003-018-000](#) [60403001](#) [60993906-B](#) [M902-2131](#) [M902-2161](#) [72.330.1035.1](#) [73.353.4028.0](#) [F119300-B](#) [F166900](#) [F258300-B](#) [F358300-B](#)  
[F407400](#) [F444110](#) [F487000](#) [F509500B-B](#) [827153-1](#) [8N1515-32-24P](#) [9-1326729-8](#) [925474-1](#) [928905-1](#) [964562-4](#) [968782-1](#) [GT17SA-8DS-](#)  
[HU](#) [98891-1012](#) [98947-1016](#) [12004147](#) [12004475-L](#) [12010290](#) [12010309-B](#) [12015454](#) [12020219-B](#) [12020308](#) [12041318-B](#) [12052225-L](#)  
[12052466](#) [12059125](#) [12064869](#) [12004327-B](#) [12010503-B](#) [12015308](#) [12015384](#) [12015909](#) [1-21030-1](#) [12041254](#) [12041318](#) [12047946-B](#)  
[12047957](#) [12047957-L](#) [12059473](#) [12066261](#)