

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [2002180200](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: Hand Crimp Tool for Mini-Fit TPA2 Male and Female Crimp Terminals, 22 AWG, Large and Small Insulation Grips

Documents:

[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	207129
Comments	See Tooling Specification (PDF) Above
Function	Crimp
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	Mini-Fit TPA2
Tool Type	Hand Crimp Tool
UPC	889056764452
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Reference - Drawing Numbers

Application Tooling Documents [ATS-2002180200-001](#)



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per - ED/30/2017 (7 July 2017)

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS

Not Relevant

ELV

Not Relevant

RoHS Phthalates

Not Contained

Search Parts in this Series

[207129](#) Series

Application Tooling | **FAQ**
Description | **Product #**

Mini-Fit TPA2/ Sigma Female Crimp Terminal, Phosphor Bronze, Pre-Plated Tin (Sn), 22-24 AWG, 1.07-1.65mm Insulation Diameter, Reel	1727185111
Mini-Fit TPA2/ Sigma Female Crimp Terminal, Phosphor Bronze, Pre-Plated Tin (Sn), 22-24 AWG, 1.07-1.65mm Insulation Diameter, Bag	1727185112
Mini-Fit TPA2/ Sigma Female Crimp Terminal, Brass, Pre-Plated	1727185121

Tin (Sn), 22-24
AWG, 1.07-1.65mm
Insulation Diameter,
Reel
Mini-Fit TPA2/ 1727185122
Sigma Female
Crimp Terminal,
Brass, Pre-Plated
Tin (Sn), 22-24
AWG, 1.07-1.65mm
Insulation Diameter,
Bag
Mini-Fit TPA2/ 1727186111
Sigma Female Crimp
Terminal, Phosphor
Bronze, Pre-Plated
Tin (Sn), 22-24
AWG, 1.65-2.38mm
Insulation Diameter,
Reel
Mini-Fit TPA2/ 1727186112
Sigma Female Crimp
Terminal, Phosphor
Bronze, Pre-Plated
Tin (Sn), 22-24
AWG, 1.65-2.38mm
Insulation Diameter,
Bag
Mini-Fit TPA2/ 1727186121
Sigma Female
Crimp Terminal,
Brass, Pre-Plated
Tin (Sn), 22-24
AWG, 1.65-2.38mm
Insulation Diameter,
Reel
Mini-Fit TPA2/ 1727186122
Sigma Female
Crimp Terminal,
Brass, Pre-Plated
Tin (Sn), 22-24
AWG, 1.65-2.38mm
Insulation Diameter,
Bag
Mini-Fit TPA2/ 1727655121
Sigma Male Crimp
Terminal, Brass,
Pre-Plated Tin
(Sn), 22-24 AWG,
1.07-1.65mm
Insulation Diameter,
Reel
Mini-Fit TPA2/ 1727655122
Sigma Male Crimp
Terminal, Brass,
Pre-Plated Tin
(Sn), 22-24 AWG,
1.07-1.65mm
Insulation Diameter,
Bag
Mini-Fit TPA2/ 1727656121
Sigma Male Crimp
Terminal, Brass,
Pre-Plated Tin
(Sn), 22-24 AWG,

1.65-2.38mm
Insulation Diameter,
Reel
Mini-Fit TPA2/ 1727656122
Sigma Male Crimp
Terminal, Brass,
Pre-Plated Tin
(Sn), 22-24 AWG,
1.65-2.38mm
Insulation Diameter,
Bag
Mini-Fit TPA2/ 2029885141
Sigma Female Crimp
Terminal, Copper
Alloy, Post-Plated
Gold (Au), 22-24
AWG, 1.07-1.65mm
Insulation Diameter,
Reel
Mini-Fit TPA2/ 2029885142
Sigma Female Crimp
Terminal, Copper
Alloy, Post-Plated
Gold (Au), 22-24
AWG, 1.07-1.65mm
Insulation Diameter,
Bag
Mini-Fit TPA2/ 2029885241
Sigma Female Crimp
Terminal, Copper
Alloy, Post-Plated
Tin (Sn), 22-24
AWG, 1.07-1.65mm
Insulation Diameter,
Reel
Mini-Fit TPA2/ 2029885242
Sigma Female Crimp
Terminal, Copper
Alloy, Post-Plated
Tin (Sn), 22-24
AWG, 1.07-1.65mm
Insulation Diameter,
Bag
Mini-Fit TPA2/ 2029886141
Sigma Female Crimp
Terminal, Copper
Alloy, Post-Plated
Gold (Au), 22-24
AWG, 1.65-2.38mm
Insulation Diameter,
Reel
Mini-Fit TPA2/ 2029886142
Sigma Female Crimp
Terminal, Copper
Alloy, Post-Plated
Gold (Au), 22-24
AWG, 1.65-2.38mm
Insulation Diameter,
Bag
Mini-Fit TPA2/ 2029886241
Sigma Female Crimp
Terminal, Copper
Alloy, Post-Plated
Tin (Sn), 22-24
AWG, 1.65-2.38mm

Insulation Diameter,
Reel
Mini-Fit TPA2/ [2029886242](#)
Sigma Female Crimp
Terminal, Copper
Alloy, Post-Plated
Tin (Sn), 22-24
AWG, 1.65-2.38mm
Insulation Diameter,
Bag
Mini-Fit TPA2/ [2030705141](#)
Sigma Male Crimp
Terminal, Copper
Alloy, Post-Plated
Gold (Au), 22-24
AWG, 1.07-1.65mm
Insulation Diameter,
Reel
Mini-Fit TPA2/ [2030705142](#)
Sigma Male Crimp
Terminal, Copper
Alloy, Post-Plated
Gold (Au), 22-24
AWG, 1.07-1.65mm
Insulation Diameter,
Loose
Mini-Fit TPA2/ [2030706141](#)
Sigma Male Crimp
Terminal, Copper
Alloy, Post-Plated
Gold (Au), 22-24
AWG, 1.65-2.38mm
Insulation Diameter,
Reel
Mini-Fit TPA2/ [2030706142](#)
Sigma Male Crimp
Terminal, Copper
Alloy, Post-Plated
Gold (Au), 22-24
AWG, 1.65-2.38mm
Insulation Diameter,
Loose

This document was generated on 10/06/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Crimpers / Crimping Tools](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[010-0096](#) [M225202-37](#) [6-1579015-5](#) [CT150-2-D02](#) [622-6441LF](#) [M322](#) [6-304052-1](#) [63456-0054](#) [63484-3701](#) [63800-8355](#) [63819-1875](#)
[63819-2875](#) [63819-4475](#) [63823-3475](#) [63827-5375](#) [64001-0975](#) [64001-4175](#) [64005-0175](#) [662903-2](#) [690602-6](#) [7-1579001-9](#) [7-23471-1](#)
[762637-1](#) [808714-1](#) [811242-5](#) [999-50-020083](#) [1-21002-3](#) [1-21002-7](#) [12085270](#) [1-21002-6](#) [1-21113-6](#) [1-22548-4](#) [125442-1](#)
[DCE.91.073.BVC](#) [DCE.91.090.3MVM](#) [DCE.91.130.5MVU](#) [DCE.91.202.BVCM](#) [1338300-1](#) [1-354003-0](#) [1338301-1](#) [DF62/RE-MD](#) [142321](#)
[1456088-1](#) [1490794-1](#) [1-45804-6](#) [1490357-2](#) [1490357-3](#) [AX100749](#) [1-59619-7](#) [1596970-1](#)