

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [2014471600](#)
Status: **Active**
Overview: [Nano-Fit Power Connectors](#)
Description: Nano-Fit Crimp Terminal, Male, 0.76µm Gold (Au) Plating, Lubricated, 24-26 AWG

Documents:

[Drawing \(PDF\)](#) [Datasheet \(PDF\)](#)
[Product Specification 2014471000-PS-000 \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)
[Packaging Specification 2014471000-PK-000 \(PDF\)](#)

General

Product Family Crimp Terminals
 Series [201447](#)
 Application Power, Wire-to-Wire
 Crimp Quality Equipment Yes
 Overview [Nano-Fit Power Connectors](#)
 Product Name Nano-Fit
 UPC 191130025053

Physical

Durability (mating cycles max) 25
 Gender Male
 Material - Metal High Conductivity Copper
 Material - Plating Mating Gold
 Material - Plating Termination Matte Tin
 Net Weight 0.076/g
 Packaging Type Reel
 Plating min - Mating 0.760µm
 Plating min - Termination 2.540µm
 Termination Interface: Style Crimp or Compression
 Wire Insulation Diameter 1.30mm
 Wire Size AWG 24, 26
 Wire Size mm² N/A

Electrical

Current - Maximum per Contact 7.5A
 Voltage - Maximum 250V AC (RMS)/DC

Material Info

Reference - Drawing Numbers

Packaging Specification 2014471000-PK-000
 Product Specification 2014471000-PS-000
 Sales Drawing 2014471000-SD-000



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per -
 D(2021)4569-DC (8
 July 2021)

Halogen-Free

Status

Low-Halogen

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

China RoHS

Green Image

Not Relevant

Not Contained

Search Parts in this Series

[201447 Series](#)

Use With

Nano-Fit Single Row Plug Housing [200277](#)

 Nano-Fit Dual Row Plug Housing
[201444](#)

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description

Product #

Hand Crimp Tool for [2002186500](#)
 Nano-Fit Plug Crimp
 Terminals, 24-26
 AWG
 FineAdjust Applicator [2037023100](#)
 for Nano-Fit Wire-to-
 Wire Plug Terminals,
 24-26 AWG, UL1061
 Wire

FineAdjust Applicator 2037023200
for Nano-Fit Wire-to-
Wire Plug Terminals,
24-26 AWG, UL1007
Wire

Japan

Description	Product #
--------------------	------------------

S-1 Applicator for Nano-Fit Plug Terminals, 24-26 AWG, UL1061 Wire	<u>2145523710</u>
---	-------------------

S-1 Applicator for Nano-Fit Plug Terminals, 24-26 AWG, UL1007 Wire	<u>2145523720</u>
---	-------------------

This document was generated on 09/30/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)
[609-3404](#) [61062-3](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-010LF](#)
[65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5020](#) [707-](#)
[5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#) [FCN-360C032-B](#) [FCN-](#)
[367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#) [801-43-006-10-002000](#)