

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [2029353000](#)  
**Status:** **Active**  
**Overview:** [MultiCat Power Connectors with Precision-Machined Contacts](#)  
**Description:** MultiCat Mid-Power Crimp Terminal, Male, 1.30µm Gold Plating, 20-24 AWG

**Documents:**

<a href="#">Drawing (PDF)</a>	<a href="#">Test Summary 2059250000-TS-000 (PDF)</a>
<a href="#">Product Specification 2059250000-PS-000 (PDF)</a>	<a href="#">Datasheet (PDF)</a>
<a href="#">Application Specification 2059250000-AS-000 (PDF)</a>	<a href="#">RoHS Certificate of Compliance (PDF)</a>
<a href="#">Packaging Specification 2029350000-PK-000 (PDF)</a>	

**General**

Product Family	Crimp Terminals
Series	<a href="#">202935</a>
Application	Power, Wire-to-Wire
Crimp Quality Equipment	Yes
Overview	<a href="#">MultiCat Power Connectors with Precision-Machined Contacts</a>
Product Name	MultiCat
UPC	193264026401

**Physical**

Durability (mating cycles max)	500
Gender	Male
Material - Metal	Brass
Material - Plating Mating	Gold
Material - Plating Termination	Gold
Net Weight	0.147/g
Packaging Type	Bag
Plating min - Mating	1.300µm
Termination Interface: Style	Crimp or Compression
Wire Insulation Diameter	1.20-1.60mm
Wire Size AWG	20, 22, 24
Wire Size mm <sup>2</sup>	N/A

**Electrical**

Current - Maximum per Contact	6.5A
Voltage - Maximum	500V AC/DC

**Material Info**

Engineering Number	2029353000-FCT
--------------------	----------------

**Reference - Drawing Numbers**

Application Specification	2059250000-AS-000
Packaging Specification	2029350000-PK-000
Product Specification	2059250000-PS-000
Sales Drawing	2029350000-SD-000
Test Summary	2059250000-TS-000



**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant with Exemption 6(c)**

**REACH SVHC**

Contained Per -  
D(2021)4569-DC (8  
July 2021)

Lead

**Halogen-Free**

**Status**

**Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

50 Image

Not Relevant

Not Contained

**Search Parts in this Series**

[202935 Series](#)

**Use With**

[MultiCat Mid-Power Plug Housing 205925](#)

**Application Tooling | FAQ**

*Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.*

**Global**

**Description**

**Product #**

Hand Crimp Tool for [2002185300](#)

MultiCat Machined  
Mid-Power Contact,  
20-28 AWG

Insertion/Extraction [2002220300](#)

Tool for MultiCat  
Mid-Power Crimp  
Terminals, 20-28  
AWG

This document was generated on 12/15/2021

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Heavy Duty Power Connectors](#) category:*

*Click to view products by [Molex](#) manufacturer:*

Other Similar products are found below :

[0009521136](#) [000L26490](#) [000L26500](#) [000L26520](#) [00110421002](#) [00110720060](#) [0015247242](#) [01.001.5753.0](#) [0119660000](#) [025-0462-000](#)  
[035LDAS](#) [035LDCS](#) [0428205232](#) [0447691003](#) [04.841.7550.0](#) [04.856.0753.0](#) [04.856.3253.0](#) [05.508.8921.0](#) [07.253.0427.0](#) [07.312.7755.0](#)  
[07.470.3256.0](#) [075-8519-001](#) [0758886000](#) [078238-0212](#) [078238-0353](#) [078238-1604](#) [078238-1610](#) [078238-1613](#) [078238-2610](#) [078238-2611](#)  
[078238-2612](#) [078238-2613](#) [078238-2900](#) [078238-2904](#) [078238-2910](#) [078239-0402](#) [078239-0603](#) [078239-0610](#) [078239-1604](#) [078239-1610](#)  
[078239-1611](#) [078239-1612](#) [078239-1623](#) [078239-2604](#) [078239-2611](#) [078239-2612](#) [078239-2904](#) [078239-2910](#) [078239-2911](#) [078239-2912](#)