

ITEM	MOLEX P/N	DESCRIPTION	QTY	UOM
A,B	39014021	MiniFit Jr SR Recpt Hsg 2 CKT V-0	2	PC
C	39000077	MiniFit Term Crp Fem Chn Bs Tin 16awg	4	PC
D	--	RESIN TPE NAT SANTOPRENE	A/R	KG
E	--	MOLD PART INNER CAP	4	PC
F	--	MASTER BATCH BLACK COLOR	A/R	KG

FROM	TO	CABLE DESCRIPTION	COLOR
A1	B1	2CX16AWG UNSHD BK UL2464	BLACK
A2	B2		RED




TABLE		
PART NUMBER	TITLE	L1
2153300205	2 CKT OVERMOLDED MINIFIT JR CABLE 500MM	500±10
2153300210	2 CKT OVERMOLDED MINIFIT JR CABLE 1M	1000±20
2153300220	2 CKT OVERMOLDED MINIFIT JR CABLE 2M	2000±25
2153300230	2 CKT OVERMOLDED MINIFIT JR CABLE 3M	3000±30

NOTES:

- MOLDING MATERIAL:
 - INNERCAP: PA66 NYLON RESIN.
 - OVERMOLD: SANTOPRENE TPE RESIN & MASTER BATCH BLACK
- ELECTRICAL PERFORMANCE:
 - VOLTAGE RATING: 300V AC.
 - THIS PRODUCT MUST PASS 100% CONTINUITY TEST PER MOLEX ES-36586-004.
 - DIELECTRONIC STRENGTH: 500V DC/0.01 SEC.
 - INSULATION RESISTANCE: 20M OHMS
- CONNECTOR VIEWS ARE SHOWN FROM MATING SIDE.
- MECHANICAL PERFORMANCE:
 - CABLE HARNESS SHOULD WITHSTAND AN AXIAL FORCE OF 5KGF FOR ONE MINUTE BETWEEN OVERMOLD AND CONNECTOR WITHOUT PHYSICAL DAMAGE.
 - OVERMOLD SIDE CAN PASS THE BENDING TEST IN 100 CYCLES AT EACH OF 2 PLANES, PER EIA364-41 CONDITION I.

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		molex
SCALE	mm	NTS	EC NO: 662617		
GENERAL TOLERANCES (UNLESS SPECIFIED)	ANGULAR TOL ± °		DRWN: SBS04		SEE TABLE
4 PLACES ±	3 PLACES ±		APP: MNRAYAN01		PRODUCT CUSTOMER DRAWING
2 PLACES ±	1 PLACE ±		INITIAL REVISION:		DOCUMENT NUMBER
0 PLACES ±	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRWN: SBS04		2153300205
THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	DOC TYPE
A3-SIZE	215330	SEE TABLE	GENERAL MARKET	PSD	000
SHEET NUMBER			1 OF 1		

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Molex manufacturer](#):

Other Similar products are found below :

[1302261013](#) [84507-0012](#) [88732-9002](#) [53014-0810](#) [51004-0400](#) [79575-2004](#) [53460-0629](#) [89401-0410](#) [79576-2104](#) [53015-0510](#) [15921440](#)
[88768-3510](#) [51142-0200](#) [52147-0710](#) [387790039](#) [51004-0200](#) [90075-0035](#) [68768-0401](#) [180416-0104](#) [173109-1928](#) [26-48-1063](#) [53324-0560](#)
[09-52-3032](#) [501628-5191](#) [52045-1945](#) [180810-0001](#) [85042-0385](#) [93445-1103](#) [530150710](#) [75134-1001](#) [15-97-6081](#) [71626-1001](#) [94090-5320](#)
[501531-0210](#) [105048-0001](#) [104188-0110](#) [54684-0508](#) [51090-0600](#) [502430-6010](#) [47550-0001](#) [505405-0560](#) [53014-0310](#) [51111-0410](#)
[89401-0510](#) [88750-5418](#) [03-12-2026](#) [501628-1191](#) [33471-0606](#) [501083-3010](#) [533580250](#)