

## This document was generated on 07/29/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	2451300630		
Status:	Active		
Overview: Nano-Fit Powe		onnostoro	
		Fit Off-the-Shelf (OTS) Overmolded Cable Assembly, Dual Row,	
Description.		ting, 3.0m Length, 6 Circuits, Black	
		ling, 5.0m Lengin, 6 Onedits, Diack	
Documents:			
Drawing (PDF)		RoHS Certificate of Compliance (PDF)	No.
Datasheet (PDF)		Kons Cenincale of Compliance (FDF)	
Conorol			Series image - Reference only
General Product Family		Cable Assemblies	
Series		245130	EU ELV
Application		Power, Wire-to-Board	Not Relevant
Assembly Configuration		Dual Ended Connectors	Not Relevant
Connector to Connector		Nano-Fit-to-Nano-Fit	EU RoHS China RoHS
Overmolded		Yes	Compliant
Overview		Nano-Fit Power Connectors	REACH SVHC
Product Name		Nano-Fit	Not Reviewed
Туре		Overmolded Assembly	Halogen-Free
UPC		191128813891	<u>Status</u>
			Not Reviewed
Physical			For more information, please visit Contact US
Cable Length		3.0m	
Circuits (Loaded)		6	China ROHS Green Image ELV Not Relevant
Color - Resin		Black	
Gender		Female-Female	RoHS Phthalates Not Contained
Lock to Mating Part Material - Metal		Yes	
		High Conductivity Copper Matte Tin	
Material - Plating Mating		Matte Tin	Search Parts in this Series
Material - Plating Termination Material - Resin		Nylon	<u>245130</u> Series
Net Weight		191.820/g	
Number of Rows		2	Mates With
Packaging Type		Bag	Nano-Fit Vertical Through Hole Headers
Pitch - Mating Interface		2.50mm	<u>1053101106</u> , <u>1053121106</u> . Nano-Fit Right-
Plating min - Mating		2.540µm	Angle Through Hole Headers <u>1053141106</u> .
Plating min - Termination		2.540µm	Nano-Fit Vertical SMT Headers 1054291106
Single Ended		No	. Nano-Fit Right-Angle SMT Headers
Termination Interface: Style		Crimp or Compression	1054051106 . Nano-Fit Plug Housing
Wire Insulation Diameter		6.20mm	<u>2014441106</u> , <u>2014441206</u>
Wire Size AWG		20	
Wire/Cable Type		UL 2464	
Electrical		9.04	
Current - Maximum per Contact Voltage - Maximum		8.0A 250V AC/DC	
vollage - Maximun	11	200V AC/DC	
Material Info			
Reference - Draw	ing Numbers		
Sales Drawing	-	4000071378-000	
· · · · · · · · · · · · · · · · · · ·			

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for DC Power Cords category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

172-4000 172-4101 172-7443-E 21033836407 2J-1865A 2R7006A20A120 426055400-3 MN47A4BC01M010 H-OU-2 CA0002 420680840-3 426451500-3 P162PT4-36 1-832692-4 FJ-VSP 3M 96CB-POWER-B-1.8M2 426040200 CA0006 H-OU-27 1700019464 FJ-VSP 10M MN47B4BC01M040 H-OU-20 2-836917-8 867566-1 804001P03M050G 2050KH1-BK 426013710-3 58257-1069 216603-0037 1011147 1011324 1012028 862545-5 BXC-10567 172-2555 32102-022800-200-RS P29000-M2 P29004-M2 DC.CAB.0201.0150 DC.CAB.0301.0150 DC.CAB.0610.0150 DC.CAB.0700.0150 DC.CAB.1000.0300 DC.CAB.1100.0150 DC.CAB.1400.0150 DC.CAB.1410.0150 DC.CAB.1500.0150 DC.CAB.1811.0150 DC.CAB.1900.0150