

Packaging Specification

Sales Drawing

## This document was generated on 07/30/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	2451320220			
Status:	Active			
Overview:	Micro-Fit Connector System	1		
	Micro-fit 3.0-to-Micro-Fit 3.0 Off-the-Shelf (OTS) Overmolded Cable Assembly, Dual			1 h
	Row, 2.0m Length, 2 Circuit			
Documents:			0	
<u>3D Model</u>		Packaging Specification 2014400109-PK (PDF)		
<u>3D Model (PDF)</u>		Datasheet (PDF)		
Drawing (PDF)		RoHS Certificate of Compliance (PDF)		
,			- Series image	e - Reference only
General				
Product Family		Cable Assemblies	EU ELV	
Series		245132	Not Relevant	
Application	_	Power, Wire-to-Board, Wire-to-Wire	EU RoHS	China RoHS
Assembly Configuration		Dual Ended Connectors	Compliant	
Connector to Connecto	r	Micro-Fit 3.0 Both Ends	REACH SVHC	
Overmolded		Yes	Not Contained Per -	
Overview		Micro-Fit Connector System		
Product Name		Micro-Fit 3.0	ECHA_01_2020 (16 January 2020	)
Туре		Overmolded Assembly		
UPC		889056853880	Halogen-Free	
Dhysical			Status	
Physical		2 0m	Not Low-Halogen	
Cable Length		2.0m	For more informatio	n, please visit Contact US
Circuits (Loaded)		2	China ROHS	Green Image
Color - Resin		Black	ELV	Not Relevant
Gender		Female-Female	RoHS Phthalates	Not Contained
Lock to Mating Part		Yes	KUIS FILIAIALES	Not Contained
Material - Metal		Phosphor Bronze		
Material - Plating Matin		Tin		
Material - Plating Termination		Tin	Search Parts in this Series	
Material - Resin		Nylon	245132 Series	
Net Weight		94.356/g		
Number of Rows		2	Mates With	
Packaging Type		Bag	Micro-Fit 3.0 Plug	Housings 43020
Pitch - Mating Interface		3.00mm	<pre>childrend in the store ridg</pre>	5
Plating min - Mating		1.016µm		
Plating min - Termination	วท	1.016µm		
Single Ended		No		
Termination Interface: S	•	Crimp or Compression		
Wire Insulation Diameter	er	5.50mm		
Wire Size AWG		20		
Wire/Cable Type		UL 2464		
Electrical				
Current - Maximum per	Contact	5.6A		
Voltage - Maximum		300V AC		
Material Info				
Reference - Drawing	Numbers			
Backaging Specification		2014400100 DK		

2014400109-PK 2014400085-000

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for DC Power Cords category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

172-4000 172-4101 172-7443-E 21033836407 2J-1865A 2R7006A20A120 426055400-3 MN47A4BC01M010 H-OU-2 CA0002 420680840-3 426451500-3 P162PT4-36 1-832692-4 FJ-VSP 3M 96CB-POWER-B-1.8M2 426040200 CA0006 H-OU-27 1700019464 FJ-VSP 10M MN47B4BC01M040 H-OU-20 2-836917-8 867566-1 804001P03M050G 2050KH1-BK 426013710-3 58257-1069 216603-0037 1011147 1011324 1012028 862545-5 BXC-10567 172-2555 32102-022800-200-RS P29000-M2 P29004-M2 DC.CAB.0201.0150 DC.CAB.0301.0150 DC.CAB.0610.0150 DC.CAB.0700.0150 DC.CAB.1000.0300 DC.CAB.1100.0150 DC.CAB.1400.0150 DC.CAB.1410.0150 DC.CAB.1500.0150 DC.CAB.1811.0150 DC.CAB.1900.0150