

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0334722061](#)
Status: **Active**
Overview: [MX150 Sealed and Unsealed Connector System](#)
Description: [MX150 Mat-Sealed Female Connector Assembly, Dual Row, 20 Circuits, Keying Option D, without Connector Position Assurance, Stone Gray](#)

Documents:

| | |
|---|--|
| Drawing (PDF) | Application Specification AS-33611-001-001 (PDF) |
| 3D Model (PDF) | Packaging Specification PK-31300-903-001 (PDF) |
| 3D Model | Test Summary TS-33472-0001-001 (PDF) |
| Product Specification PS-33472-000-001 (PDF) | Datasheet (PDF) |
| Application Specification AS-33472-100-001 (PDF) | RoHS Certificate of Compliance (PDF) |
| Application Specification AS-33472-100-CH-001 (PDF) | |

General

| | |
|--------------------------------|--|
| Product Family | Crimp Housings |
| Series | 33472 |
| Application | Power, Wire-to-Board, Wire-to-Wire |
| Comments | No Connector Position Assurance (CPA) |
| More Detailed Tech Information | http://uscar.org/guest/teams/10/Electrical-Wiring-Component-Applications -Partnership |
| Overview | MX150 Sealed and Unsealed Connector System |
| Product Name | MX150 |
| UPC | 884982301979 |

Physical

| | |
|-------------------------------|--------------------|
| Circuits (maximum) | 20 |
| Color - Resin | Stone Gray |
| Gender | Receptacle |
| Glow-Wire Capable | No |
| Keying to Mating Part | Yes |
| Lock to Mating Part | Yes |
| Material - Resin | SPS/Nylon |
| Net Weight | 21.495/g |
| Number of Rows | 2 |
| Packaging Type | Partitioned Carton |
| Panel Mount | No |
| Pitch - Mating Interface | 3.50mm |
| Polarized to Mating Part | Yes |
| Stackable | No |
| Temperature Range - Operating | -40° to +150°C |

Solder Process Data

| | |
|-----------------------------|-----|
| Lead-freeProcess Capability | N/A |
|-----------------------------|-----|

Material Info

Reference - Drawing Numbers

| | |
|---------------------------|---|
| Application Specification | AS-33472-100-001, AS-33472-100-CH-001, AS-33611-001-001 |
| Packaging Specification | PK-31300-903-001 |
| Product Specification | PS-33472-000-001 |
| Sales Drawing | 334722002-001, SD-33472-0001-001 |
| Test Summary | TS-33472-0001-001 |



Series image - Reference only

EU ELV

Compliant

EU RoHS

Compliant

REACH SVHC

Not Contained Per -
D(2021)4569-DC (8
July 2021)

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

China RoHS

Not Relevant

Compliant

Not Contained

Search Parts in this Series

[33472 Series](#)

Mates With

MX150 Male Sealed Connector [33482](#) .
MX150 Right-Angle Header [348302004](#)

Use With

MX150 Female Terminal [33012](#) ,
[33001](#)
MX150 Sealed Cavity
PlugLink:343450001

This document was generated on 11/02/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [High Speed/Modular Connectors](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[650827-1](#) [74040-1346](#) [1410191-1](#) [1410337-1](#) [1410368-3](#) [1410964-2](#) [1410326-3](#) [1410367-3](#) [1410971-4](#) [1467833-1](#) [2000877-1](#) [2000878-1](#)
[2041314-1](#) [2065387-1](#) [2187307-1](#) [163P](#) [1934290-1](#) [2000875-1](#) [2065917-1](#) [2102736-2](#) [FSR-40](#) [2169868-2](#) [22354-8](#) [437-5040-000](#) [5-](#)
[1393565-0](#) [039-0246-000](#) [0740618502](#) [0761601016](#) [0784461022](#) [10123159-12ELF](#) [030-2415-003/100 PK](#) [030-7380-004](#) [030-2494-001](#)
[532939-1](#) [5532901-3](#) [3-1469268-7](#) [74748-102LF](#) [73670-0247](#) [10041743-101LF](#) [10066670-100002LF](#) [1-533915-1](#) [249-4515-000](#) [7-1469373-](#)
[3](#) [DL2-2J/S](#) [2000713-8](#) [2000713-7](#) [10124313-101LF](#) [3011-21](#) [757105208](#) [EBTF-4-10-2.0-S-RA-1](#)