

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0348033212](#)  
**Status:** **Active**  
**Overview:** [Stac64 Single, Multi-Pocket and Hybrid Header System](#)  
**Description:** [CTX64 Female Terminal, Tin, L-Grip, D-Wind, Left Payoff, SAE 20](#)

**Documents:**

<a href="#">Drawing (PDF)</a>	<a href="#">Application Specification AS-560065-001-CH-001 (PDF)</a>
<a href="#">Product Specification PS-502306-001-001 (PDF)</a>	<a href="#">Application Specification AS-560065-001-FR-001 (PDF)</a>
<a href="#">Application Specification AS-502306-002-001 (PDF)</a>	<a href="#">Packaging Specification PK-31301-053-001 (PDF)</a>
<a href="#">Application Specification AS-502306-002-CH-001 (PDF)</a>	<a href="#">Brochure (PDF)</a>
<a href="#">Application Specification AS-502306-002-FR-001 (PDF)</a>	<a href="#">RoHS Certificate of Compliance (PDF)</a>
<a href="#">Application Specification AS-560065-001-001 (PDF)</a>	

**General**

Product Family	Crimp Terminals
Series	34803
Application	Signal, Wire-to-Board
Crimp Quality Equipment	Yes
Overview	<a href="#">Stac64 Single, Multi-Pocket and Hybrid Header System</a>
Product Name	CTX64
UPC	887191519296

**Physical**

Gender	Female
Grip Code	L
Material - Metal	Copper Alloy
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Net Weight	0.124/g
Packaging Type	Reel
Termination Interface: Style	Crimp or Compression
Wire Insulation Diameter	1.40 to 1.90mm
Wire Size AWG	20
Wire Size mm <sup>2</sup>	0.50-0.85

**Electrical**

Current - Maximum per Contact	See Receptacle Product Spec.
Voltage - Maximum	14V DC

**Solder Process Data**

Lead-free Process Capability	N/A
------------------------------	-----

**Material Info**

**Reference - Drawing Numbers**

Application Specification	AS-502306-002-001, AS-502306-002-CH-001, AS-502306-002-FR-001, AS-560065-001-001, AS-560065-001-CH-001, AS-560065-001-FR-001
Packaging Specification	PK-31301-053-001
Product Specification	PS-502306-001-001
Sales Drawing	SD-31301-053-001, SD-34803-002-001



Series image - Reference only

**EU ELV**

**Compliant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Contained Per - D(2021)4569-DC (8 July 2021) reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioct Methylhexahydrophthalic anhydride Perfluorononan-1-oic acid (2,2,3,3,4,4,5,5,6,6,7 Dioctyltin dilaurate, stannane, dioctyl-, bis(co) Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]o Nonadecafluorodecanoic acid (PFDA) and its sodiu Zirconia Aluminosilicate Refractory Ceramic Fibr Aluminosilicate Refractory Ceramic Fibres n-pentyl-isopentylphthalate 1,2-Benzenedicarboxylic acid, dipentyl ester, br 1,2-Benzenedicarboxylic acid, dihexyl ester, bra Terphenyl, hydrogenated 2-(2H-Benzotriazol-2-yl)-4,6-ditertpentylphenol

**China RoHS**

2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3, Disodium-octaborate  
1,3-Propanesultone  
1,2-Benzenedicarboxylic acid, bis(3-methylbutyl)  
Phenanthrene  
Dicyclohexyl-phthalate  
4-aminoazobenzene  
Fatty Acids, C16-18,  
Lead Salts  
Cyanamide, lead(2+) salt (1:1)  
Lead titanium zirconium oxide  
Dioxobis(stearato)trilead  
Tetralead-trioxide-sulphate  
Trilead-dioxide-phosphonate  
Pentalead-tetraoxide-sulphate  
Lead-titanium-trioxide  
Diboron-trioxide  
1,2-Benzenedicarboxylic acid, bis(2-methoxyethyl)  
Pentazinc-chromate-octahydroxide  
Potassium hydroxyoctaoxidizincatedichromate  
Boric acid, disodium salt, hydrate

**Halogen-Free Status**

**Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS	Green Image
ELV	Compliant
RoHS Phthalates	Not Contained

**Search Parts in this Series**

[34803 Series](#)

**Use With**

[34729 2.54mm Pitch Stac64 Right Angle Receptacle](#)

**Application Tooling | [FAQ](#)**

*Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.*

**Global**

**Description**

**Product #**

Hand Crimp Tool for [638193800](#)  
CTX64 Receptacle  
Terminal, 0.50, 0.75,  
0.85mm<sup>2</sup> and 20  
AWG  
FineAdjust Applicator [639032700](#)  
for CTX64 Mat  
Seal Receptacle  
Terminals, for Wire  
Process Use Only

This document was generated on 10/05/2021

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Automotive Connectors](#) category:*

*Click to view products by [Molex](#) manufacturer:*

Other Similar products are found below :

[003-018-000](#) [60403001](#) [60993906-B](#) [M902-2131](#) [M902-2161](#) [72.330.1035.1](#) [73.353.4028.0](#) [F119300-B](#) [F166900](#) [F258300-B](#) [F358300-B](#)  
[F407400](#) [F444110](#) [F487000](#) [F509500B-B](#) [827153-1](#) [8N1515-32-24P](#) [9-1326729-8](#) [925474-1](#) [928905-1](#) [964562-4](#) [968782-1](#) [GT17SA-8DS-](#)  
[HU](#) [98891-1012](#) [98947-1016](#) [12004475-L](#) [12010290](#) [12010309-B](#) [12015454](#) [12020219-B](#) [12020308](#) [12041318-B](#) [12052225-L](#) [12052466](#)  
[12059125](#) [12064869](#) [12004327-B](#) [12010503-B](#) [12015308](#) [12015384](#) [12015909](#) [1-21030-1](#) [12041254](#) [12041318](#) [12047946-B](#) [12047957](#)  
[12047957-L](#) [12059473](#) [12066261](#) [12110546](#)