

This document was generated on 01/13/2017

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0348993031

Status: Active

Overview: MXP120™ Sealed Connector System

Description: MXP120™ Sealed Male Blade Connector with 11.00mm Clip-Slot, 3 Circuit, Yellow SIR

Housing (T3-V2-S2 - 125°C on-engine vibration), Wire Dress Cover Interface Option 1,

Key B

Documents:

3D Model Application Specification AS-34900-0001-CH-001

(PDF)

<u>Drawing (PDF)</u> <u>Packaging Specification PK-31301-898 (PDF)</u>

Product Specification PS-34900-0001-001 (PDF)

RoHS Certificate of Compliance (PDF)

Application Specification AS-34900-0001-001 (PDF) Product Literature (PDF)

General

Product Family Crimp Housings

Series <u>34899</u>

Application Safety, Sealed, Wire-to-Wire

Application Tooling Part Link 63824-6300

 $\begin{array}{ccc} \text{Comments} & \text{See sales drawing for terminal information.} \\ \text{Overview} & \underline{\text{MXP120}^{\text{TM}} \text{ Sealed Connector System}} \end{array}$

Polarization B

 Product Literature Order No
 987650-7994

 Product Name
 MXP120™ Sealed

 UPC
 887191626772

Physical

Circuits (maximum) 3 Color - Resin Yellow Gender Male Glow-Wire Compliant No Keying to Mating Part Yes Lock to Mating Part Yes Material - Resin SPS/Nylon Net Weight 4.505/g Number of Rows Packaging Type Bag Panel Mount No Pitch - Mating Interface 4.00mm Pitch - Termination Interface 4.00mm

Temperature Range - Operating -40°C to +125°C

Electrical

Current - Maximum per Contact 13.0A

Solder Process Data

Polarized to Mating Part

Lead-freeProcess Capability N/A

Material Info

Reference - Drawing Numbers

Application Specification AS-34900-0001-001, AS-34900-0001-CH-001

Packaging Specification PK-31301-898
Product Specification PS-34900-0001-001

Sales Drawing SD-34899-2001, SD-34899-6001, SD-34900-2001

Yes



EU ELV

Compliant

EU RoHS China RoHS

Compliant REACH SVHC

Not Contained Per - ED/21/2016 (20 June

2016)

Halogen-Free

Status

Not Relevant

Need more information on product environmental compliance?

Email <u>productcompliance@molex.com</u>
Please visit the <u>Contact Us</u> section for any non-product compliance questions.

China ROHS Not Relevant
ELV Compliant
RoHS Phthalates Not Contained

Search Parts in this Series

34899 Series

Mates With

MXP120[™] Female Receptacle $\underline{34900}$

Use With

1.2 CB SWS from Tyco
br>For backshells, contact Molex

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description Product #

Extraction Toolkit 0638246300 for MXP120 Sealed Connection System

This document was generated on 01/13/2017

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Automotive Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

003-018-000 60403001 60993906-B M902-2131 M902-2161 72.330.1035.1 73.353.4028.0 F119300-B F166900 F258300-B F358300-B F407400 F444110 F487000 F509500B-B 827153-1 8N1515-32-24P 9-1326729-8 925474-1 928905-1 964562-4 968782-1 GT17SA-8DS-HU 98891-1012 98947-1016 12004147 12004475-L 12010290 12010309-B 12015454 12020219-B 12020308 12041318-B 12052225-L 12052466 12059125 12064869 12004327-B 12010503-B 12015308 12015384 12015909 1-21030-1 12041254 12041318 12047946-B 12047957 12047957-L 12059473 12066261