

## This document was generated on 01/24/2022 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	0348993120		
Status:	Active		X AN
Overview: MXP120 Sealed Connector System		vstem	
		Connector with 11.00mm Clip-Slot, 3 Circuit, Black	
	Housing (T3-V2-S3 / T4-V4-S3), Backshell Interface Option 2, Key A		
Documents:			1000
Drawing (PDF)		RoHS Certificate of Compliance (PDF)	600
	h AS-34900-0001-001 (PDF)	Product Literature (PDF)	
Packaging Specification PK-31301-898-001 (PDF)			Series image - Reference only
Application tooling part link			
Application Tooling Part	Link	63824-6300	EU ELV
			Compliant
General			
Product Family		Crimp Housings	EU RoHS China RoHS
Series		<u>34899</u>	Compliant
Application		Automotive, Body Electronics, Power Train, Sealed,	REACH SVHC
Commente		Wire-to-Wire	Not Contained Per -
Comments		See sales drawing for terminal information.	D(2021)4569-DC (8
Overview		MXP120 Sealed Connector System	July 2021)
Polarization		A MVD400 Secled	Halogen-Free
Product Name UPC		MXP120 Sealed	<u>Status</u>
UPC		889056519045	Not Relevant
Physical		For more information, please visit <u>Contact US</u>	
Circuits (maximum)		3	China ROHS Not Relevant
Color - Resin		Black	ELV Compliant
Gender		Plug	RoHS Phthalates Not Contained
Glow-Wire Capable		No	
Keying to Mating Part		Yes	
Lock to Mating Part		Yes	Connete Dante in this Conies
Material - Resin		SPS/Nylon	Search Parts in this Series
Net Weight		7.075/g	<u>34899</u> Series
Number of Rows		1	
Packaging Type		Bag	Mates With
Panel Mount		No	MXP120 Female Receptacle <u>34900</u>
Pitch - Mating Interface		4.00mm	
Pitch - Termination Inter		4.00mm	Use With
Polarized to Mating Part		Yes	Tyco 1.2 MCON terminals Or Kostal
Temperature Range - O	perating	-40° to +125°C	MLK 1.2 terminals
Electrical			Annihastian Taslin r. J. 540
Current - Maximum per	Contact	13.0A	Application Tooling   FAQ Tooling specifications and manuals are
Material Info			found by selecting the products below.
Reference - Drawing N	lumbers		Crimp Height Specifications are then
Application Specification		AS-34900-0001-001	contained in the Application Tooling
Packaging Specification		PK-31301-898-001	Specification document.
Sales Drawing		SD-34899-2001-001, SD-34899-6001-001	Global
Jaios Diawing		00 0-7000 2001 001, 0D-0 <del>1</del> 000-0001-001	Description Product #
			Extraction Toolkit <u>638246300</u>
			for MXP120 Sealed
			Connection System

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Automotive Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

003-018-000 60403001 60993906-B M902-2131 M902-2161 72.330.1035.1 73.353.4028.0 F119300-B F166900 F258300-B F358300-B F407400 F444110 F487000 F509500B-B 827153-1 8N1515-32-24P 9-1326729-8 925474-1 928905-1 964562-4 968782-1 GT17SA-8DS-HU 98891-1012 98947-1016 12004475-L 12010290 12010309-B 12015454 12020219-B 12020308 12041318-B 12052225-L 12052466 12059125 12064869 12004327-B 12010503-B 12015308 12015384 12015909 1-21030-1 12041254 12041318 12047946-B 12047957 12047957-L 12059473 12066261 12110546