

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0348994081](#)

Status: **Active**

Overview: [MXP120 Sealed Connector System](#)

Description: MXP120 Sealed Male Blade Connector with 7.00mm Clip-Slot, 4 Circuit, Stone Gray Housing (T3-V2-S3 / T4-V4-S3 with Backshell, T3-V2-S2 /T4-V4-S2 without Backshell), Backshell Interface Option 2, Key B

Documents:

[Drawing \(PDF\)](#)

[Application Specification AS-34900-0001-001 \(PDF\)](#)

[Packaging Specification PK-31301-898-001 \(PDF\)](#)

[RoHS Certificate of Compliance \(PDF\)](#)

[Product Literature \(PDF\)](#)

Application tooling part link

Application Tooling Part Link 63824-6300

General

Product Family Crimp Housings
Series [34899](#)
Application Automotive, Body Electronics, Power Train, Sealed, Wire-to-Wire
Comments See sales drawing for terminal information.
Overview [MXP120 Sealed Connector System](#)
Polarization B
Product Name MXP120 Sealed
UPC 889056519328

Physical

Circuits (maximum) 4
Color - Resin Stone Gray
Gender Plug
Glow-Wire Capable No
Keying to Mating Part Yes
Lock to Mating Part Yes
Material - Resin SPS/Nylon
Net Weight 5.205/g
Number of Rows 1
Packaging Type Bag
Panel Mount No
Pitch - Mating Interface 4.00mm
Pitch - Termination Interface 4.00mm
Polarized to Mating Part Yes
Temperature Range - Operating -40° to +125°C

Electrical

Current - Maximum per Contact 13.0A

Material Info

Reference - Drawing Numbers

Application Specification AS-34900-0001-001
Packaging Specification PK-31301-898-001
Sales Drawing SD-34899-2001-001, SD-34899-6001-001



Series image - Reference only

EU ELV

Compliant

EU RoHS

Compliant

REACH SVHC

Not Contained Per - D(2021)4569-DC (8 July 2021)

Halogen-Free

Status

Low-Halogen

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

China RoHS

Not Relevant

Compliant

Not Contained

Search Parts in this Series

[34899 Series](#)

Mates With

MXP120 Female Receptacle [34900](#)

Use With

Tyco 1.2 MCON terminals
Or
Kostal MLK 1.2 terminals

Application Tooling | [FAQ](#)

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description

Product #

Extraction Toolkit for MXP120 Sealed Connection System

[638246300](#)

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)
[609-3404](#) [61062-3](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-010LF](#)
[65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5020](#) [707-](#)
[5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#) [FCN-360C032-B](#) [FCN-](#)
[367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#) [801-43-006-10-002000](#)