


PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0348994084](#)
Status: **Active**
Overview: MXP120 Sealed Connector System
Description: MXP120 Sealed Male Blade Connector with 7.00mm Clip-Slot, 4 Circuit, Dark Gray Housing (T3-V2-S3 / T4-V4-S3 with Backshell, T3-V2-S2 /T4-V4-S2 without Backshell), Backshell Interface Option 2, Key E

Documents:

[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)
[Application Specification AS-34900-0001-001 \(PDF\)](#) [Product Literature \(PDF\)](#)
[Packaging Specification PK-31301-898-001 \(PDF\)](#)



Application tooling part link

Application Tooling Part Link 63824-6300

General

Product Family Crimp Housings
 Series [34899](#)
 Application Automotive, Body Electronics, Power Train, Sealed, Wire-to-Wire
 Comments See sales drawing for terminal information.
 Overview [MXP120 Sealed Connector System](#)
 Polarization E
 Product Name MXP120 Sealed
 UPC 889056519359

Physical

Circuits (maximum) 4
 Color - Resin Gray (Dark)
 Gender Plug
 Glow-Wire Capable No
 Keying to Mating Part Yes
 Lock to Mating Part Yes
 Material - Resin SPS/Nylon
 Net Weight 5.205/g
 Number of Rows 1
 Packaging Type Bag
 Panel Mount No
 Pitch - Mating Interface 4.00mm
 Pitch - Termination Interface 4.00mm
 Polarized to Mating Part Yes
 Temperature Range - Operating -40° to +125°C

Electrical

Current - Maximum per Contact 13.0A

Material Info

Reference - Drawing Numbers

Application Specification AS-34900-0001-001
 Packaging Specification PK-31301-898-001
 Sales Drawing SD-34899-2001-001, SD-34899-6001-001

EU ELV

Compliant

EU RoHS

Compliant

REACH SVHC

Not Contained Per -
 D(2021)4569-DC (8
 July 2021)

Halogen-Free

Status

Low-Halogen

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

China RoHS

Green Image

Compliant

Not Contained

Search Parts in this Series

[34899 Series](#)

Mates With

MXP120 Female Receptacle [34900](#)

Use With

Tyco 1.2 MCON terminals
 Or
 Kostal MLK 1.2 terminals

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description

Product #

Extraction Toolkit
 for MXP120 Sealed
 Connection System

[638246300](#)

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Automotive Connectors](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[003-018-000](#) [60403001](#) [60993906-B](#) [M902-2131](#) [M902-2161](#) [72.330.1035.1](#) [73.353.4028.0](#) [F119300-B](#) [F166900](#) [F258300-B](#) [F358300-B](#)
[F407400](#) [F444110](#) [F487000](#) [F509500B-B](#) [827153-1](#) [8N1515-32-24P](#) [9-1326729-8](#) [925474-1](#) [928905-1](#) [964562-4](#) [968782-1](#) [GT17SA-8DS-](#)
[HU](#) [98891-1012](#) [98947-1016](#) [12004475-L](#) [12010290](#) [12010309-B](#) [12015454](#) [12020219-B](#) [12020308](#) [12041318-B](#) [12052225-L](#) [12052466](#)
[12059125](#) [12064869](#) [12004327-B](#) [12010503-B](#) [12015308](#) [12015384](#) [12015909](#) [1-21030-1](#) [12041254](#) [12041318](#) [12047946-B](#) [12047957](#)
[12047957-L](#) [12059473](#) [12066261](#) [12110546](#)