

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0349056447](#)  
**Status:** **Active**  
**Overview:** [Mini50 Connection Systems](#)  
**Description:** CTX50 Receptacle Terminal, Sealed, Silver, L-Grip, D-Wind, Left Payoff, Wire Insulation Diameter 1.20-1.40mm

**Documents:**

<a href="#">Drawing (PDF)</a>	<a href="#">Packaging Specification 313025040-000 (PDF)</a>
<a href="#">Product Specification PS-34905-0001-001 (PDF)</a>	<a href="#">Test Summary TS-34905-0001-001 (PDF)</a>
<a href="#">Application Specification 349050001-AS-CH-000 (PDF)</a>	<a href="#">Datasheet (PDF)</a>
<a href="#">Application Specification AS-34905-001-001 (PDF)</a>	<a href="#">RoHS Certificate of Compliance (PDF)</a>

**General**

Product Family	Crimp Terminals
Series	<a href="#">34905</a>
Application	Power, Wire-to-Board
Crimp Quality Equipment	Yes
Overview	<a href="#">Mini50 Connection Systems</a>
Product Name	CTX50
UPC	191130050031

**Physical**

Gender	Female
Grip Code	L
Material - Metal	Copper Alloy
Material - Plating Mating	Silver
Net Weight	0.072/g
Packaging Type	Reel
Termination Interface: Style	Crimp or Compression
Wire Insulation Diameter	1.20-1.40
Wire Size AWG	N/A
Wire Size mm <sup>2</sup>	0.35


**Electrical**

Current - Maximum per Contact	7.5A
Voltage - Maximum	14V DC

**Material Info**

**Reference - Drawing Numbers**

Application Specification	349050001-AS-CH-000, AS-34905-001-001
Packaging Specification	313025040-000
Product Specification	PS-34905-0001-001
Sales Drawing	349050400-000
Test Summary	TS-34905-0001-001



**EU ELV**

**Compliant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per -  
D(2021)4569-DC (8  
July 2021)

**Halogen-Free**

**Status**

**Not Relevant**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

Not Relevant

Compliant

Not Contained

**Search Parts in this Series**

[34905 Series](#)

**Use With**

Mini50 Sealed Receptacle Housing [34967](#)

**Application Tooling | FAQ**

*Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.*

**Global**

Description	Product #
Hand Crimp Tool for CTX50 Sealed L1-Grip Receptacle Crimp Terminals, 0.35mm <sup>2</sup> , FLR2X A3ZH Wire	<a href="#">2002184400</a>
FA2 Mechanical Feed Applicator for CTX50 Sealed Large Receptacle (Silver) Terminals, 0.35mm <sup>2</sup>	<a href="#">638082200</a>

FA2 Pneumatic Feed [638082210](#)  
Crimp Applicator  
for CTX50 Large  
Grip Receptacle  
Terminals, 0.35mm<sup>2</sup>  
Wire  
Extraction Tool for [638247500](#)  
CTX50 Contacts  
for Mini50 Sealed  
Connection System

This document was generated on 12/28/2021

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Automotive Connectors](#) category:*

*Click to view products by [Molex](#) manufacturer:*

Other Similar products are found below :

[003-018-000](#) [60403001](#) [60993906-B](#) [M902-2131](#) [M902-2161](#) [72.330.1035.1](#) [73.353.4028.0](#) [F119300-B](#) [F166900](#) [F258300-B](#) [F358300-B](#)  
[F407400](#) [F444110](#) [F487000](#) [F509500B-B](#) [827153-1](#) [8N1515-32-24P](#) [9-1326729-8](#) [925474-1](#) [928905-1](#) [964562-4](#) [968782-1](#) [GT17SA-8DS-](#)  
[HU](#) [98891-1012](#) [98947-1016](#) [12004475-L](#) [12010290](#) [12010309-B](#) [12015454](#) [12020219-B](#) [12020308](#) [12041318-B](#) [12052225-L](#) [12052466](#)  
[12059125](#) [12064869](#) [12004327-B](#) [12010503-B](#) [12015308](#) [12015384](#) [12015909](#) [1-21030-1](#) [12041254](#) [12041318](#) [12047946-B](#) [12047957](#)  
[12047957-L](#) [12059473](#) [12066261](#) [12110546](#)