

This document was generated on 12/29/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

| Part Number: | <u>0387207404</u> | | | |
|---|--|--|----------------------|-----------------------------------|
| Status: | Active | | | |
| Overview: | Beau Barrier Strips | | | 1 |
| Description: | 9.53mm Pitch Beau PCB Te Clamp Washer | rminal Strip, with Mounting Ends, 4 Circuits, with Screw | 10 10 | |
| | | | P | |
| Documents: | | Product Specification PS 28710 001 001 (PDF) | | |
| Drawing (PDF) 3D Model | | Product Specification PS-38710-001-001 (PDF) RoHS Certificate of Compliance (PDF) | | |
| <u>3D Model (PDF)</u> | | ROHS Certificate of Compliance (PDP) | | |
| | | | - Series image | - Reference only |
| General | | | g | |
| Product Family | | Terminal Blocks | EU ELV | |
| Series | | 38720 | Not Relevant | |
| Application | | N/A | | |
| Component Type | | One Piece | EU RoHS | China RoHS |
| Overview | | Beau Barrier Strips | Compliant | |
| Product Name | | Fixed Mount Barrier | REACH SVHC | |
| Туре | | Barrier Strip | Not Contained Per - | |
| UPC | | 800756272832 | D(2021)4569-DC (8 | |
| | | | July 2021) | |
| Physical | | | Halogen-Free | |
| Circuits (Loaded) | | 4 | <u>Status</u> | |
| Circuits (maximum) | | 4 | Not Low-Halogen | |
| Color - Resin | | Black | For more information | n, please visit <u>Contact US</u> |
| Entry Angle | | Horizontal | China ROHS | Green Image |
| Lock to Mating Part | | None | ELV | Not Relevant |
| Material - Metal | ing | Brass | RoHS Phthalates | Not Contained |
| Material - Plating Mati | | Tin | | Not Contained |
| Material - Plating Terr Material - Resin | nination | Tin Delvestor | | |
| Number of Rows | | Polyester | | |
| Orientation | | Horizontal | Search Parts in th | nis Series |
| PC Tail Length | | 4.80mm | <u>38720</u> Series | |
| PCB Retention | | Yes | | |
| PCB Thickness - Rec | ommended | 3.18mm | Mates With | |
| Panel Mount | | No | N/A | |
| Pitch - Mating Interfac | e. | 9.53mm | , | |
| Pitch - Termination Int | | 9.53mm | | |
| Plating min - Mating | | 3.810µm | | |
| Plating min - Terminat | tion | 3.810µm | | |
| Polarized to Mating Pa | | No | | |
| Shrouded | | Dual-Barrier | | |
| Stackable | | No | | |
| Surface Mount Compa | | No | | |
| Temperature Range - | Operating | -40° to +130°C | | |
| Wire Size AWG | | 12, 14, 16, 18, 20, 22 | | |
| Wire Size mm ² | | 0.50-2.50 | | |
| Electrical | | | | |
| Current - Maximum pe | er Contact | 25.0A | | |
| Voltage - Maximum | | 300V | | |
| Solder Process Data | | | | |
| Lead-freeProcess Car | | WAVE | | |
| | o control of the second s | | | |
| Material Info | | 70507 50 | | |
| Engineering Number | | 72504-50 | | |

Reference - Drawing Numbers Product Specification Sales Drawing

PS-38710-001-001 SD-38720-001-001

This document was generated on 12/29/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Barrier Terminal Blocks category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

 CR151D20104
 670A-RZ-15-KT20
 6C1N03
 6PCR-02
 6PCR-02-008
 6PCR-05-008
 6PCR-08-008
 6PCR-09-008
 6PCR-13-006
 6PCR-15

 006
 6PCR-21-006
 6PCV-06-008
 6PCV-06-716
 6PCV-09-001
 6PCV-10-009
 6PCV-15-008
 6PCV-17-1206
 6PCV-20-323
 6PCV-20-720

 6PCV-30-006
 6STR-06-006
 6STR-08-006
 6STR-12-008
 6STR-13-006
 6STR-14-008
 6STR-16-008
 6STR-17-008
 6STR-21-008
 6STR-21-008
 6STR-21-008
 6STR-21-008
 6STR-21-008
 6STR-21-008
 6STR-22-008
 6STR-21-008
 72212603
 72506-C
 72507-C-50
 73203
 75505-C
 75510-C
 77010-50
 7C1N08
 812-GP-3/4ST-09
 8-1437402-5
 8PCR-06-006
 8PCR-11

 006
 006
 006
 006
 006
 006
 006
 006
 006