

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0393570008](#)  
**Status:** **Active**  
**Overview:** Eurostyle Terminal Blocks  
**Description:** 3.50mm Pitch Beau Eurostyle Fixed Mount PCB Terminal Block, 8 Circuits

**Documents:**

|                               |  |
|-------------------------------|--|
| <a href="#">3D Model</a>      | <a href="#">3D Model (PDF)</a>                       |
| <a href="#">Drawing (PDF)</a> | <a href="#">RoHS Certificate of Compliance (PDF)</a> |

**Agency Certification**

|    |        |
|----|--------|
| UL | E48521 |
|----|--------|

**General**

|                |   |
|----------------|---|
| Product Family | Terminal Blocks                           |
| Series         | <a href="#">39357</a>                     |
| Application    | N/A                                       |
| Component Type | One Piece                                 |
| Overview       | <a href="#">Eurostyle Terminal Blocks</a> |
| Product Name   | Eurostyle Fixed Mount                     |
| Type           | Euro Block                                |
| UPC            | 756054634189                              |

**Physical**

|                                |                            |
|--------------------------------|----------------------------|
| Circuits (Loaded)              | 8                          |
| Circuits (maximum)             | 8                          |
| Entry Angle                    | Horizontal                 |
| Flammability                   | 94V-0                      |
| Lock to Mating Part            | None                       |
| Number of Rows                 | 1                          |
| Orientation                    | Vertical                   |
| PC Tail Length                 | 3.50mm                     |
| PCB Retention                  | None                       |
| PCB Thickness - Recommended    | 1.60mm                     |
| Panel Mount                    | No                         |
| Pitch - Mating Interface       | 3.50mm                     |
| Pitch - Termination Interface  | 3.50mm                     |
| Polarized to Mating Part       | No                         |
| Shrouded                       | Fully                      |
| Stackable                      | Yes                        |
| Surface Mount Compatible (SMC) | No                         |
| Temperature Range - Operating  | -30° to +85°C              |
| Wire Size AWG                  | 16, 18, 20, 22, 24, 26, 28 |
| Wire Size mm <sup>2</sup>      | 0.20-1.00                  |

**Electrical**

|                               |       |
|-------------------------------|-------|
| Current - Maximum per Contact | 17.5A |
| Voltage - Maximum             | 300V  |

**Solder Process Data**


|   |      |
|---|------|
| Lead-free Process Capability            | WAVE |
| Max. Cycles at Max. Process Temperature | 005  |
| Process Temperature max. C              | 260  |

**Material Info**

|                    |                |
|--------------------|----------------|
| Engineering Number | MX-MTB08008-0N |
|--------------------|----------------|

**Reference - Drawing Numbers**

|               |                  |
|---------------|------------------|
| Sales Drawing | SD-39357-001-001 |
|---------------|------------------|



**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant with Exemption 6(c)**

**REACH SVHC**

Contained Per -  
D(2021)4569-DC (8  
July 2021)

Lead

**Halogen-Free**

**Status**

**Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

50 Image

ELV

Not Relevant

RoHS Phthalates

Not Contained

**Search Parts in this Series**

[39357 Series](#)

This document was generated on 08/26/2021

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Fixed Terminal Blocks](#) category:*

*Click to view products by [Molex](#) manufacturer:*

Other Similar products are found below :

[MBE-1512](#) [MBE-154](#) [MBE-156](#) [MBES-153](#) [MBES-156](#) [MH-2512](#) [MHE-132](#) [MHE-163](#) [MI-254 \(35\)](#) [MI-272](#) [880507](#) [MPT-275](#)  
[15602-04-08-21](#) [BA311TU](#) [BA411SU](#) [MV-152](#) [MV-252-D](#) [MV-253/NCNOC](#) [MV-254-D](#) [MV-255](#) [MV-462](#) [MV-493](#) [MVE-252](#) [MVE-253](#)  
[MVE-273](#) [MVEB-153](#) [1700096](#) [1705142](#) [1712417](#) [1713020](#) [1713088](#) [1745195](#) [1760594](#) [1776118-2](#) [1790852](#) [1-796689-8](#) [1-796692-6](#)  
[1800001](#) [1995279](#) [20020314-C121B01LF](#) [CB2-12](#) [KP03215000J0G](#) [KP04215000J0G](#) [S451](#) [282802-2](#) [29.007](#) [29.116](#) [30.103](#) [30.106](#)  
[30.252](#)