

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: **0428170112**
Status: **Active**
Overview: Mini-Fit Sr. Power Connectors
Description: Mini-Fit Sr. Crimp Terminal, Male, 10-12 AWG, Gold (Au)

Documents:

Drawing (PDF)	Packaging Specification PK-42815-001-001 (PDF)
Product Specification PS-42815-001-001 (PDF)	Packaging Specification PK-42815-001-002 (PDF)
Product Specification TS-42815-001-001 (PDF)	RoHS Certificate of Compliance (PDF)
Application Specification AS-42815-001-001 (PDF)	

General

Product Family	Crimp Terminals
Series	42817
Application	Power, Wire-to-Wire
Comments	High Current/Low Force Grounding Pin See Product Specification for maximum current rating by circuit size and application.
Crimp Quality Equipment Overview	Yes
Product Name	<u>Mini-Fit Sr. Power Connectors</u>
UPC	Mini-Fit Sr. 800756522395

Physical

Gender	Male
Material - Metal	High Performance Alloy (HPA)
Material - Plating Mating	Gold
Material - Plating Termination	Tin
Net Weight	1.471/g
Packaging Type	Reel
Plating min - Mating	0.762µm
Plating min - Termination	2.540µm
Termination Interface: Style	Crimp or Compression
Wire Insulation Diameter	5.30mm max.
Wire Size AWG	10, 12
Wire Size mm ²	N/A


Electrical

Current - Maximum per Contact	50.0A
-------------------------------	-------

Material Info

Reference - Drawing Numbers

Application Specification	AS-42815-001-001
Packaging Specification	PK-42815-001-001, PK-42815-001-002
Product Specification	PS-42815-001-001, TS-42815-001-001
Sales Drawing	428170000-SD-000



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per -
D(2021)4569-DC (8
July 2021)

Halogen-Free

Status

Low-Halogen

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

China RoHS

Green Image

Not Relevant

Not Contained

Search Parts in this Series

42817 Series

Use With

Mini-Fit Sr. Plug Housings [42818](#) , [43938](#)

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description

Product #

Hand Crimp Tool for 10.00mm Pitch Mini-Fit Sr. Crimp Terminals, 10-12 AWG	2002188600
FineAdjust Applicator for Mini-Fit Sr. Male and Female Crimp Terminals, 10-12 AWG Wire	2037022700

FineAdjust Applicator 2037022800
for Mini-Fit Sr. Male
and Female Crimp
Terminals, 10-12
AWG Wire
Extraction Tool 638130400
for Mini-Fit Sr.
Terminals, 8-16
AWG
Hand Crimp Tool for 638279300
Mini-Fit Sr. Male and
Female Terminals,
5mm² and 6mm²
Wire
FineAdjust Applicator 639040200
for Mini-Fit Sr. Male
and Female Crimp
Terminals, Metric
Wire Crimping only
FineAdjust Applicator 639040300
for Mini-Fit Sr. Male
and Female Crimp
Terminals, Metric
Wire Crimping only

This document was generated on 10/11/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)
[609-3404](#) [61062-3](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-010LF](#)
[65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5020](#) [707-](#)
[5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#) [FCN-360C032-B](#) [FCN-](#)
[367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#) [801-43-006-10-002000](#)