

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0430310009](#)  
**Status:** **Active**  
**Overview:** Micro-Fit Connector System  
**Description:** Micro-Fit 3.0 Crimp Terminal, Male, with 0.76µm Select Gold (Au) Plated Phosphor Bronze Contact, 20-24 AWG, Bag

**Documents:**

|   |  |
|---|--|
| <a href="#">Drawing (PDF)</a>                                   | <a href="#">Test Summary 430450006-TS-000 (PDF)</a>  |
| <a href="#">Product Specification 430450001-PS-KO-000 (PDF)</a> | <a href="#">Test Summary TS-43045-001-001 (PDF)</a>  |
| <a href="#">Product Specification 430450001-PS-SP-000 (PDF)</a> | <a href="#">Test Summary TS-43045-002-001 (PDF)</a>  |
| <a href="#">Product Specification PS-43045-001 (PDF)</a>        | <a href="#">Test Summary TS-46235-001-001 (PDF)</a>  |
| <a href="#">Packaging Specification PK-43030-003-001 (PDF)</a>  | <a href="#">Datasheet (PDF)</a>                      |
| <a href="#">Test Summary 430450005-TS-000 (PDF)</a>             | <a href="#">RoHS Certificate of Compliance (PDF)</a> |

**General**

|                         |                                   |
|-------------------------|-----------------------------------|
| Product Family          | Crimp Terminals                   |
| Series                  | 43031                             |
| Application             | Power, Wire-to-Wire               |
| Crimp Quality Equipment | Yes                               |
| Overview                | <u>Micro-Fit Connector System</u> |
| Packaging Alternative   | 430310003 (Reel)                  |
| Product Name            | Micro-Fit 3.0                     |
| UPC                     | 800754369589                      |

**Physical**

|                                |                      |
|--------------------------------|----------------------|
| Gender                         | Male                 |
| Material - Metal               | Phosphor Bronze      |
| Material - Plating Mating      | Gold                 |
| Material - Plating Termination | Tin                  |
| Net Weight                     | 0.061/g              |
| Packaging Type                 | Bag                  |
| Plating min - Mating           | 0.762µm              |
| Plating min - Termination      | 2.540µm              |
| Termination Interface: Style   | Crimp or Compression |
| Wire Insulation Diameter       | 1.85mm max.          |
| Wire Size AWG                  | 20, 22, 24           |
| Wire Size mm <sup>2</sup>      | N/A                  |

**Electrical**

|                               |      |
|-------------------------------|------|
| Current - Maximum per Contact | 8.5A |
|-------------------------------|------|

**Material Info**

**Reference - Drawing Numbers**

|                         |  |
|-------------------------|--|
| Packaging Specification | PK-43030-003-001   |
| Product Specification   | 430450001-PS-KO-000, 430450001-PS-SP-000, PS-43045-001                                   |
| Sales Drawing           | SD-43031-XXXX-001  |
| Test Summary            | 430450005-TS-000, 430450006-TS-000, TS-43045-001-001, TS-43045-002-001, TS-46235-001-001 |



*Series image - Reference only*

**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per -  
D(2021)4569-DC (8  
July 2021)

**Halogen-Free**

**Status**

**Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

Green Image

Not Relevant

Not Contained

**Search Parts in this Series**

[43031 Series](#)

**Use With**

Micro-Fit 3.0 Plug Housings [43020](#) , [43640](#)  
<br>Micro-Fit BMI Plug Housings [44300](#) ,  
[46625](#)

**Application Tooling | FAQ**

*Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.*

**Global**

| Description | Product # |
|-------------|-----------|
|-------------|-----------|

|   |                          |
|---|--------------------------|
| Extraction Tool for Micro-Fit Terminals | <a href="#">11030043</a> |
|---|--------------------------|

|   |                           |
|---|---------------------------|
| Insertion Tool for Micro-Fit 3.0 and CRC Male and Female Crimp Terminals, 20-30 AWG | <a href="#">638120800</a> |
|---|---------------------------|

PremiumGrade Hand638190000  
Crimp Tool for Micro-  
Fit 3.0 Terminals,  
20-30 AWG

This document was generated on 09/08/2021

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Headers & Wire Housings](#) category:*

*Click to view products by [Molex](#) manufacturer:*

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)  
[609-3404](#) [61062-3](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-010LF](#)  
[65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5020](#) [707-5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#) [FCN-360C032-B](#) [FCN-367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#) [801-43-006-10-002000](#)