

This document was generated on 09/13/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0441500013 Status: Active Overview: Magnetic and Model Description: Modular Jack, Right Documents: 3D Model Drawing (PDF) 3D Model (PDF)		<u>Jacks/Plugs</u> ngle, Low Profile, 8/8, 6 Ports	And And	menter
		Packaging Specification PK-44150-004-000 (PDF) Test Summary TS-44050-001-001 (PDF) RoHS Certificate of Compliance (PDF)		
Agency Certification	ı		- Series imag	e - Reference only
CSA		LR19980		
UL		E107635	EU ELV	
			Not Relevant	
General				
Product Family		Modular Jacks/Plugs	EU RoHS	China RoHS
Series		<u>44150</u>	Compliant	
Comments		External Shield	REACH SVHC	
Component Type		PCB Jack	Not Contained Per	-
Magnetic		No	D(2021)4569-DC (8	3
Overview		Magnetic and Modular Jacks/Plugs	July 2021)	
Performance Categor	У	5, 5e	Halogen-Free	
Power over Ethernet	(PoE)	N/A	<u>Status</u>	
Product Name		Modular Jack 8/8, RJ45	Not Low-Halogen	
UPC		800754812825		on, please visit <u>Contact</u>
Physical			China ROHS	Green Image
Color - Resin		Black	ELV	Not Relevant
Durability (mating cycles max)		500	RoHS Phthalates	Not Contained
Flammability		94V-0		Not Contained
Inverted / Top Latch		No		
Jack Height		13.31mm		
Lightpipes/LEDs		None	Search Parts in	this Series
Material - Metal		Phosphor Bronze	44150 Series	
Material - Plating Mat	ing	Gold		
5	•	Tin	Mates With	
Material - Plating Termination Material - Resin		Nylon	FCC 68 Plugs	
		25.110/g	1000011095	
Net Weight Orientation		•		
PCB Retention		Right Angle (Side Entry) Yes		
PCB Thickness - Rec	emmended	1.57mm		
	ommended			
Packaging Type		Tray		
Pitch - Mating Interfac		1.02mm		
Pitch - Termination In	lenace	1.27mm		
Plating min - Mating	tion	1.270µm		
Plating min - Termina	uon	2.540µm		
Port Configuration		1x6		
Positions / Loaded Co		8/8		
Temperature Range -		-40° to +85°C		
Termination Interface Wire/Cable Type	Style	Through Hole N/A		
Electrical				
Current - Maximum p	er Contact	1.5A		
Shielded		Yes		
Children		100		

Material Info

Reference - Drawing Numbers Packaging Specification Sales Drawing Test Summary

PK-44150-004-000 SD-44150-002-001 TS-44050-001-001

This document was generated on 09/13/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Modular Connectors / Ethernet Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

8949-H88/06BLKA/SN 74441-0010/BKN MP1010RX-1000 MP44RX-1000 PHP-6P6C-5 GAX-3-66 GAX-8-62 GDCX-PA-66-50 GDCX-PN-64 GDCX-PN-66 GDCX-PN-66 GDLX-A-66 GDLX-N-66 GDLX-S-66 GDLX-S-88K GDTX-S-88-50 GDX-PA-1010 GLX-N-1010M-BLK GLX-S-88M-BLK GMX-N-1010 GMX-S-1010 GMX-S-66 GMX-SMT4-N-88 GPX-2-64 GSGX-N-2-88 GSGX-N-4-88 GSX-NS2-88-3.05 GSX-NS2-88-3.05 GSX-NS2-88-3.05 O GSX-NS-88-3.05-50 PT-108A-8C-UL PT-J951-8C PTS-J531-8CS-50UL 1-1775629-2 A-2014-0-4 GWLX-S-88-GR GWLX-S9-88-YG DC-1021-8-WH-6 1300530003 1324640-4 RJ11FTVC2G RJ11FTVC2N RJFTVX2SA1G 132764-001 1413235 MP88X-1000 MPS88RX-5000 MRJR-5481-0F2 E5288-S000K3-L E5908-15A242-L 155302-001