

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: **0449150001**
Status: **Active**
Overview: Magnetic and Modular Jacks/Plugs
Description: Modular Plug, Category 6, Long Body, Unshielded, 8/8

Documents:

3D Model [Packaging Specification PK-44915-003-001 \(PDF\)](#)
3D Model (PDF) [Packaging Specification PK-44915-004-001 \(PDF\)](#)
Drawing (PDF) [RoHS Certificate of Compliance \(PDF\)](#)
Product Specification PS-44915-003-001 (PDF)

Agency Certification

UL E107635

General

Product Family Modular Jacks/Plugs
Series 44915
Component Type Wire Plug
Magnetic No
Overview Magnetic and Modular Jacks/Plugs
Performance Category 6
Power over Ethernet (PoE) N/A
Product Name Modular Plug 8/8, RJ45
UPC 800756394305

Physical


Color - Resin Clear
Durability (mating cycles max) 500
Inverted / Top Latch N/A
Jack Height N/A
Lightpipes/LEDs None
Material - Metal Phosphor Bronze
Material - Plating Mating Gold
Material - Plating Termination Tin
Material - Resin Polycarbonate
Net Weight 1.700/g
Orientation N/A
PCB Locator No
PCB Retention None
Packaging Type Bag
Panel Mount N/A
Pitch - Mating Interface 1.02mm
Pitch - Termination Interface 1.27mm
Port Configuration 1x1
Positions / Loaded Contacts 8/8
Temperature Range - Operating -40° to +85°C
Termination Interface: Style N/A
Wire/Cable Type Round

Electrical

Current - Maximum per Contact 1.5A
Grounding to Panel N/A
Shielded No
Voltage - Maximum 125V

Solder Process Data

Lead-freeProcess Capability N/A



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per -
D(2021)4569-DC (8
July 2021)

Halogen-Free

Status

Low-Halogen

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

China RoHS

Green Image

Not Relevant

Not Contained

Search Parts in this Series

44915 Series

Mates With

FCC 68 Jacks

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description

Product #

Hand Crimp Tool for 622020500
RJ-45 CAT5, CAT5e,
CAT6, CAT6A Plugs,
22-28 AWG
ServiceGrade Hand 640160044
Crimp Tool - Ratchet

Material Info

Reference - Drawing Numbers

Packaging Specification

PK-44915-003-001, PK-44915-004-001

Product Specification

PS-44915-003-001

Sales Drawing

SD-44915-001-001, SD-44915-002-001

This document was generated on 09/06/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Modular Connectors / Ethernet Connectors](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[8949-H88/06BLKA/SN](#) [74441-0010/BKN](#) [MP1010RX-1000](#) [MP44RX-1000](#) [PHP-6P6C-5](#) [GAX-3-66](#) [GAX-8-62](#) [GDCX-PA-66-50](#) [GDCX-PN-64](#) [GDCX-PN-66](#) [GDCX-PN-66-50](#) [GDLX-A-66](#) [GDLX-N-66](#) [GDLX-S-66](#) [GDLX-S-88K](#) [GDTX-S-88-50](#) [GDX-PA-1010](#) [GLX-N-1010M-BLK](#) [GLX-S-88M-BLK](#) [GMX-N-1010](#) [GMX-S-1010](#) [GMX-S-66](#) [GMX-SMT4-N-88](#) [GPX-2-64](#) [GSGX-N-2-88](#) [GSGX-N-4-88](#) [GSX-NS2-88-3.05](#) [GSX-NS2-88-3.05-50](#) [GSX-NS-88-3.05-50](#) [PT-108A-8C-UL](#) [PT-J951-8C](#) [PTS-J531-8CS-50UL](#) [1-1775629-2](#) [A-2014-0-4](#) [GWLX-S-88-GR](#) [GWLX-S9-88-YG](#) [DC-1021-8-WH-6](#) [1300530003](#) [1324640-4](#) [RJ11FTVC2G](#) [RJ11FTVC2N](#) [RJFTVX2SA1G](#) [132764-001](#) [1413235](#) [MP88X-1000](#) [MPS88RX-5000](#) [E5288-S000K3-L](#) [E5908-15A242-L](#) [155302-001](#) [AX100653](#)