

## This document was generated on 09/09/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	<u>0451410401</u>		
Status:	Active		
Overview:		with Precision-Machined Contacts	
Description:		wer Off-the-Shelf (OTS) Cable Assembly, Female, Single	
2000.10.000		WG, 4 Circuits, Key A, Black	Victor Victor
	,	_, , _ , _ , _ , _ ,	
Documents:			
3D Model		Datasheet (PDF)	
Drawing (PDF)		RoHS Certificate of Compliance (PDF)	
3D Model (PDF)			
			Series image - Reference only
General			
Product Family		Cable Assemblies	EU ELV
Series		<u>45141</u>	Not Relevant
Application		Power, Wire-to-Board, Wire-to-Wire	
Assembly Configurat		Dual Ended Connectors	EU RoHS China RoHS
Connector to Connector	ctor	MultiCat-to-MultiCat	Compliant with
Overmolded		No	Exemption 6(c)
Overview		MultiCat Power Connectors with Precision-Machined	REACH SVHC
		<u>Contacts</u>	Contained Per -
Product Name		MultiCat	D(2021)4569-DC (8
Туре		Discrete Wire Assembly, High Reliability Assembly	July 2021)
UPC		191128292443	
Physical			Halogen-Free
Physical Cable Length		300.00mm	<u>Status</u>
Circuits (Loaded)		4	Not Low-Halogen
Color - Resin		Black	For more information, please visit Contact US
Gender		Female-Female	China ROHS 50 Image
Lock to Mating Part		Yes	ELV Not Relevant
Material - Metal		Copper Alloy	RoHS Phthalates Not Contained
Material - Plating Ma	ting	Gold over Nickel Phosphorus	
Material - Plating Ter		Gold	
Material - Resin		PEI	
Net Weight		155.300/g	Search Parts in this Series
Number of Rows		1	45141 Series
Packaging Type		Bag	
Pitch - Mating Interfa	се	7.40mm	Mates With
Plating min - Mating		0.100µm	MultiCat High-Power Inline Plug Housing
Plating min - Termina	ation	0.200µm	2018400040 . MultiCat High-Power Header
Single Ended		No	<u>2018431040</u> , <u>2018421040</u>
Termination Interface	e: Style	Crimp or Compression	
Wire Insulation Diam	eter	4.03mm-5.84mm	
Wire Size AWG		8	
Wire/Cable Type		UL 10669	
Electrical			
Current - Maximum p	per Contact	40.0A	
Voltage - Maximum		1000V AC	
Material Info			
Engineering Number		KAB2543L0.3V01	
Reference - Drawin	g Numbers		
Sales Drawing		451410401-000	

This document was generated on 09/09/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for DC Power Cords category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

172-4000 172-4101 172-7443-E 21033836407 2J-1865A 2R7006A20A120 426055400-3 MN47A4BC01M010 H-OU-2 CA0002 420680840-3 426451500-3 P162PT4-36 1-832692-4 FJ-VSP 3M 96CB-POWER-B-1.8M2 426040200 CA0006 H-OU-27 1700019464 FJ-VSP 10M MN47B4BC01M040 H-OU-20 2-836917-8 867566-1 804001P03M050G 2050KH1-BK 426013710-3 58257-1069 216603-0037 1011147 1011324 1012028 862545-5 BXC-10567 172-2555 32102-022800-200-RS P29000-M2 P29004-M2 DC.CAB.0201.0150 DC.CAB.0301.0150 DC.CAB.0610.0150 DC.CAB.0700.0150 DC.CAB.1000.0300 DC.CAB.1100.0150 DC.CAB.1400.0150 DC.CAB.1410.0150 DC.CAB.1500.0150 DC.CAB.1811.0150 DC.CAB.1900.0150