

This document was generated on 09/20/2021

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0458450001

Status: Active

Overview: Edge Card Connectors

**Description:** 2.50mm Pitch EXTreme PowerEdge Signal Connector, Double Sided, 2 Segments, 8

Signal Contacts per Segment, Press-Fit

**Documents:** 

<u>3D Model</u> <u>Packaging Specification PK-45714-001-001 (PDF)</u>

Drawing (PDF)

3D Model (PDF)

Test Summary TS-45844-001-001 (PDF)

RoHS Certificate of Compliance (PDF)

Product Specification PS-45719-001-001 (PDF)

**Agency Certification** 

CSA LR19980 TUV 30482572

General

Product Family Edge Card Connectors

Series <u>45845</u>

Component Type Edgecard to PCB

Data Rate Unrated
Edge Card Thickness 1.57mm
High Power Bay (30.0A or more) No
Orientation Vertical

OverviewEdge Card ConnectorsProduct NameEXTreme PowerEdge

Standard Based General UPC 822348846528

**Physical** 

(p)ower-(s)ignal Configuration 16s - 0p Circuit Size Range 1-64 Circuits

Circuits (Loaded) 16
Circuits (maximum) 16
Color - Resin Black
Durability (mating cycles max) 250

Entry Angle Vertical (Top Entry)

Flammability 94V-0 Keying to Mating Part N/A

Material - Metal Phosphor Bronze

Material - Plating Mating Gold Material - Plating Termination Tin

Material - Resin High Temperature Thermoplastic


Net Weight 3.382/q4.50mm PC Tail Length PCB Thickness - Recommended 2.40mm Packaging Type Tray Pitch - Mating Interface 2.50mm Plating min - Mating 0.762µm Plating min - Termination 3.810µm Temperature Range - Operating -40° to +105°C

Termination Interface: Style Through Hole - Compliant Pin

**Electrical** 

Current - Maximum per Contact 3.0A Voltage - Maximum 250V

Solder Process Data



**EU ELV** 

**Not Relevant** 

EU RoHS China RoHS

Compliant REACH SVHC Not Contained Per -D(2021)4569-DC (8 July 2021)

Halogen-Free

Status Low-Halogen

For more information, please visit Contact US

China ROHS Green Image
ELV Not Relevant
RoHS Phthalates Not Contained

Search Parts in this Series

45845 Series

**Mates With** 

1.58mm Double Sided Card Edge

Lead-freeProcess Capability N/A

**Material Info** 

Reference - Drawing Numbers
Packaging Specification
Product Specification PK-45714-001-001 PS-45719-001-001 Sales Drawing SD-45845-001-001 Test Summary TS-45844-001-001

This document was generated on 09/20/2021

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Standard Card Edge Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

CR7E-30DB-3.96E(72) 6364499-1 6565204-6 PKC-156 1437274-4 147889-1 1489165-4 EBT15622B2X 1-582587-1 284-0102-12100 286-0052-12101A 306022901000000 307-012-502-202 307-056-520-300 2129318-1 245-062-520-350 287-0032-12101 306-028-525-102 307-072-526-202 345-060-559-303 392-008-559-201 534671-1 341-240-317 345-044-500-300 346-240-318 395-100-524-300 09-07-2032 10035388-802LF 10122859-009LF 10127905-B04B24BLF 530555-1 5-678046-1 73726-0005 66308-1 1-1437275-6 PEC-07-02-T-S-A 346-014-520-801 307-048-502-202 CE100F22-9-C CE100F26-7-C CE100F28-3-D CE156F18-9-C CE156F22-5-D CE156F22-9-C CT100F22-2-D CT100F22-3-D CT100F24-2-D CT100F24-3-D CT100F24-6-C CT156F22-4-D