

This document was generated on 06/24/2015 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	0471510011			
Status:	Active			
Overview:		Itimedia Interface (HDMI)* Products	1	
Description:		0.50mm Pitch HDMI* Receptacle, Right Angle, 0.76µm Gold (Au) Plating, Front Solder Tab Length 1.80mm, Shell Nickel (Ni) Plated, without Back Cover, Natural Housing,		
	Tape and Reel Pac	ckage, 19 Circuits, Lead-Free	N. 25 ST	
Documents:			v	(
<u>3D Model</u>		Product Specification PS-47152-001 (PDF)		
Drawing (PDF)		RoHS Certificate of Compliance (PDF)		
,			Series ima	ge - Reference only
General				
Product Family		I/O Connectors	EU ELV	
Series		47151	Not Relevant	
Application		Wire-to-Board	Not Kelevant	
Component Type		Receptacle	EU RoHS	China RoHS
Electrical Model		Yes	Compliant	
Overview		High Definition Multimedia Interface (HDMI)* Products	REACH SVHC	
Product Name		HDMI	Contains SVHC(2)	014
Type		N/A	December 17): No	
UPC		822350117012	Halogen-Free	
UFC		022350117012	Status	
Physical			Not Low-Haloger	
Boot Color		N/A		nation on product
Circuits (Loaded)		19	environmental co	-
Color - Resin		Natural	environmental co	mphance:
Flammability		94V-0	Email productcompliance@molex.com	
Gender		Male	Please visit the Contact Us section for any	
Keying to Mating Part		Yes	non-product compliance questions.	
Lock to Mating Part		Yes		
Material - Metal		Copper Alloy	China ROHS	Green Image
Material - Plating Mating		Gold	ELV	Not Relevant
Material - Plating Termination		Tin-Bismuth		
Net Weight		2.677/g		
Number of Rows		2.017/g	Search Parts in	this Series
Orientation		Right Angle		
PCB Locator		No		
PCB Retention		Yes		
Packaging Type		Embossed Tape on Reel	Mates With	
Panel Mount		Without Flange		ble Assembly, <u>88764</u> HDMI
Pitch - Mating Interfa	ace	0.50mm	Adapter, <u>88767</u>	HDIMI Adapter
Pitch - Termination		0.50mm		
Plating min - Mating		0.762µm		
Plating min - Termin		1.016µm		
Polarized to Mating		Yes		
Polarized to Walling Polarized to PCB	i alt	Yes		
Ports		1		
	Operating	-20°C to +85°C		
Temperature Range				
Termination Interfac		Surface Mount		
Waterproof / Dustproof		No		
Wire Size AWG		N/A		
Electrical				

0.5A

Yes

40V DC

Current - Maximum per Contact Shielded Voltage - Maximum

Material Info

Reference - Drawing NumbersElectrical Model DocumentEE-47151-001, EE-47151-002Product SpecificationPS-47152-001S-Parameter ModelSP-47151-002High Definition Multimedia Interface and HDMI are trademarks of HDMI Licensing, LLC.

This document was generated on 06/24/2015 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for HDMI, Displayport & DVI Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

<u>1775247-3</u> <u>2-1932649-5</u> <u>30-1231</u> <u>30-528</u> <u>2069485-1</u> <u>30-504</u> <u>30-519</u> <u>30-542</u> <u>47648-2000</u> <u>2002-400</u> <u>TC142X</u> <u>769-103/021-000</u> <u>1932649-1</u> <u>233-368NFG6-17NH</u> <u>PJ-210A</u> <u>PJ-35825</u> <u>6321-026RDS1MWA02</u> <u>DV11201-H5R6-4F</u> <u>RPI-16337</u> <u>CC-MDPM-VGAM-6</u> <u>RPI-16338</u> <u>CCB-HDMIL-1.5M</u> <u>CCB-HDMIL-1M</u> <u>CCB-HDMIL-2M</u> <u>CCB-HDMIL-3M</u> <u>CCB-HDMIL-5M</u> <u>CCB-HDMIL-7.5M</u> <u>CCBP-HDMI-10M</u> <u>CCBP-HDMI-10M</u> <u>CCBP-HDMI-1M</u> <u>CCBP-HDMI-2M</u> <u>CCBP-HDMI-5M</u> <u>CCBP-HDMI-7.5M</u> <u>CCBP-HDMI8K-1M</u> <u>CCBP-HDMI8K-2M</u> <u>CCBP-HDMI8K-2M</u> <u>CCBP-HDMI8K-2M</u> <u>CCBP-HDMI8K-3M</u> <u>AK-AV-02</u> <u>AK-AV-03</u> <u>AK-AV-05</u> <u>AK-AV-11</u> <u>AK-AV-13</u> <u>AK-AV-15</u> <u>CCP-MDP2-6</u> <u>CCP-MDPMDP2-6</u> <u>AK-HD-05A</u> <u>AK-HD-100A</u> <u>AK-HD-15P</u> <u>AK-HD-15P</u> <u>AK-HD-15P</u> <u>AK-HD-15R</u>