

This document was generated on 12/19/2012

#### PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 47308-0001

Status: Active

Overview: SIM - Smart Card

Description: 2.54mm Pitch SIM Card Holder, Guide and Holder Style, 6 Circuits, SMT, with Solder

Tabs, Housing Height 2.00mm, with 1 Securing Nail, Lead-Free

**Documents:** 

<u>3D Model</u> <u>Product Specification PS-47308-001 (PDF)</u>
<u>Drawing (PDF)</u> <u>RoHS Certificate of Compliance (PDF)</u>

General

Product Family Memory Card Sockets

Series 47308

Comments1 Securing NailComponent TypeCard Holder (Host)OverviewSIM - Smart Card

Product Name SIM

Style Guide and Holder

Type N/A

UPC 822350421119

**Physical** 

Card Detection Switch

Circuits (Loaded)

Circuits (maximum)

Color - Resin

Durability (mating cycles max)

Ejector Button

No

Ejector Button Side

N/A

Entry Angle Vertical (Top Entry)

Keying to Mating Part Ye

Material - Metal Phosphor Bronze

Material - Plating Mating Gold Material - Plating Termination Gold

Material - Resin High Temperature Thermoplastic

Net Weight 447.073/mg

PCB Locator No
PCB Mounting Side Normal
PCB Retention Yes

Packaging Type Embossed Tape on Reel

Pitch - Mating Interface 2.54mm
Pitch - Termination Interface 2.54mm
Plating min - Mating 0.508µm
Plating min - Termination 0.051µm

Ports

Temperature Range - Operating -40°C to +85°C Termination Interface: Style Surface Mount


**Electrical** 

Current - Maximum per Contact 0.01A Shielded No Voltage - Maximum 5V

**Solder Process Data** 

Duration at Max. Process Temperature (seconds) 3

Lead-free Process Capability Reflow Capable (SMT only)



EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Contains SVHC: No
Low-Halogen Status
Low-Halogen



## Need more information on product environmental compliance?

Email <u>productcompliance@molex.com</u>
For a multiple part number RoHS Certificate of Compliance, <u>click here</u>

Please visit the <u>Contact Us</u> section for any non-product compliance questions.

**Search Parts in this Series** 

47308Series

Mates With Standard SIM Card

Max. Cycles at Max. Process Temperature	2
Process Temperature max. C	250

#### **Material Info**

**Reference - Drawing Numbers** 

Product Specification Sales Drawing PS-47308-001 SD-47308-001

# This document was generated on 12/19/2012 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Memory Card Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

M21-033321-005 6407-249V-25273P 6407-249V-25343P 6426-201-21343 69.920.0553.0 FCN-568P068-G/07-4V 809180410000000

N7E50-7516PG-20-WF 2041353-2 33CFAE-DN 502431-1011 EN2997S61212BN EN2997SE61212BN 95622-003LF 95079-00CALF 68580163-21S 33DVIR-29S12R 125A-78C00 MI20A-50PD-SF-EJL(71) KP10S-SF-PEJ(812) 504536-0691 504580-0691 CCM03-3109 B LFT
2309923-1 61126-050CAHLF IC1GA-68PD-1.27DS-EJ(72) GTFP08432B1HR G85DT17001P1EU G85B21611142HHR GSD090144HR
G85D1140022P1HR GMCB05801124EU G85C11101152HHR G85B231021B1HR G85D1160022HHR 112K-TAA0-RA1 115S-ACA2
115S-ACA3 115S-BS00 115S-BT00 115V-AD00 MCSP-Q1-08-A-SG-T/R 503960-0695 101B-TAA0-R 101D-TAAA-R01 101D-TAABR01 104D-TCA0-R06 104B-TAA0-R 112C-TBAR-R02 114B-40B00-R02