

Shield Type

Shielded

## This document was generated on 09/05/2014 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	47391-1000		A 9.
Status:			
Status.	Active		
Overview:	External Serial ATA		
Description:		al ATA Plug with Flanged Shell, Bottom Mount, Right Angle,	
	Unmated Height 7.70mm, 0	.38µm Gold (Au) Plating, 7 Circuits, with Vacuum Pick-Up	
	Tape, Lead-Free		
Documents:			THE REAL OF
3D Model		RoHS Certificate of Compliance (PDF)	
Drawing (PDF)			Series
			image - Reference only
0			
General			EU RoHS China RoHS
Product Family		I/O Connectors	
Series		<u>47391</u>	ELV and RoHS
Application		Wire-to-Board	Compliant
Comments		With Flange	REACH SVHC
Component Type		Plug, Receptacle	Contains SVHC: No
Overview		External Serial ATA	Low-Halogen Status
Product Name		External Serial ATA	Not Low-Halogen
Туре		N/A	Need more information on product
UPC		822350738088	environmental compliance?
			environmental compliance?
Physical			Email productcompliance@molex.com
Boot Color		N/A	For a multiple part number RoHS Certificate of
Circuits (Loaded)		7	Compliance, <u>click here</u>
Circuits (maximum)		7	
Color - Resin		Black	Please visit the Contact Us section for any
Gender		Plug	non-product compliance questions.
Keying to Mating Part		Yes	
Lock to Mating Part		Yes	
Material - Plating Mating		Gold	
Material - Plating Termination		Tin	Search Parts in this Series
Net Weight		2.197/g	47391Series
Number of Rows		1	
Orientation		, Right Angle	
PCB Locator		Yes	Mates With
PCB Retention		Yes	68782 External Serial ATA Receptacle
PCB Retention PCB Thickness - Recommended		1.30mm	Cable
Pob Thickness - Recommended Packaging Type		Embossed Tape on Reel	
Panel Mount		Yes	
	22		
Pitch - Mating Interfac		1.27mm	
Pitch - Termination In	lienace	1.27mm	
Plating min - Mating		0.381µm	
Plating min - Termination		1.270µm	
Polarized to Mating P	an	Yes	
Polarized to PCB		Yes	
Ports		1	
Temperature Range -		-35°C to +85°C	
Termination Interface		Surface Mount	
Waterproof / Dustproo	of	No	
Electrical			
Current - Maximum p	er Contact	1.5A	
Grounding to Panel		Yes	
Shield Type		Lipper Shielding	

Yes Upper Shielding Yes **Material Info** 

**Reference - Drawing Numbers** Sales Drawing

SD-47391-100

## This document was generated on 09/05/2014 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for I/O Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

 571763P
 58098-0628
 72.250.1628.2
 72.250.2428.2
 74720-0505
 76.350.0729.0
 76871-1403
 FCN-244F080-G/1
 FCN-260A9920
 PCR 

 E36PM
 PCS-XE26MA+
 G38A71314B
 1571250010
 157-22500-3
 MS3471L14-19P L/C
 192991-0703
 172501-4002
 172501-6002
 FCN 

 260C008-A/L0
 FCN-260C024-AL0
 FCN-261Z008
 2000314-1
 200331-1
 PCR-E36FC+
 PCS-E28FS+
 PCS-XE26SLFD+
 PCS 

 XE26SLFDT+
 G730VID08BDC24
 U90B2054081210
 38113800006
 DP3AR020WQ1R200
 Z4.102.0680.0
 500-1040
 500-1052
 500-1054

 ZP-4008-66L
 0709821002
 DX40-20P(55)
 5554841-1
 MS3474W18-8P-LC\*
 U90B3054061110
 U65-E04-4020
 ZPF000000000097891

 747360449
 10099439-003C-TRLF
 10137239-001LF
 F0320-001-01
 10137239-001LF
 70289-001LF
 70.060.1028.0