

This document was generated on 09/03/2015 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	0474080001	
	Active	
r r		
	High Definition Multimedia Interface (HDMI)* Products	
	0.50mm Pitch HDMI* Receptacle, Right Angle, Reverse, without Dimple and Mylar,	
C	0.76µm Gold (Au) Plating, Matte Tin Plating on Shell, 19 Circuits, Lead-Free	la 2
Documents:		
<u>3D Model</u>	Product Specification PS-47152-001 (PDF)	Star F V
<u>Drawing (PDF)</u>	RoHS Certificate of Compliance (PDF)	v
		Series image - Reference only
General Draduct Formilie	1/O Commentant	Series image - Reference only
Product Family	I/O Connectors	
Series	47408 Wise to Deced	<u>EU ELV</u>
Application	Wire-to-Board	Not Relevant
Comments	Without Dimple, Without Mylar	EU RoHS China RoHS
Component Type	Receptacle	Compliant
Overview	High Definition Multimedia Interface (HDMI)* Products	REACH SVHC
Product Name	HDMI	Contains SVHC(2015
Туре	N/A	June 15): No
UPC	822350586405	Halogen-Free
Physical		Status
Boot Color	N/A	Low-Halogen
Circuits (Loaded)	19	
Circuits (maximum)	19	Need more information on product
Color - Resin	Black	environmental compliance?
Gender	Male	Email productcompliance@molex.com
Keying to Mating Part	Yes	Please visit the <u>Contact Us</u> section for any
Lock to Mating Part	Yes	non-product compliance questions.
Material - Metal	Brass	
Material - Plating Mating		China ROHS Green Image
Material - Plating Termin		ELV Not Relevant
Material - Resin	High Temperature Thermoplastic	
Net Weight	2.164/g	
Number of Rows	2.10-7g 2	Search Parts in this Series
Orientation	Right Angle	47408 Series
PCB Locator	Yes	
PCB Retention	Yes	
Packaging Type	Embossed Tape on Reel	Mates With
Panel Mount	No	HDMI Cables
Pitch - Mating Interface	0.50mm	
Pitch - Termination Interf		
Plating min - Mating	0.762µm	
Plating min - Termination		
Polarized to Mating Part		
Polarized to PCB	Yes	
Ports	1	
Temperature Range - Op	perating -20°C to +85°C	
Termination Interface: St		
Waterproof / Dustproof	No	
Wire Size AWG	N/A	
Electrical		
Current - Maximum per (Shield Type	Contact 0.5A Full Shield	
	EUI SOIEIO	

Shield Type Shielded Voltage - Maximum Full Shield Yes 40V DC

Solder Process Data	
Duration at Max. Process Temperature (seconds)	010
Lead-freeProcess Capability	REFLOW
Max. Cycles at Max. Process Temperature	001
Process Temperature max. C	250

Material Info

Reference - Drawing Numbers			
Product Specification	PS-47152-001		
Sales Drawing	SD-47408-001		
High Definition Multimedia Interface and HDMI are trademarks of HDMI Licensing, LLC.			

This document was generated on 09/03/2015 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for HDMI, Displayport & DVI Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

<u>1775247-3</u> <u>2-1932649-5</u> <u>30-1231</u> <u>30-528</u> <u>2069485-1</u> <u>30-504</u> <u>30-519</u> <u>30-542</u> <u>47648-2000</u> <u>2002-400</u> <u>TC142X</u> <u>769-103/021-000</u> <u>1932649-1</u> <u>233-368NFG6-17NH</u> <u>PJ-210A</u> <u>PJ-35825</u> <u>6321-026RDS1MWA02</u> <u>DV11201-H5R6-4F</u> <u>RPI-16337</u> <u>CC-MDPM-VGAM-6</u> <u>RPI-16338</u> <u>CCB-HDMIL-1.5M</u> <u>CCB-HDMIL-1M</u> <u>CCB-HDMIL-2M</u> <u>CCB-HDMIL-3M</u> <u>CCB-HDMIL-5M</u> <u>CCB-HDMIL-7.5M</u> <u>CCBP-HDMI-10M</u> <u>CCBP-HDMI-10M</u> <u>CCBP-HDMI-1M</u> <u>CCBP-HDMI-2M</u> <u>CCBP-HDMI-5M</u> <u>CCBP-HDMI-7.5M</u> <u>CCBP-HDMI8K-1M</u> <u>CCBP-HDMI8K-2M</u> <u>CCBP-HDMI8K-2M</u> <u>CCBP-HDMI8K-2M</u> <u>CCBP-HDMI8K-3M</u> <u>AK-AV-02</u> <u>AK-AV-03</u> <u>AK-AV-05</u> <u>AK-AV-11</u> <u>AK-AV-13</u> <u>AK-AV-15</u> <u>CCP-MDP2-6</u> <u>CCP-MDPMDP2-6</u> <u>AK-HD-05A</u> <u>AK-HD-100A</u> <u>AK-HD-15P</u> <u>AK-HD-15P</u> <u>AK-HD-15P</u> <u>AK-HD-15R</u>