

This document was generated on 01/03/2022

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: <u>5007621001</u>

Status: Active

Overview: CMC and CMX Sealed, Hybrid, Modular Connectors

Description: 2.50mm, 3.50mm, 3.70mm CMC Header, Sealed, Right-Angle, 48 Circuits, Black

Documents:

<u>3D Model</u> <u>Application Specification 5007620000-AS-000 (PDF)</u>

<u>Drawing (PDF)</u> <u>Datasheet (PDF)</u>

3D Model (PDF) RoHS Certificate of Compliance (PDF)

Product Specification 5007620000-PS-000 (PDF)

General

Product Family PCB Headers Series 500762

Application Automotive, Power, Wire-to-Board

Comments Coding: Black

Overview <u>CMC and CMX Sealed, Hybrid, Modular Connectors</u>

Product Name CMC

UPC 191128954846

Physical

Breakaway No Circuits (Loaded) 48 Circuits (maximum) 48

Circuits Detail 8 x 1.5mm & 40 x 0.635mm terminals

Color - ResinBlackDurability (mating cycles max)20First Mate / Last BreakYesGlow-Wire CapableNoGuide to Mating PartNoKeying to Mating PartYesLock to Mating PartYes

Material - Metal Copper Alloy

Material - Plating MatingTinMaterial - Plating TerminationTinNet Weight42.122/gNumber of Rows4OrientationRight Angle

PC Tail Length 3.50mm
PCB Locator Yes
PCB Retention None
PCB Thickness - Recommended 2.00mm

Packaging Type Tray
Pitch - Mating Interface 2.50mm, 3.50mm, 3.70mm

Pitch - Termination Interface 2.50mm, 3.50mm, 3.70mm
Polarized to Mating Part Yes
Polarized to PCB Yes

Shrouded Closed Ends

Stackable No Surface Mount Compatible (SMC) No

Temperature Range - Operating -40° to +125°C
Termination Interface: Style Solder or Weld

Electrical

Current - Maximum per Contact 12.0A, 2.5A Voltage - Maximum 14V DC



EU ELV

Compliant

EU RoHS China RoHS

Compliant REACH SVHC Not Contained Per -D(2021)4569-DC (8 July 2021)

Halogen-Free

Status

Not Low-Halogen

For more information, please visit Contact US

China ROHS Green Image
ELV Compliant
RoHS Phthalates Not Contained

Search Parts in this Series

500762 Series

Mates With

CMC Receptacles <u>643201311</u>, <u>643203311</u>

Material Info

Reference - Drawing Numbers
Application Specification
Product Specification
Sales Drawing

5007620000-AS-000 5007620000-PS-000 5007621000-000

This document was generated on 01/03/2022

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for High Speed/Modular Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

650827-1 74040-1346 1410191-1 1410337-1 1410368-3 1410964-2 1410326-3 1410367-3 1410971-4 1467833-1 2000877-1 2000878-1 2041314-1 2065387-1 2187307-1 163P 1934290-1 2000875-1 2065917-1 2102736-2 FSR-40 2169868-2 22354-8 437-5040-000 5- 1393565-0 039-0246-000 0740618502 0761601016 0784461022 10123159-12ELF 030-2415-003/100 PK 030-7380-004 030-2494-001 532939-1 5532901-3 3-1469268-7 74748-102LF 73670-0247 10041743-101LF 10066670-100002LF 1-533915-1 249-4515-000 7-1469373-3 DL2-2J/S 2000713-8 2000713-7 10124313-101LF 3011-21 757105208 EBTF-4-10-2.0-S-RA-1