

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** **0502128000**  
**Status:** **Active**  
**Overview:** Micro-Latch Wire-to-Board Connector System  
**Description:** 2.00mm Pitch, Micro-Latch Female Crimp Terminal, Tin (Sn) Plating, 24-30 AWG, Reel

**Documents:**

|  |   |
|--|---|
| <a href="#">3D Model (PDF)</a>                               | <a href="#">Product Specification PS-51160-001-001 (PDF)</a>    |
| <a href="#">3D Model</a>                                     | <a href="#">Product Specification PS-51160-006-001 (PDF)</a>    |
| <a href="#">Drawing (PDF)</a>                                | <a href="#">Product Specification PS-52968-006-001 (PDF)</a>    |
| <a href="#">Product Specification 510650000-PS-000 (PDF)</a> | <a href="#">Product Specification PS-52968-007-001 (PDF)</a>    |
| <a href="#">Product Specification 510651000-PS-000 (PDF)</a> | <a href="#">Product Specification PS-53358-001-001 (PDF)</a>    |
| <a href="#">Product Specification PS-51089-001-001 (PDF)</a> | <a href="#">Product Specification PS-53717-002-001 (PDF)</a>    |
| <a href="#">Product Specification PS-51089-005-001 (PDF)</a> | <a href="#">Product Specification PS-54111-001-001 (PDF)</a>    |
| <a href="#">Product Specification PS-51090-003-001 (PDF)</a> | <a href="#">Product Specification PS-54111-002-001 (PDF)</a>    |
| <a href="#">Product Specification PS-51090-004-001 (PDF)</a> | <a href="#">Product Specification PS-54452-006-001 (PDF)</a>    |
| <a href="#">Product Specification PS-51090-005-001 (PDF)</a> | <a href="#">Product Specification PS-55533-004-001 (PDF)</a>    |
| <a href="#">Product Specification PS-51090-009-001 (PDF)</a> | <a href="#">Application Specification 510900001-000 (PDF)</a>   |
| <a href="#">Product Specification PS-51090-016-001 (PDF)</a> | <a href="#">Packaging Specification SPK-50212-001-001 (PDF)</a> |
| <a href="#">Product Specification PS-51090-017-001 (PDF)</a> | <a href="#">Datasheet (PDF)</a>                                 |
| <a href="#">Product Specification PS-51090-018-001 (PDF)</a> | <a href="#">RoHS Certificate of Compliance (PDF)</a>            |



Series image - Reference only

**General**

|                         |   |
|-------------------------|---|
| Product Family          | Crimp Terminals                                   |
| Series                  | 50212   |
| Application             | Automotive, Signal, Wire-to-Board                 |
| Crimp Quality Equipment | Yes   |
| Overview                | <u>Micro-Latch Wire-to-Board Connector System</u> |
| Packaging Alternative   | 502128100 (Loose)                                 |
| Product Name            | DuraClik, Mi II, Micro-Latch, Sherlock            |
| UPC                     | 800753644625                                      |

**Physical**

|                                |                      |
|--------------------------------|----------------------|
| Gender                         | Female               |
| Material - Metal               | Phosphor Bronze      |
| Material - Plating Mating      | Tin                  |
| Material - Plating Termination | Tin                  |
| Net Weight                     | 20.400/mg            |
| Packaging Type                 | Reel                 |
| Termination Interface: Style   | Crimp or Compression |
| Wire Insulation Diameter       | 1.40mm max.          |
| Wire Size AWG                  | 24, 26, 28, 30       |
| Wire Size mm <sup>2</sup>      | N/A                  |

**Electrical**

|                               |      |
|-------------------------------|------|
| Current - Maximum per Contact | 2.0A |
| Voltage - Maximum             | 125V |

**Material Info**

**Reference - Drawing Numbers**

|                               |   |
|-------------------------------|---|
| Application Specification     | 510900001-000   |
| Application Tooling Documents | 571753720ATP-E-000, 571753720ATP-J-000, 571753720ATS-000, 571753720ATS-J-000                                |
| Crimp Specification           | CS-50212-001  |
| Packaging Specification       | SPK-50212-001-001   |
| Product Specification         | 510650000-PS-000, 510651000-PS-000, PS-51089-001-001, PS-51089-005-001, PS-51090-003-001, PS-51090-004-001, |

**EU ELV**

**Compliant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per -  
D(2021)4569-DC (8  
July 2021)

**Halogen-Free**

**Status**

**Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

Green Image

Compliant

Not Contained

**Search Parts in this Series**

50212 Series

**Use With**

DuraClik Receptacle Housing [502351](#)  
<br>Micro-Latch Receptacle Housing [51065](#)  
<br>Mi II Receptacle Housings [51089](#) ,  
[51090](#)

**Application Tooling | FAQ**

*Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.*

**Global**

| Description  | Product #                 |
|--|---------------------------|
| Extraction Tool for Micro-Fit Terminals              | <a href="#">11030043</a>  |
| Hand Crimp Tool for 2.00mm Pitch Terminal, 24-30 AWG | <a href="#">638190500</a> |
| FineAdjust Applicator for 2.00mm Pitch               | <a href="#">639005200</a> |

Sales Drawing

PS-51090-005-001, PS-51090-009-001,  
PS-51090-016-001, PS-51090-017-001,  
PS-51090-018-001, PS-51160-001-001,  
PS-51160-006-001, PS-52968-006-001,  
PS-52968-007-001, PS-53358-001-001,  
PS-53717-002-001, PS-54111-001-001,  
PS-54111-002-001, PS-54452-006-001,  
PS-55533-004-001  
502120000-SD-000

Wire-to-Board  
Crimp Terminals,  
24-30 AWG Wire,  
Insulation OD  
1.10-1.30mm  
FineAdjust Applicator [639046800](#)  
for 2.00mm Pitch  
Wire-to-Board Crimp  
Terminal, 24-30  
AWG, Insulation OD  
0.90-1.10mm  
T2 Terminator Die [639105200](#)

**Japan**

| <b>Description</b> | <b>Product #</b> |
|--------------------|------------------|
|--------------------|------------------|

|                 |                           |
|-----------------|---------------------------|
| Extraction Tool | <a href="#">571056000</a> |
|-----------------|---------------------------|

|                      |                           |
|----------------------|---------------------------|
| Applicator for M211A | <a href="#">571753000</a> |
|----------------------|---------------------------|

Bench Press, 22-30

AWG Wire

|                |                           |
|----------------|---------------------------|
| S-1 Applicator | <a href="#">571753720</a> |
|----------------|---------------------------|

for Wire-to-Board

Receptacle Terminal,

for 24-30 AWG

Twisted Wire

This document was generated on 12/22/2021

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Headers & Wire Housings](#) category:*

*Click to view products by [Molex](#) manufacturer:*

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)  
[609-3404](#) [61062-3](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-010LF](#)  
[65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5020](#) [707-5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#) [FCN-360C032-B](#) [FCN-367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#) [801-43-006-10-002000](#)