

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: **0502179101**
Status: **Active**
Overview: Mighty-SPOX Connector System
Description: Mighty-SPOX Crimp Terminal, 3.50mm Pitch, 18-24 AWG, Bag, Brass

Documents:

3D Model	Product Specification PS-51067-016-001 (PDF)
Drawing (PDF)	Product Specification PS-51067-017-001 (PDF)
3D Model (PDF)	Product Specification PS-51067-019-001 (PDF)
Product Specification PS-51067-001-001 (PDF)	Product Specification PS-51067-020-001 (PDF)
Product Specification PS-51067-002-001 (PDF)	Packaging Specification 502179200-200 (PDF)
Product Specification PS-51067-005-001 (PDF)	Packaging Specification SPK-50217-001-001 (PDF)
Product Specification PS-51067-007-001 (PDF)	RoHS Certificate of Compliance (PDF)
Product Specification PS-51067-008-001 (PDF)	

General

Product Family	Crimp Terminals
Series	50217
Application	Signal, Wire-to-Board, Wire-to-Wire
Crimp Quality Equipment	Yes
Overview	<u>Mighty-SPOX Connector System</u>
Packaging Alternative	502179001 (Reel)
Product Name	Mighty-SPOX
UPC	800754369671


Physical

Gender	Female
Material - Metal	Brass
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Net Weight	238.300/mg
Packaging Type	Bag
Plating min - Mating	0.889µm
Plating min - Termination	0.889µm
Termination Interface: Style	Crimp or Compression
Wire Insulation Diameter	1.40-3.00mm
Wire Size AWG	18, 20, 22, 24
Wire Size mm ²	N/A

Material Info

Reference - Drawing Numbers

Packaging Specification	502179200-200, SPK-50217-001-001
Product Specification	PS-51067-001-001, PS-51067-002-001, PS-51067-005-001, PS-51067-007-001, PS-51067-008-001, PS-51067-016-001, PS-51067-017-001, PS-51067-019-001, PS-51067-020-001
Sales Drawing	SD-50217-XXXX-001, SD-50217-XXXX-002



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per -
D(2021)4569-DC (8
July 2021)

Halogen-Free

Status

Low-Halogen

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

China RoHS

Green Image

Not Relevant

Not Contained

Search Parts in this Series

50217 Series

Mates With

50419

Use With

51067

Application Tooling | [FAQ](#)

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description	Product #
--------------------	------------------

PremiumGrade	638118300
--------------	---------------------------

Hand Crimp Tool for
3.50mm Terminals
for 18-24 AWG
UL1015 and UL1007
or Equivalent Wire

Extraction and Activation Tool	638132700
-----------------------------------	---------------------------

FineAdjust Applicator, Large Insulation	<u>638603000</u>
FineAdjust Applicator, Small Insulation	<u>638603100</u>

Japan

Description	Product #
Hand Crimper - UL1007	<u>571895000</u>
Hand Crimper - UL1015	<u>571905000</u>

This document was generated on 09/13/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)
[609-3404](#) [61062-3](#) [61082-181009](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-](#)
[010LF](#) [65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-](#)
[5020](#) [707-5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#) [FCN-](#)
[360C032-B](#) [FCN-367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#)
[801-43-006-10-002000](#)