

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0503509001](#)
Status: **Active**
Description: 2.50mm / 3.00mm Pitch Wire-to-Board Female Crimp Terminal, Tin (Sn) Overall, 16-18 AWG, Reel Packaging

Documents:

[Drawing \(PDF\)](#) [Packaging Specification PK-50350-001-001 \(PDF\)](#)
[Product Specification PS-51128-003-001 \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family Crimp Terminals
 Series [50350](#)
 Application Power, Wire-to-Board
 Crimp Quality Equipment Yes
 Packaging Alternative [503509101 \(Loose\)](#)
 Product Name N/A
 UPC 800753750616


Physical

Durability (mating cycles max) 30
 Gender Female
 Material - Metal Brass
 Material - Plating Mating Tin
 Material - Plating Termination Tin
 Net Weight 133.000/mg
 Packaging Type Reel
 Plating min - Mating 0.889µm
 Plating min - Termination 0.889µm
 Termination Interface: Style Crimp or Compression
 Wire Insulation Diameter 2.00-2.60mm
 Wire Size AWG 16, 18
 Wire Size mm² 0.56-1.29

Material Info

Reference - Drawing Numbers

Packaging Specification PK-50350-001-001
 Product Specification PS-51128-003-001
 Sales Drawing SD-50350-9X01



EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per -
 ED/71/2019 (16 July
 2019)

Halogen-Free

Status

Low-Halogen

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

China RoHS

Green Image

Not Relevant

Not Contained

Search Parts in this Series

[50350 Series](#)

Use With

[511281601](#)

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description	Product #
Hand Crimp Tool for 2.50mm / 3.00mm Pitch Wire-to-Board Female Crimp Terminal	638235200
T2 Terminator Die	638513100
FineAdjust Applicator	638613100

Japan

Description	Product #
S-1 Applicator for 2.50/3.00mm	572883700

Pitch Wire-to-Board
Female Crimp
Terminal, 16-18
AWG, 0.85-1.25 AVS
S-1 Applicator 572883710
for 2.50/3.00mm
Pitch Wire-to-Board
Female Crimp
Terminal, 20 AWG,
0.5 AVS

This document was generated on 09/18/2019

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)
[609-3404](#) [61062-3](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-010LF](#)
[65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5020](#) [707-](#)
[5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#) [FCN-360C032-B](#) [FCN-](#)
[367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#) [801-43-006-10-002000](#)