

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** **5054136010**  
**Status:** **Active**  
**Overview:** SlimStack Board-to-Board/Board-to-FPC Connectors  
**Description:** SlimStack Board-to-Board Receptacle, 0.35mm Pitch, SSB RP Series, 0.90 or 1.00mm Mated Height, 2.00mm Mated Width, 60 Circuits, Armor Nail

**Documents:**

|  |  |
|--|--|
| <a href="#">3D Model</a>                                   | <a href="#">Product Specification 5054130000-A00 (PDF)</a>   |
| <a href="#">3D Model (PDF)</a>                             | <a href="#">Packaging Specification 5054139200-200 (PDF)</a> |
| <a href="#">Drawing (PDF)</a>                              | <a href="#">Datasheet (PDF)</a>                              |
| <a href="#">Product Specification 5054130000-001 (PDF)</a> | <a href="#">Product Guide (PDF)</a>                          |
| <a href="#">Product Specification 5054130000-004 (PDF)</a> | <a href="#">RoHS Certificate of Compliance (PDF)</a>         |
| <a href="#">Product Specification 5054130000-005 (PDF)</a> | <a href="#">Reference Guide (PDF)</a>                        |

**General**

|                |  |
|----------------|--|
| Product Family | PCB Receptacles  |
| Series         | 505413   |
| Application    | Board-to-Board   |
| Overview       | <a href="#">SlimStack Board-to-Board/Board-to-FPC Connectors</a> |
| Product Name   | SlimStack  |
| Series Name    | 0.35, SSB RP   |
| UPC            | 889056647762   |

**Physical**

|                                |                        |
|--------------------------------|------------------------|
| Circuits (Loaded)              | 60                     |
| Circuits (maximum)             | 60                     |
| Color - Resin                  | Black                  |
| Durability (mating cycles max) | 30                     |
| Glow-Wire Capable              | No                     |
| Mated Height                   | 0.90mm, 1.00mm         |
| Mated Width                    | 2.00mm                 |
| Material - Metal               | Copper Alloy           |
| Material - Plating Mating      | Gold                   |
| Material - Plating Termination | Gold                   |
| Material - Resin               | Liquid Crystal Polymer |
| Net Weight                     | 29.960/mg              |
| Number of Rows                 | 2                      |
| Orientation                    | Vertical               |
| PCB Locator                    | No                     |
| PCB Retention                  | Yes                    |
| Packaging Type                 | Embossed Tape on Reel  |
| Pitch - Mating Interface       | 0.35mm                 |
| Pitch - Termination Interface  | 0.35mm                 |
| Plating min - Mating           | 0.100µm                |
| Plating min - Termination      | 0.050µm                |
| Polarized to Mating Part       | No                     |
| Polarized to PCB               | No                     |
| Temperature Range - Operating  | -40° to +85°C          |
| Termination Interface: Style   | Surface Mount          |


**Electrical**

|                               |                 |
|-------------------------------|-----------------|
| Current - Maximum per Contact | 0.3A, 3.0A      |
| Voltage - Maximum             | 50V AC (RMS)/DC |

**Material Info**

**Reference - Drawing Numbers**

|                         |                |
|-------------------------|----------------|
| Packaging Specification | 5054139200-200 |
|-------------------------|----------------|



*Series image - Reference only*

**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per -  
D(2021)4569-DC (8  
July 2021)

**Halogen-Free**

**Status**

**Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

Green Image

Not Relevant

Not Contained

**Search Parts in this Series**

505413 Series

**Mates With**

SlimStack SSB RP Plug [505417](#)

Product Specification

Sales Drawing

5054130000-001, 5054130000-004, 5054130000-005,  
5054130000-A00  
5054130000-000, 5054131000-000

This document was generated on 10/05/2021

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Board to Board & Mezzanine Connectors](#) category:*

*Click to view products by [Molex](#) manufacturer:*

Other Similar products are found below :

[589158040000018](#) [FCN-230C068-11](#) [FCN-268F012-G/BD](#) [FCN-268F036-G/BD](#) [FCN-268M012-G/0D](#) [FCN-268M024-G/1D](#) [FCN-723J004/1](#) [MIS-048-01-F-D-DP-K](#) [832-10-034-10-001000](#) [FX4C-80S-1.27DSA](#) [FCN-214Q030-G/0](#) [FCN-234P048-G/0](#) [FCN-235D050-G/C](#) [2-22603-0](#) [AXG720047](#) [5031084030](#) [MIT-114-03-F-D-K](#) [55323-1519](#) [YFT-20-05-H-03-SB-K](#) [503308-3040](#) [026-6203-PDB](#) [027-6203-PDB](#) [069159702701000](#) [10123981-102LF](#) [101A10019X](#) [55650-0588-C](#) [68682-310LF](#) [68684-306](#) [75140-7012](#) [87471-650](#) [YTW-30-07-H-Q-410-140](#) [194261-1](#) [FCN-268F024-G0D](#) [10124054-515LF](#) [68685-603](#) [8-1616154-3](#) [MIS-019-01-F-D](#) [FCN-268M024-G/3D](#) [FCN-268M036-G/BD](#) [20021832-06016C1LF](#) [KX15-20KLDL-E1000E](#) [AXE810124](#) [FCN-214J100-G/0](#) [FCN-230C068-E/S](#) [AXE812124](#) [AXE816124](#) [AXE720127](#) [354184](#) [MIT-019-04-F-D-K](#) [P50-028-DDS-TG](#)