

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0505988000](#)  
**Status:** **Active**  
**Overview:** CP Wire-to-Board and Wire-to-Wire Connector Systems  
**Description:** CP-6.5 Wire-to-Board Crimp Terminal, Female, 20-26 AWG, Reel

**Documents:**

<a href="#">Drawing (PDF)</a>	<a href="#">Packaging Specification SPK-50598-001-002 (PDF)</a>
<a href="#">Product Specification 2035550001-PS-000 (PDF)</a>	<a href="#">Packaging Specification SPK-50598-001-003 (PDF)</a>
<a href="#">Product Specification PS-51138-002-001 (PDF)</a>	<a href="#">Test Summary 1510480001-TS-000 (PDF)</a>
<a href="#">Product Specification PS-51142-002-001 (PDF)</a>	<a href="#">Test Summary 2035550001-TS-000 (PDF)</a>
<a href="#">Product Specification PS-51142-003-001 (PDF)</a>	<a href="#">Datasheet (PDF)</a>
<a href="#">Packaging Specification 505988010-PK-000 (PDF)</a>	<a href="#">RoHS Certificate of Compliance (PDF)</a>
<a href="#">Packaging Specification SPK-50598-001-001 (PDF)</a>	

**General**

Product Family	Crimp Terminals
Series	50598
Application	Power, Wire-to-Board
Comments	See Product Specification for maximum current rating by circuit size and wire AWG
Crimp Quality Equipment Overview	Yes
Packaging Alternative	CP Wire-to-Board and Wire-to-Wire Connector Systems
Product Name	505988100 (Loose)
UPC	CP-6.5 800753366572

**Physical**

Durability (mating cycles max)	30
Gender	Female
Material - Metal	Phosphor Bronze
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Net Weight	246.300/mg
Packaging Type	Reel
Termination Interface: Style	Crimp or Compression
Wire Insulation Diameter	1.25-2.35mm
Wire Size AWG	20, 22, 24, 26
Wire Size mm <sup>2</sup>	N/A


**Electrical**

Current - Maximum per Contact	10.0A
Voltage - Maximum	600V AC (RMS)/DC

**Material Info**

**Reference - Drawing Numbers**

Packaging Specification	505988010-PK-000, SPK-50598-001-001, SPK-50598-001-002, SPK-50598-001-003
Product Specification	2035550001-PS-000, PS-51138-002-001, PS-51142-002-001, PS-51142-003-001
Sales Drawing	CS-50598~50600-001, CS-50598~50600-002, CS-50598~50600-003, SD-50598-8X00-011
Test Summary	1510480001-TS-000, 2035550001-TS-000



Series image - Reference only

**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per - D(2021)4569-DC (8 July 2021)

**Halogen-Free**

**Status**

**Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

Green Image

Not Relevant

Not Contained

**Search Parts in this Series**

50598 Series

**Use With**

CP-6.5 Receptacle Housing [151049](#)

**Application Tooling | FAQ**

*Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.*

**Global**

Description	Product #
-------------	-----------

Extraction and	<a href="#">638132700</a>
----------------	---------------------------

Activation Tool	
-----------------	--

Hand Crimp Tool	<a href="#">638235300</a>
-----------------	---------------------------

for Wire-to-Wire

and Wire-to-Board

Terminals

Hand Crimp Tool	<a href="#">638235400</a>
-----------------	---------------------------

for Wire-to-Wire

and Wire-to-Board

Terminals

FineAdjust Applicator 639019800  
for 3.96mm Pitch  
Crimp Terminal,  
20-26 AWG

FineAdjust Applicator 639019900  
for 3.96mm Pitch  
Crimp Terminal, 24  
AWG

T2 Terminator for 639119800  
3.96mm Pitch Crimp  
Terminal, 20-26  
AWG

T2 Terminator for 639119900  
3.96mm Pitch Crimp  
Terminal, 24 AWG

**Japan**

**Description** **Product #**

S-1 Applicator for 573473730  
CP-6.5 Terminals, 24  
AWG, UL1015 Wires

S-1 Applicator for 573473740  
CP-6.5 Terminals,  
20-26 AWG, UL1007  
Wires

Extraction Tool 573476000

This document was generated on 11/18/2021

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Headers & Wire Housings](#) category:*

*Click to view products by [Molex](#) manufacturer:*

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)  
[609-3404](#) [61062-3](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-010LF](#)  
[65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5020](#) [707-](#)  
[5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#) [FCN-360C032-B](#) [FCN-](#)  
[367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#) [801-43-006-10-002000](#)