




注記 NOTES

- △ 適合ターミナル : 50539-****
APPLICABLE TERMINAL : 50539-****
- 2. 嵌合相手 : 53520,53521,53525 シリーズ
MATE WITH : 53520,53521,53525 SERIES
- △ 3. 偶数極にのみ適用
APPLY FOR EVEN CKT.
- 4. ELV AND RoHS COMPLIANT.
- 5. MATERIAL:PBT
GF:0% UL94V-0



2極に適用
APPLY FOR 2 CKT.

	8.7	59.96	55.44	51144-150*	15
		56	51.48	-140*	14
		52.04	47.52	-130*	13
		48.08	43.56	-120*	12
		44.12	39.6	-110*	11
		40.16	35.64	-100*	10
		36.2	31.68	-090*	9
		32.24	27.72	-080*	8
		28.28	23.76	-070*	7
		24.32	19.8	-060*	6
		20.36	15.84	-050*	5
		16.4	11.88	-040*	4
	8.7	12.44	7.92	-030*	3
	4.74	8.48	3.96	51144-020*	2
	(C)	B	A	MATERIAL NO.	CKT. 極数



REVISED EC NO: J2009-0817 DRWN:YA0YAGI 2009/02/19 CHKD:NUKITA 2009/02/20 APPR:NUKITA 2009/02/20	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	MODEL NO. 51144-***0*	
	10 UNDER	±0.2	DRAWN BY T. TSUBOI		DATE 2002/10/25		THIRD ANGLE PROJECTION	
	10 OVER 30 UNDER	±0.25	CHECKED BY K. ASAKAWA		DATE 2002/10/25		TITLE 3.96 WIRE TO BOARD CONNECTOR HOUSING	
	30 OVER	±0.3	APPROVED BY T. YAMAGUCHI		DATE 2002/10/25		MOLEX INCORPORATED	
	ANGULAR ±3 °		MATERIAL NO. SEE SHEET 2		DOCUMENT NO. SD-51144-001		SHEET NO. 1 OF 2	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

PINK	ORANGE	BROWN	GREEN	GRAY	BLUE	YELLOW	RED	BLACK	WHITE	COLOR
										15
										14
									51144-1300	13
									51144-1200	12
									51144-1100	11
									51144-1000	10
									51144-0900	9
									51144-0800	8
							51144-0702		51144-0700	7
									51144-0600	6
							51144-0502		51144-0500	5
									51144-0400	4
51144-0309	51144-0308		51144-0306	51144-0305	51144-0304	51144-0303	51144-0302	51144-0301	51144-0300	3
									51144-0200	2
MATERIAL NO.	MATERIAL NO.	MATERIAL NO.	MATERIAL NO.	MATERIAL NO.	MATERIAL NO.	MATERIAL NO.	MATERIAL NO.	MATERIAL NO.	MATERIAL NO.	CKT.

REVISED EC NO: J2009-0817 DRWN: YA0YAGI CHKD: NUKITA APPR: NUKITA	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	MODEL NO. 51144-***0*	
	10 UNDER ±0.2 10 OVER 30 UNDER ±0.25 30 OVER ±0.3	DRAWN BY T. TSUBOI	DATE 2002/10/25	TITLE 3.96 WIRE TO BOARD CONNECTOR HOUSING				
	ANGULAR ±3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	CHECKED BY K. ASAKAWA	DATE 2002/10/25	MOLEX INCORPORATED				
	A	APPROVED BY T. YAMAGUCHI	DATE 2002/10/25	MATERIAL NO. SEE TABLE	DOCUMENT NO. SD-51144-001	SHEET NO. 2 OF 2		

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)
[609-3404](#) [61062-3](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-010LF](#)
[65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5020](#) [707-5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#) [FCN-360C032-B](#) [FCN-367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#) [801-43-006-10-002000](#)