

This document was generated on 09/30/2016

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0051242021

Status: **Active DMS-59® Overview:**

1.27mm Pitch LFH™ Plug Terminal Stick, with Carrier, 15 Circuits **Description:**

Documents:

3D Model Application Specification AS-70929-001 (PDF) RoHS Certificate of Compliance (PDF) Drawing (PDF)

Product Specification PS-70928 (PDF)

General

Product Family I/O Connectors

70984 Series Wire-to-Board Application

Comments With Carrier Strip|Sticks may be trimmed using LFH

Stick Preparation Tool Kit 62200-1100

Plug, Terminal Stick Component Type

MolexKits Yes Overview DMS-59® **Product Name** DMS59®, LFH™ N/A

Type

UPC 800754387231

Physical

Circuits (Loaded) 15 Circuits (maximum) 15 Lock to Mating Part Yes

Material - Metal Phosphor Bronze

Material - Plating Mating Gold Material - Plating Termination Tin

Material - Resin High Temperature Thermoplastic

Net Weight 0.551/qOrientation Vertical **PCB** Retention N/A Packaging Type Tray **Panel Mount** No Pitch - Mating Interface 1.27mm Plating min - Mating 1.905µm Plating min - Termination 2.540µm Polarized to Mating Part Yes Surface Mount Compatible (SMC) Yes

Temperature Range - Operating -20°C to +80°C Termination Interface: Style Through Hole Wire Size AWG 28, 30, 32, 34, 36

Electrical

Current - Maximum per Contact 1.0A Shielded No Voltage - Maximum 40V

Solder Process Data


Duration at Max. Process Temperature (seconds) 040

Lead-freeProcess Capability SMC&WAVE

Max. Cycles at Max. Process Temperature 003 Process Temperature max. C 260

Material Info

Engineering Number 70984-1001



EU ELV Not Relevant

China RoHS EU RoHS

Compliant **REACH SVHC** Not Contained Per -ED/21/2016 (20 June 2016)

Halogen-Free Status Low-Halogen

Need more information on product environmental compliance?

Email productcompliance@molex.com Please visit the Contact Us section for any non-product compliance questions.

China ROHS Green Image **ELV** Not Relevant

Search Parts in this Series

70984 Series

Mates With

LFH™ Matrix 50 Receptacle 70928, DMS-59® Receptacle 75134

Use With

70929 LFH Plug Sub Assembly, 75135 DMS-59 Plug Sub Assembly

Reference - Drawing Numbers
Application Specification
Product Specification
Sales Drawing

AS-70929-001 PS-70928, RPS-70928-002 SDA-70984-100*

This document was generated on 09/30/2016

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for I/O Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

571763P 58098-0628 72.250.1628.2 72.250.2428.2 74720-0505 76.350.0729.0 76871-1403 FCN-244F080-G/1 FCN-260A9920 PCR-E36PM PCS-XE26MA+ G38A71314B 1571250010 157-22500-3 MS3471L14-19P L/C 192991-0703 172501-4002 172501-6002 FCN-260C008-A/L0 FCN-260C024-AL0 FCN-261Z008 2000314-1 200331-1 PCR-E36FC+ PCS-E28FS+ PCS-XE26SLFD+ PCS-XE26SLFD+ PCS-XE26SLFD+ G730VID08BDC24 U90B2054081210 UE86K842720321 38113800006 DP3AR020WQ1R200 Z4.102.0680.0 500-1040 500-1052 500-1054 ZP-4008-66L 0709821002 DX40-20P(55) 5554841-1 MS3474W18-8P-LC* U90B3054061110 U65-E04-4020 ZPF0000000000097891 747360449 10099439-003C-TRLF 10137239-0021LF E9320-001-01 10137239-0011LF 70289-001LF